

SYSTEME NEUROMUSCULAIRE

MUSCLES

N° doc. : 134364
HANAYAMA K ; LIU M ; HIGUCHI Y ; FUJIWARA T ;
Dysphagia in patients with Duchenne muscular dystrophy evaluated with a questionnaire and videofluorography
DISABIL.REHABIL. , 2008, Vol. 30, n° 7, p. 517-522

N° doc. : 134451
BRUNNER R ; ROMKES J
Abnormal EMG muscle activity during gait in patients without neurological disorders
GAIT POSTURE , 2008, Vol. 27, n° 3, p. 399-407

N° doc. : 134498
LEE HM ; CHEN JJ ; WU YN ; WANG YL ; HUANG SC ;
Time course analysis of the effects of botulinum toxin type A on elbow spasticity based on biomechanic and electromyographic parameters
ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 4, p. 692-699

N° doc. : 134500
BOE S ; RICE CL ; DOHERTY TJ
Estimating contraction level using root mean square amplitude in control subjects and patients with neuromuscular disorders
ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 4, p. 711-718

N° doc. : 134695
GRUTHER W ; BENESCH T ; ZORN C
Muscle wasting in intensive care patients : ultrasound observation of the M.quadriceps femoris muscle layer
J.REHABIL.MED. , 2008, Vol. 40, n° 3, p. 185-189

SYSTEME NERVEUX PERIPHERIQUE

N° doc. : 134339
MAZIBRADA G ; TARIQ S ; PERENNOD D ; GRESTY M
The peripheral nervous system and the perception of verticality
GAIT POSTURE , 2008, Vol. 27, n° 2, p. 202-208

N° doc. : 134416
DEMIR SO ; KOSEOGLU F
Factors associated with health related quality of life in patients with severe Guillain-Barre syndrome
DISABIL.REHABIL. , 2008, Vol. 30, n° 8, p. 593-599

N° doc. : 134421
VIDELER AJ ; BEELEN A ; NOLLET F
Manual dexterity and related functional limitations in hereditary motor and sensory neuropathy - an explorative study
DISABIL.REHABIL. , 2008, Vol. 30, n° 8, p. 634-638

N° doc. : 134585
Aide à l'examen du système nerveux périphérique
ELSEVIER MASSON , 2008, 61 p

N° doc. : 134771
TAYLOR C ; BRAZA D ; RICE J ; DILLINGHAM T
The incidence of peripheral nerve injury in extremity trauma
AM.J.PHYS.MED.REHABIL. , 2008, Vol. 87, n° 5, p. 381-385

N° doc. : 134505
KAYMAK B ; OZCAKAR L ; CETIN A ; CETIN MC ; AKINCI A
A comparison of the benefits of sonography and electrophysiologic measurements as predictors of symptom severity and functional status in patients with carpal tunnel syndrome
ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 4, p. 743-748

SEMOLOGIE ET SYNDROMES CENTRAUX

MOTRICITE

N° doc. : 134632
BELHEUR JP
Cognitique et motricité : apprentissage et organisation du mouvement
MOTRICITE CEREBR. , 2008, Vol. 29, n° 2, p. 65-77

N° doc. : 134332
BUFFENOIR K ; RIGOARD P ; LEFAUCHEUR JP
Lidocaine hyperselective motor blocks of the triceps surae nerves
AM.J.PHYS.MED.REHABIL. , 2008, Vol. 87, n° 4, p. 292-304

N° doc. : 134875
DOBKIN BH
Fatigue versus activity dependent fatigability in patients with central or peripheral motor impairments
NEUROREHABIL.NEURAL REPAIR , 2008, Vol. 22, n° 2, p. 105-110

N° doc. : 135229
HISCOCK M ; MILLER S ; ROTHWELL J ; TALLIS RC
Informing does-finding studies of repetitive transcranial magnetic stimulation to enhance motor function - a qualitative systematic review
NEUROREHABIL.NEURAL REPAIR , 2008, Vol. 22, n° 3, p. 217-227

N° doc. : 135230
MALDONADO MA ; ALLRED RP ; FELTHAUER EL
Motor skill training, but not voluntary exercise, improves skilled reaching after unilateral ischemic lesions of the sensorimotor cortex in rats
NEUROREHABIL.NEURAL REPAIR , 2008, Vol. 22, n° 3, p. 250-261

SPASTICITE

N° doc. : 134333
ESQUENAZI A ; MAYER N ; GARRETA R
Influence of botulinum toxin type A treatment of elbow flexor spasticity on hemiparetic gait
AM.J.PHYS.MED.REHABIL. , 2008, Vol. 87, n° 4, p. 305-311

N° doc. : 134334
MARCINIAK C ; RADER L ; GAGNON C
The use of botulinum toxin for spasticity after spinal cord injury
AM.J.PHYS.MED.REHABIL. , 2008, Vol. 87, n° 4, p. 312-320

N° doc. : 134395
STUBBLEFIELD MD ; LEVINE A ; CUSTODIO CM
The role of botulinum toxin type A in the radiation fibrosis syndrome
ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 3, p. 417-421

N° doc. : 134499
CHUNG SG ; VAN REY E ; BAI Z ; RYMER WZ ; ROTH EJ
Separate quantification of reflex and nonreflex components of spastic hypertonia in chronic hemiparesis
ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 4, p. 700-710

N° doc. : 134661
VAZ DV ; DE CARVALHO SCHETTINO R
Treadmill training for ataxic patients : a single-subject experimental design
CLIN.REHABIL. , 2008, Vol. 22, n° 3, p. 234-241

N° doc. : 134772

SATILA H ; PIETIKAINEN T ; LISALO T

Botulinum toxin type A injections into the calf muscles for treatment of spastic equinus in cerebral palsy : a randomized trial comparing single and multiple injection sites
AM.J.PHYS.MED.REHABIL. , 2008, Vol. 87, n° 5, p. 386-394

N° doc. : 134786

SCHNITZLER A ; GENET F ; MAILHAN L

Prise en charge de la spasticité chez l'adulte - mise au point
LETTRE MED.PHYS.READAPT. , 2008, Vol. 24, n° 2, p. 57-58

N° doc. : 135171

DEPEDIBI R ; UNLU E ; CEVIKOL A ; AKKAYA T ; CAKCI A
Ultrasound guided botulinum toxin type A injection to the iliopsoas muscle in the management of children with cerebral palsy
NEUROREHABILITATION , 2008, Vol. 23, n° 3, p. 199-205

N° doc. : 135174

ANSARI NN ; NAGHDI S ; ARAB TK ; JALAIE S

The interrater and intrarater reliability of the modified Ashworth scale in the assessment of muscle spasticity - Limb and muscle group effect
NEUROREHABILITATION , 2008, Vol. 23, n° 3, p. 231-237

N° doc. : 135199

ELOVIC EP ; BRASHEAR A ; KAELEN D ; LIU J ; MILLIS SR
Repeated treatments with botulinum toxin type A produce sustained decreases in the limitations associated with focal upper-limb poststroke spasticity for caregivers and patients
ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 5, p. 799-806

CERVELET SYNDROME CEREBELLEUX

N° doc. : 135176

SHINOURA N ; SUZUKI Y ; WATANABE Y ; YAMADA R
Mirror therapy activates outside of cerebellum and ipsilateral M1
NEUROREHABILITATION , 2008, Vol. 23, n° 3, p. 245-252

NEUROPSYCHOLOGIE FONCTIONS COGNITIVES

N° doc. : 131548

MORGAN JE ; RICKER JH

Textbook of clinical neuropsychology

BASINGSTOKE : TAYLOR AND FRANCIS , 2008, 1025 p

N° doc. : 134294

YORKSTON KM ; BAYLOR CR ; DIETZ J ; DUDGEON BJ
Developing a scale of communicative participation : a cognitive interviewing study
DISABIL.REHABIL. , 2008, Vol. 30, n° 6, p. 425-433

N° doc. : 134297

SATISH U ; STREUFERT S ; ESLINGER PJ

Simulation based executive cognitive assessment and rehabilitation after traumatic frontal lobe injury

DISABIL.REHABIL. , 2008, Vol. 30, n° 6, p. 468-478

N° doc. : 134301

PERON MAGNAN T ; TROCELLO JM ; PERNON M

De la clinique à la rééducation pour un trouble de l'écriture dans la maladie de Wilson - illustré par un cas clinique
KINESITHER.SCI. , 2008, n° 490, p. 29-42

N° doc. : 134321

DALEMANS R ; DE WITTE LP ; LEMMENS J

Measures for rating social participation in people with aphasia - a systematic review

CLIN.REHABIL. , 2008, Vol. 22, n° 6, p. 542-555

N° doc. : 134510

SACCO S ; SARA M ; PISTOIA F ; CONSON M

Management of pathologic laughter and crying in patients with locked-in syndrome (a report of 4 cases)

ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 4, p. 775-778

N° doc. : 134705

SHIN JY ; McDONAUG RH

Types, availability, and perception of social support among parents of young children with cognitive delays in Vietnam

INT.J.REHABIL.RES. , 2008, Vol. 31, n° 2, p. 131-139

N° doc. : 134707

PIZZAMIGLIO MR ; NASTI M ; PICCARDI L ; VITTURINI C
Visual motor coordination computerized training improves the visuo-spatial performance in a child affected by Cri-du-Chat syndrome

INT.J.REHABIL.RES. , 2008, Vol. 31, n° 2, p. 151-154

N° doc. : 134712

UNSA DELIALIOGLU S ; KURT M ; KAYA K ; CULHA C
Effects of ideomotor apraxia on functional outcomes in patients with right hemiplegia

INT.J.REHABIL.RES. , 2008, Vol. 31, n° 2, p. 177-180

N° doc. : 134824

MATH F

Neurosciences cliniques - De la perception aux troubles du comportement

DE BOECK UNIVERSITE , 2008, 450 p

N° doc. : 134877

DONOVAN NJ ; KENDALL DL ; HEATON S ; KWON S

Conceptualizing functional cognition in stroke

NEUROREHABIL.NEURAL REPAIR ,

2008, Vol. 22, n° 2, p. 122-135

N° doc. : 135164

SULLIVAN K ; MADDEN I

A pilot investigation of effectiveness of a memory-improvement program on subjective and objective memory in healthy young adults - Directions for future research

NEUROREHABILITATION , 2008, Vol. 23, n° 2, p. 127-135

N° doc. : 135165

SHIRAISHI H ; YAMAKAWA Y ; ITOU A

Long term effects of prism adaptation on chronic neglect after stroke

NEUROREHABILITATION , 2008, Vol. 23, n° 2, p. 137-151

N° doc. : 135216

KASHLUBA S ; HANKS RA ; CASEY J ; MILLIS SR

Neuropsychologic and functional outcome after complicated mild traumatic brain injury

ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 5, p. 904-911

N° doc. : 135220

KALMAR K ; NOVACK TA ; NAKASE RICHARDSON R

Feasibility of a brief neuropsychologic test battery during acute inpatient rehabilitation after traumatic brain injury

ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 5, p. 942-949

N° doc. : 135221

HANKS RA ; MILLIS SR ; RICKER JH ; GIACINO JT

The predictive validity of a brief inpatient neuropsychologic battery for persons with traumatic brain injury

ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 5, p. 950-957

N° doc. : 135297

DUJARDIN K ; LEMAIRE P

Neuropsychologie du vieillissement normal et pathologique

ELSEVIER MASSON , 2008, 240 p

DOULEUR

N° doc. : 134663

FISHER K

Assessing clinically meaningful change following a programme for managing chronic pain

CLIN.REHABIL. , 2008, Vol. 22, n° 3, p. 252-259

N° doc. : 134671

FERNANDEZ DE LAS PENAS C ; CUADRADO ML
Association of cross-sectional area of the rectus capitis posterior minor muscle with active trigger points in chronic tension-type headache - a pilot study - a pilot study
AM.J.PHYS.MED.REHABIL. , 2008, Vol. 87, n° 3, p. 197-203

N° doc. : 134675

EL ABD O ; ROSENBERG D ; GOMBA L ; ISAAC Z
The lateral atlanto-axial joint as a source of headache in congenital atlanto-occipital fusion
AM.J.PHYS.MED.REHABIL. , 2008, Vol. 87, n° 3, p. 232-237

N° doc. : 134693

BUNKETORP KALL L ; KOWALSKI J ; STENER VICTORIN E
Assessing pain perception using the painmatcher-R in patients with whiplash associated disorders
J.REHABIL.MED. , 2008, Vol. 40, n° 3, p. 171-177

N° doc. : 134746

MYBURGH C ; HOLSGAARD LARSEN A ; HARTVIGSEN J
A systematic, critical review of manual palpation for identifying myofascial trigger points : evidence and clinical significance
ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 6, p. 1169-1176

N° doc. : 134748

GERVAIS C
Infirmière ressource douleur et infirmière référente, pour une meilleure prise en charge de la douleur
SOINS , 2008, n° 728, p. 31-32

N° doc. : 134749

CREVOISIER J ; POINDESSOU JL
Rééducation et douleur
SOINS , 2008, n° 728, p. 67-68

N° doc. : 134760

BLOND S ; BUISSET N ; TOUZET G ; REYNS N ; MARTINS R
Techniques de neurostimulation et douleurs réfractaires
ANN.READAPT.MED.PHYS. , 2008, Vol. 51, n° 6, p. 432-440

N° doc. : 134992

MOREAUX T ; DUPARC N ; THIOLLIER A
La prise en charge de la douleur de l'enfant - un combat à poursuivre
SOINS PEDIATR.PUERICULTURE , 2008, n° 244, p. 21-23

N° doc. : 135039

ULLRICH P ; JENSEN MP ; LOESER JD ; CARDENAS DD
Pain intensity, pain interference and characteristics of spinal cord injury
SPINAL CORD , 2008, Vol. 46, n° 6, p. 451-455

N° doc. : 135559

DEVILLERS J
Technique FM. Alexander : apprendre pour soulager ses douleurs
KINE ACTUALITE , 2008, n° 1126, p. 18-21

N° doc. : 135162

THIOLLIER A ; DUPARC N
Evaluer la douleur en pédiatrie, un vrai défi
REV.INFIRM. , 2008, n° 144, p. 36-37

MOELLE

N° doc. : 134326

MCKINLEY W ; MERRELL C ; MEADE M ; BROOKE K
Rehabilitation outcomes after infection-related spinal cord disease : a retrospective analysis
AM.J.PHYS.MED.REHABIL. , 2008, Vol. 87, n° 4, p. 275-280

N° doc. : 134327

CLARK MJ ; PETROSKI G ; MAZUREK MO ; HAGGLUND KJ
Testosterone replacement therapy and motor function in men with spinal cord injury
AM.J.PHYS.MED.REHABIL. , 2008, Vol. 87, n° 4, p. 281-284

N° doc. : 134334

MARCINIAK C ; RADER L ; GAGNON C
The use of botulinum toxin for spasticity after spinal cord injury
AM.J.PHYS.MED.REHABIL. , 2008, Vol. 87, n° 4, p. 312-320

N° doc. : 134515

VALENT L ; DALLMEIJER AJ ; HOUDIJK H ; SLOOTMAN HJ
Influence of hand cycling on physical capacity in the rehabilitation of persons with a spinal cord injury
ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 6, p. 1016-1022

N° doc. : 134985

RAJAN S ; HAMMOND MC ; GOLDSTEIN B
Trends in diabetes mellitus indicators in veterans with spinal cord injury
AM.J.PHYS.MED.REHABIL. , 2008, Vol. 87, n° 6, p. 468-477

N° doc. : 134308

BEHRMAN AL ; NAIR PM ; BOWDEN MG ; DAUSER RC ;
Locomotor training restores walking in a nonambulatory child with chronic, severe, incomplete cervical spinal cord injury
PHYS.THER. , 2008, Vol. 88, n° 5, p. 580-590

N° doc. : 134387

GAGNON D ; NADEAU S ; NOREAU L ; DEHAIL P ;
Quantification of reaction forces during sitting pivot transfers performed by individuals with spinal cord injury
J.REHABIL.MED. , 2008, Vol. 40, n° 6, p. 468-476

N° doc. : 134502

MORSE L ; STOLZMANN K ; NGUYEN H ; JAIN NB
Association between mobility mode and C-reactive protein levels in men with chronic spinal cord injury
ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 4, p. 726-731

N° doc. : 134522

NOONAN V ; KOPEC JA ; ZHANG H ; DVORAK MF
Impact of associated conditions resulting from spinal cord injury on health status and quality of life in people with traumatic central cord syndrome
ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 6, p. 1074-1082

N° doc. : 134996

OLMOS LE ; FREIXES O ; GATTI MA ; COZZO DA
Comparison of gait performance on different environmental settings for patients with chronic spinal cord injury
SPINAL CORD , 2008, Vol. 46, n° 5, p. 331-334

N° doc. : 135001

GODLWANA L ; GOUNDEN P ; NGUBO P ; NSIBANDE T ;
Incidence and profile of spinal tuberculosis in patients at the only public hospital admitting such patients in KwaZulu-natal
SPINAL CORD , 2008, Vol. 46, n° 5, p. 372-374

N° doc. : 135003

TONACK M ; HITZIG SL ; CRAVEN BC ; CAMPBELL KA ;
Predicting life satisfaction after spinal cord injury in a canadian sample
SPINAL CORD , 2008, Vol. 46, n° 5, p. 380-385

N° doc. : 135004

DORSETT P ; GERAGHTY T
Health related outcomes of people with spinal cord injury - a 10 year longitudinal study
SPINAL CORD , 2008, Vol. 46, n° 5, p. 386-391

N° doc. : 135006

BACKUS D
Activity based interventions for the upper extremity in spinal cord injury
TOP.SPINAL CORD INJ.REHABIL. , 2008, Vol. 13, n° 4, p. 1-9

N° doc. : 134998

DE GROOT S ; DALLMEIJER AJ ; POST MWM

The longitudinal relationship between lipid profile and physical capacity in persons with a recent spinal cord injury

SPINAL CORD , 2008, Vol. 46, n° 5, p. 344-351

N° doc. : 135012

REQUEJO PS ; MULROY SJ ; LIGHTHALL HAUBERT L ;
Evidence-based strategies to preserve shoulder function in manual wheelchair users with spinal cord injury
TOP.SPINAL CORD INJ.REHABI , 2008, Vol. 13, n° 4, p 86-119

N° doc. : 135013

BRACKETT NL ; LYNNE CM ; ATTIA GR ; CARMACK AJK ;
Treatment of infertility in men with spinal cord injury : medical progress and ethical considerations
TOP.SPINAL CORD INJ.REHABIL. , 2008, Vol. 13, n° 4, p. 120-133

N° doc. : 135019

BAUMAN WA ; SPUNGEN AM
Coronary heart disease in individuals with spinal cord injury - assessment of risk factors
SPINAL CORD , 2008, Vol. 46, n° 7, p. 466-476

N° doc. : 135020

CAMPAGNOLO DI ; DIXON D ; SCHWARTZ J ;
Altered innate immunity following spinal cord injury
SPINAL CORD , 2008, Vol. 46, n° 7, p. 477-481

N° doc. : 135021

GUPTA A ; TALY AB ; SRIVASTAVA A ; VISHAL S ;
Traumatic vs non-traumatic spinal cord lesions : comparison of neurological and functional outcome after in-patient rehabilitation
SPINAL CORD , 2008, Vol. 46, n° 7, p. 482-487

N° doc. : 135022

LIU M ; BOSE P ; WALTER GA ; THOMPSON F ;
A longitudinal study of skeletal muscle following spinal cord injury and locomotor training
SPINAL CORD , 2008, Vol. 46, n° 7, p. 488-493

N° doc. : 135023

MARUYAMA Y ; MIZUGUCHI M ; YAGINUMA T ;
Serum leptin, abdominal obesity and the metabolic syndrome in individuals with chronic spinal cord injury
SPINAL CORD , 2008, Vol. 46, n° 7, p. 494-499

N° doc. : 135024

DITUNNO PL ; PATRICK M ; STINEMAN M ; DITUNNO JF
Who wants to walk ? preferences for recovery after SCI - a longitudinal and cross-sectional study
SPINAL CORD , 2008, Vol. 46, n° 7, p. 500-506

N° doc. : 135025

SMITH BM ; LAVELA SL ; WEAVER FM
Health related quality of life for veterans with spinal cord injury
SPINAL CORD , 2008, Vol. 46, n° 7, p. 507-512

N° doc. : 135026

BIERING SORENSEN F ; CRAGGS M ; KENNELL M
International urodynamic basic spinal cord injury data set
SPINAL CORD , 2008, Vol. 46, n° 7, p. 513-516

N° doc. : 135027

DEL POPOLO G ; MOSIELLO G ; PILATI C ; LAMARTINA M
Treatment of neurogenic bowel dysfunction using transanal irrigation: a multicenter italian study
SPINAL CORD , 2008, Vol. 46, n° 7, p. 517-522

N° doc. : 135028

RATHORE MFA ; HANIF S ; NEW PW ; BUTT AW ; AASI MH
The prevalence of deep vein thrombosis in a cohort of patients with spinal cord injury following the Pakistan earthquake of october 2005
SPINAL CORD , 2008, Vol. 46, n° 7, p. 523-526

N° doc. : 135029

PANNEK J ; GOCKING K ; BERSCH U
Perineal abscess formation as a complication of intermittent self-catheterization
SPINAL CORD , 2008, Vol. 46, n° 7, p. 523-526

N° doc. : 135031

ALEXANDER MS

Autonomic function and spinal cord injury : are we at a crossroads ?

SPINAL CORD , 2008, Vol. 46, n° 6, p. 402-405

N° doc. : 135032

NEW PW ; SUNDARARAJAN V

Incidence of non-traumatic spinal cord injury in Victoria, Australia : a population-based study and literature review
SPINAL CORD , 2008, Vol. 46, n° 6, p. 406-411

N° doc. : 135033

REKAND T ; SCHAANING EE ; VARGA V ; SCHATTEN U

Spinal cord injuries among paragliders in Norway
SPINAL CORD , 2008, Vol. 46, n° 6, p. 412-416

N° doc. : 135035

MORINO T ; OGATA T ; TAKEBA J ; YAMAMOTO H

Microglia inhibition is a target of mild hypothermic treatment after the spinal cord injury
SPINAL CORD , 2008, Vol. 46, n° 6, p. 425-431

N° doc. : 135037

KAPPEL C ; WIDMER A ; GENG V ; VON ARX P ; FREI R
Successful control of Methicillin-resistant staphylococcus aureus in a spinal cord injury center - A 10 year prospective study including molecular typing
SPINAL CORD , 2008, Vol. 46, n° 6, p. 438-444

N° doc. : 135038

HASCAKOVA BARTOVA R ; DINANT JF ; PARENT A
Neuromuscular electrical stimulation of completely paralyzed abdominal muscles in spinal cord injured patients (a pilot study)
SPINAL CORD , 2008, Vol. 46, n° 6, p. 445-450

N° doc. : 135039

ULLRICH P ; JENSEN MP ; LOESER JD ; CARDENAS DD
Pain intensity, pain interference and characteristics of spinal cord injury
SPINAL CORD , 2008, Vol. 46, n° 6, p. 451-455

N° doc. : 135040

CHEN CC ; WANG CM ; CHU NK ; WU KPH ; TANG SFT
Spinal cord arteriovenous malformation presenting as chest pain in a child
SPINAL CORD , 2008, Vol. 46, n° 6, p. 456-458

N° doc. : 135109

LYNSKEY JV ; BELANGER A ; JUNG R
Activity dependent plasticity in spinal cord injury
J.REHABIL.RES.DEV. , 2008, Vol. 45, n° 2, p. 229-240

N° doc. : 135110

HICKS AL ; MARTIN GINIS KA
Treadmill training after spinal cord injury : it's not just about the walking
J.REHABIL.RES.DEV. , 2008, Vol. 45, n° 2, p. 241-248

N° doc. : 135114

DUDLEY JAVOROSKI S ; SHIELDS RK
Muscle and bone plasticity after spinal cord injury - review of adaptations to disuse and to electrical muscle stimulation
J.REHABIL.RES.DEV. , 2008, Vol. 45, n° 2, p. 283-296

N° doc. : 135207

CHOU LW ; LEE SC ; JOHNSTON TE ; BINDER MACLEOD SA
The effectiveness of progressively increasing stimulation frequency and intensity to maintain paralyzed muscle force during repetitive activation in persons with spinal cord injury
ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 5, p. 856-864

N° doc. : 135231

CAO Y ; SHUMSKY JS ; SABOL MA ; STRITTMATTER S
Nogo-66 receptor antagonist peptide (NEP1-40) administration promotes functional recovery and axonal growth after lateral funiculus injury in the adult rat
NEUROREHABIL.NEURAL REPAIR , 2008, Vol. 22, n° 3, p. 262-278

N° doc. : 135251

BANERJEA R ; SAMBAMOORTHI U ; WEAVER F
Risk of stroke, heart attack, and diabetes complications among

veterans with spinal cord injury

ARCH.PHYS.MED.REHABIL., 2008, Vol. 89, n° 8, p. 1448-1453

N° doc. : 135252

VAN LANGEVELD S ; POST MW ; VAN ASBECK FW

Feasibility of a classification system for physical therapy, occupational therapy, and sports therapy interventions for mobility and self-care in spinal cord injury rehabilitation

ARCH.PHYS.MED.REHABIL., 2008, Vol. 89, n° 8, p. 1454-1459

N° doc. : 135254

LIANG H ; TOMEY K ; CHEN D ; SAVAR NL ; RIMMER JH

Objective measures of neighborhood environment and self-reported physical activity in spinal cord injured men

ARCH.PHYS.MED.REHABIL., 2008, Vol. 89, n° 8, p. 1468-1473

N° doc. : 135255

KRAUSE JS ; TERZA JV ; DISMUKE C

Earnings among people with spinal cord injury

ARCH.PHYS.MED.REHABIL., 2008, Vol. 89, n° 8, p. 1474-1481

N° doc. : 135256

KRAUSE JS ; CARTER RE ; PICKELSMER EE ; WILSON D

A prospective study of health and risk of mortality after spinal cord injury

ARCH.PHYS.MED.REHABIL., 2008, Vol. 89, n° 8, p. 1482-1491

N° doc. : 135257

GOODMAN N ; JETTE AM ; HOULIHAN B ; WILLIAMS S

Computer and internet use by persons after traumatic spinal cord injury

ARCH.PHYS.MED.REHABIL., 2008, Vol. 89, n° 8, p. 1492-1498

N° doc. : 135258

STEPP EL ; BROWN R ; TUN CG ; GAGNON D ; JAIN NB

Determinants of lung volumes in chronic spinal cord injury

ARCH.PHYS.MED.REHABIL., 2008, Vol. 89, n° 8, p. 1499-1506

N° doc. : 135269

LAFFONT I ; BENSMAIL D ; LORTAT-JACOB S ; FALAIZE L
Intermittent positive-pressure breathing effects in patients with high spinal cord injury

ARCH.PHYS.MED.REHABIL., 2008, Vol. 89, n° 8, p. 1575-1579

PARAPLEGIE-TETRAPLEGIE

N° doc. : 134588

Para / Tetras : le Guide pratique

PARIS : APF, 2008, 170 p

N° doc. : 134591

CREVOISIER J ; CORBIN C

Le patient paraplégique

SOINS, 2008, n° 725, p. 61-62

N° doc. : 135007

HUTCHINSON D ; WEINIK M ; BETZ RR

Utility of electrophysiological studies in assessing peripheral sensory and motor nerve involvement in the upper limb after traumatic tetraplegia

TOP.SPINAL CORD INJ.REHABIL., 2008, Vol. 13, n° 4, p. 10-23

N° doc. : 134789

FATTAL C ; COULET B ; VEROLLET C ; ROUAYS MABIT H
La chirurgie fonctionnelle du ou des membres supérieurs chez la personne tétraplégique

LETTRE MED.PHYS.READAPT., 2008, Vol. 24, n° 2, p. 67-72

N° doc. : 135008

KOO B ; PELJOVICH A ; BOHN A

Single stage tendon transfer reconstruction for active pinch and grasp in tetraplegia

TOP.SPINAL CORD INJ.REHABIL., 2008, Vol. 13, n° 4, p. 24-36

N° doc. : 135010

DUFF SV ; MULCAHEY MJ ; BETZ RR

Adaptation in sensorimotor control after restoration of grip and pinch in children with tetraplegia

TOP.SPINAL CORD INJ.REHABIL., 2008, Vol. 13, n° 4, p. 54-71

N° doc. : 135034

ROWELL D ; CONNELLY LB

Personal assistance, income and employment : the spinal injuries survey instrument (SISI) and its application in a sample**of people with quadriplegia**

SPINAL CORD, 2008, Vol. 46, n° 6, p. 417-424

N° doc. : 135127

ROULET V ; GOURDON C ; SANTISTEBAN L

Exercices thérapeutiques en vue de la reprise de la marche du paraplégique incomplet

KINESITHER.REV., 2008, 80-81, p. 53-62

N° doc. : 134997

RIEK LM ; LUDEWIG PM ; NAWOCZENSKI DA

Comparative shoulder kinematics during free standing, standing depression lifts and daily functional activities in persons with paraplegia - considerations for shoulder health

SPINAL CORD, 2008, Vol. 46, n° 5, p. 335-343

N° doc. : 135011

TUCKER C ; BAGLEY A ; WESDOCK K ; CHURCH C ;

Kinematic modeling of the shoulder complex in tetraplegia

TOP.SPINAL CORD INJ.REHABIL., 2008, Vol. 13, n° 4, p. 72-85

SEP

N° doc. : 134493

KHAN F ; PALLANT J ; TURNER STOKES L

Use of goal attainment scaling in inpatient rehabilitation for persons with multiple sclerosis

ARCH.PHYS.MED.REHABIL., 2008, Vol. 89, n° 4, p. 652-659

N° doc. : 134517

PETERSON EW ; CHO C ; VON KOCH L ; FINLAYSON ML

Injurious falls among middle aged and older adults with multiple sclerosis

ARCH.PHYS.MED.REHABIL., 2008, Vol. 89, n° 6, p. 1031-1037

N° doc. : 134533

MALCOMSON KS ; LOWE STRONG AS ; DUNWOODY L

What can we learn from the personal insights of individuals living and coping with multiple sclerosis ?

DISABIL.REHABIL., 2008, Vol. 30, n° 9, p. 662-674

N° doc. : 134658

MCCULLAGH R ; FITZGERALD AP ; MURPHY RP

Long term benefits of exercising on quality of life and fatigue in multiple sclerosis patients with mild disability

CLIN.REHABIL., 2008, Vol. 22, n° 3, p. 206-214

N° doc. : 134664

KLASSEN L ; SCHACHTER C

An exploratory study of two measures of free-living physical activity for people with multiple sclerosis

CLIN.REHABIL., 2008, Vol. 22, n° 3, p. 260-271

N° doc. : 134706

CHOPRA P ; HERMAN H ; KENNEDY G ; TEASELL RW

Comparison of disability and quality of life measures in patients with long-term psychotic disorders and patients with multiple sclerosis : an application of the WHO disability assessment schedule II and WHO quality of life-BREF

INT.J.REHABIL.RES., 2008, Vol. 31, n° 2, p. 141-149

N° doc. : 135166

FRAGOSO YD ; SANTANA DLB ; CRUZ PINTO R

The positive effects of a physical activity program for multiple sclerosis patients with fatigue

NEUROREHABILITATION, 2008, Vol. 23, n° 2, p. 153-157

N° doc. : 135179

BUCHANAN R ; KAUFMAN M ; ZHU L ; JAMES W

Patient perceptions of multiple sclerosis related care : comparisons by practice specialty of principal care physician

NEUROREHABILITATION, 2008, Vol. 23, n° 3, p. 267-272

N° doc. : 135260

GOVEROVER Y ; CHIARAVALLOTTI N ; DELUCA J

Self-generation to improve learning and memory of functional activities in persons with multiple sclerosis - meal preparation and managing finances

ARCH.PHYS.MED.REHABIL., 2008, Vol. 89, n° 8, p. 1514-1521

N° doc. : 135268
MORRISON EH ; COOPER DM ; WHITE LJ ; LARSON J
Ratings of perceived exertion during aerobic exercise in multiple sclerosis
ARCH.PHYS.MED.REHABIL., 2008, Vol. 89, n° 8, p. 1570-1574

N° doc. : 135274
SUTLIFF MH ; NAFT JM ; STOUGH DK ; LEE J
Efficacy and safety of a hip flexion assist orthosis in ambulatory multiple sclerosis patients
ARCH.PHYS.MED.REHABIL., 2008, Vol. 89, n° 8, p. 1611-1617

N° doc. : 134411
DE GROOT S ; DALLMEIJER AJ ; POST MW ; ANGENOT EL
Prospective analysis of lipid profiles in persons with a spinal cord injury during an 1 year after inpatient rehabilitation
ARCH.PHYS.MED.REHABIL., 2008, Vol. 89, n° 3, p. 531-537

SYRINGOMYELIE

N° doc. : 135000
ZHANG Z ; CHEN Y ; WU X ; WANG Y ; LI X
Chiari I malformation associated with syringomyelia : a retrospective study of 316 surgically treated patients
SPINAL CORD, 2008, Vol. 46, n° 5, p. 358-363

TUMEUR

N° doc. : 135002
PATIL CG ; PATIL TS ; LAD SP ; BOAKYE M
Complications and outcome after spinal cord tumor resection in the united states from 1993 to 2002
SPINAL CORD, 2008, Vol. 46, n° 5, p. 375-379

N° doc. : 135005
AL ZAIN F ; GRAWE A ; MEIER U
Papilloedema in association with spinal lipoma and bilateral chronic subdural bleeding
SPINAL CORD, 2008, Vol. 46, n° 5, p. 392-394

MALADIES DEGENERATIVES DE LA MOELLE

N° doc. : 135197
STOLWIJK SWUSTE JM ; BEELEN A ; LANKHORST GJ
SF36 physical functioning scale and 2-minute walk test advocated as core qualifiers to evaluate physical functioning in patients with late-onset sequelae of poliomyelitis
J.REHABIL.MED., 2008, Vol. 40, n° 5, p. 387-392

N° doc. : 134335
MEIJER JWG ; VAN KUIJK AA ; GEURTS ACH
Acute deterioration of bulbar function after botulinum toxin treatment for Sialorrhoea in amyotrophic lateral sclerosis
AM.J.PHYS.MED.REHABIL., 2008, Vol. 87, n° 4, p. 321-324

N° doc. : 134589
HERON M
Prendre soin des personnes atteintes de la sclérose latérale amyotrophique - une pathologie encore incurable
SOINS, 2008, n° 726, p. 39-66

N° doc. : 134806
SIDDIQUE N ; SIDDIQUE T
Genetics of amyotrophic lateral sclerosis
PHYS.MED.REHABIL.CLIN.NORTH AM., 2008, Vol. 19, n° 3, p. 429-439

N° doc. : 134807
RAIBON E ; TODD LM ; MOLLER T
Glial cells in ALS - The missing link ?
PHYS.MED.REHABIL.CLIN.NORTH AM., 2008, Vol. 19, n° 3, p. 441-459

N° doc. : 134808
RAVITS J ; TRAYNOR BJ
Current and future directions in genomics of amyotrophic lateral sclerosis
PHYS.MED.REHABIL.CLIN.NORTH AM., 2008, Vol. 19, n° 3, p. 461-477

N° doc. : 134810
CARY GA ; LA SPADA AR
Androgen receptor function in motor neuron survival and degeneration
PHYS.MED.REHABIL.CLIN.NORTH AM., 2008, Vol. 19, n° 3, p. 479-494

N° doc. : 134811
SHEFNER JM
Designing clinical trials in amyotrophic lateral sclerosis
PHYS.MED.REHABIL.CLIN.NORTH AM., 2008, Vol. 19, n° 3, p. 495-508

N° doc. : 134812
BROMBERG MB ; BROWNELL AA
Motor unit number estimation in the assessment of performance and function in motor neuron disease
PHYS.MED.REHABIL.CLIN.NORTH AM., 2008, Vol. 19, n° 3, p. 509-532

N° doc. : 134813
LOU JS
Fatigue in amyotrophic lateral sclerosis
PHYS.MED.REHABIL.CLIN.NORTH AM., 2008, Vol. 19, n° 3, p. 533-543

N° doc. : 134814
CHEN A ; MONTES J ; MITSUMOTO H
The role of exercise in amyotrophic lateral sclerosis
PHYS.MED.REHABIL.CLIN.NORTH AM., 2008, Vol. 19, n° 3, p. 545-557

N° doc. : 134815
BENDITT JO ; BOITANO L
Respiratory treatment of amyotrophic lateral sclerosis
PHYS.MED.REHABIL.CLIN.NORTH AM., 2008, Vol. 19, n° 3, p. 559-572

N° doc. : 134816
ROSENFIELD J ; ELLIS A
Nutrition and dietary supplements in motor neuron disease
PHYS.MED.REHABIL.CLIN.NORTH AM., 2008, Vol. 19, n° 3, p. 573-589

N° doc. : 134817
BROMBERG MB
Quality of life in amyotrophic lateral sclerosis
PHYS.MED.REHABIL.CLIN.NORTH AM., 2008, Vol. 19, n° 3, p. 591-605

N° doc. : 134818
WOOLLEY S ; KATZ J
Cognitive and behavioral impairment in amyotrophic lateral sclerosis
PHYS.MED.REHABIL.CLIN.NORTH AM., 2008, Vol. 19, n° 3, p. 607-617

N° doc. : 134819
MAYADEV AS ; WEISS MD ; DISTAD BJ ; KRIVICKAS LS
The amyotrophic lateral sclerosis center : a model of multidisciplinary management
PHYS.MED.REHABIL.CLIN.NORTH AM., 2008, Vol. 19, n° 3, p. 619-631

N° doc. : 134820
DISTAD BJ ; MEEKINS GD ; LIOU LL ; WEISS MD
Drug therapy in amyotrophic lateral sclerosis
PHYS.MED.REHABIL.CLIN.NORTH AM., 2008, Vol. 19, n° 3, p. 633-651

N° doc. : 134821
KAUFMANN P ; IANNACCONE ST
Clinical trials in spinal muscular atrophy
PHYS.MED.REHABIL.CLIN.NORTH AM., 2008, Vol. 19, n° 3, p. 653-660

N° doc. : 134822
HAN JJ ; MCDONALD CM

Diagnosis and clinical management of spinal muscular atrophy
PHYS.MED.REHABIL.CLIN.NORTH AM. ,
2008, Vol. 19, n° 3, p. 661-680

N° doc. : 134879
WIRTH B ; VAN HEDEL HJA ; KOMETER B ; DIETZ V ;
Changes in activity after a complete spinal cord injury as measured by the spinal cord independence measure II (SCIM II)
NEUROREHABIL.NEURAL REPAIR ,
2008, Vol. 22, n° 2, p. 145-153

N° doc. : 135167
HAYASHI A ; KAYAMA M ; ANDO K ; ONO M
Analysis of subjective evaluations of the functions of tele-coaching intervention in patients with spinocerebellar degeneration
NEUROREHABILITATION , 2008, Vol. 23, n° 2, p. 159-169

ENCEPHALE

N° doc. : 134804
COOK C
An exploration of the neural control of multitasking and the implications for practice
BR.J.OCCUP.THER. , 2008, Vol. 71, n° 6, p. 241-247

N° doc. : 135030
KARAKATSANIS KG
'Brain death' - Should it be reconsidered ?
SPINAL CORD , 2008, Vol. 46, n° 6, p. 396-401

N° doc. : 135181
PARK JW ; KWON YH ; LEE MY ; NAM KS ; CHO YW ;
Brain activation pattern according to exercise complexity - a functional MRI study
NEUROREHABILITATION , 2008, Vol. 23, n° 3, p. 283-288

TROUBLES CIRCULATOIRES CEREBRAUX

N° doc. : 135188
KORNER BITENSKY N ; ROY M ; TEASELL R ; KLODA L
Creation and pilot testing of strokengine - a stroke rehabilitation intervention website for clinicians and families
J.REHABIL.MED. , 2008, Vol. 40, n° 5, p. 329-333

N° doc. : 135107
FORRESTER L ; WHEATON L ; LUFT AR
Exercise mediated locomotor recovery and lower limb neuroplasticity after stroke
J.REHABIL.RES.DEV. , 2008, Vol. 45, n° 2, p. 205-220

N° doc. : 135108
PATTERSON SL ; RODGERS MM ; MACKO R
Effect of treadmill exercise training on spatial and temporal gait parameters in subjects with chronic stroke
J.REHABIL.RES.DEV. , 2008, Vol. 45, n° 2, p. 221-228

N° doc. : 134306
BLUM L ; KORNER BITENSKY N
Usefulness of the Berg balance scale in stroke rehabilitation - a systematic review
PHYS.THER. , 2008, Vol. 88, n° 5, p. 559-566

N° doc. : 134314
WAGNER JM ; RHODES J ; PATTEN C
Reproducibility and minimal detectable change of three dimensional kinematic analysis of reaching tasks in people with hemiparesis after stroke
PHYS.THER. , 2008, Vol. 88, n° 5, p. 652-663

N° doc. : 134363
JONES F ; MANDY A ; PARTRIDGE C
Reasons for recovery after stroke : a perspective based on personal experience
DISABIL.REHABIL. , 2008, Vol. 30, n° 7, p. 507-516

N° doc. : 134365
ILSE B ; FEYS H ; DE WIT L ; PUTMAN K ; DE WEERDT W

Stroke caregivers's strain : prevalence and determinants in the first six months after stroke
DISABIL.REHABIL. , 2008, Vol. 30, n° 7, p. 523-530

N° doc. : 134366
OWNSWORTH T ; SHUM D
Relationship between executive functions and productivity outcomes following stroke
DISABIL.REHABIL. , 2008, Vol. 30, n° 7, p. 531-540

N° doc. : 134388
OSTIR GV ; BERGES I ; OTTENBACHER M
Positive emotion following a stroke
J.REHABIL.MED. , 2008, Vol. 40, n° 6, p. 477-481

N° doc. : 134389
NIESSEN M ; MESKERS C ; KOPPE P
Kinematics of the contralateral and ipsilateral shoulder : a possible relationship with post-stroke shoulder pain
J.REHABIL.MED. , 2008, Vol. 40, n° 6, p. 482-486

N° doc. : 134390
SCHEPERS VPM ; KETELAAR M ; VISSER MEILY A
Functional recovery differs between ischaemic and haemorrhagic stroke patients
J.REHABIL.MED. , 2008, Vol. 40, n° 6, p. 487-489

N° doc. : 134391
YAVUZER G ; SELLES R ; SEZER N ; SUTBEYAZ S ;
Mirror therapy improves hand function in subacute stroke
ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 3, p. 393-398

N° doc. : 134398
TREGER I ; RING H ; SCHWARTZ R ; TSABARI R
Hospital disposition after stroke in a national survey of acute cerebrovascular disease in Israel
ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 3, p. 435-440

N° doc. : 134399
RABADI MH ; RABADI FM ; EDELSTEIN L ; PETERSON M
Cognitively impaired stroke patients do benefit from admission to an acute rehabilitation unit
ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 3, p. 441-448

N° doc. : 134400
KLUDING P ; SANTOS M
Effects of ankle joint mobilizations in adults poststroke - a pilot study
ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 3, p. 449-456
N° doc. : 134401
VAN TIL JA ; RENZENBRINK GJ ; DOLAN JG ; IJZERMAN MJ
The use of the analytic hierarchy process to aid decision making in acquired equinovarus deformity
ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 3, p. 457-462

N° doc. : 134402
JANSSEN TW ; BELTMAN JM ; ELICH P ; KOPPE P
Effects of electric stimulation - assisted cycling training in people with chronic stroke
ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 3, p. 463-469

N° doc. : 134415
FINCH L ; HIGGINS J ; WOOD DAUPHINEE S ; MAYO N
Development of a measure of functioning for stroke recovery : the functional recovery measure
DISABIL.REHABIL. , 2008, Vol. 30, n° 8, p. 577-592

N° doc. : 134449
SIBLEY KM ; TANG A ; BROOKS D ; MCILROY WE
Effects of extended effortful activity on spatio-temporal parameters of gait in individuals with stroke
GAIT POSTURE , 2008, Vol. 27, n° 3, p. 387-392

N° doc. : 134496
SAUNDERS DH ; GREIG CA ; YOUNG A ; MEAD GE
Association of activity limitations and lower-limb explosive extensor power in ambulatory people with stroke
ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 4, p. 677-683

N° doc. : 134497
MCCAIN KJ ; POLLO FE ; BAUM B ; COLEMAN S ; BAKER S

Locomotor treadmill training with partial body-weight support before overground gait in adults with acute stroke
ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 4, p. 684-691

N° doc. : 134512
BARBIC S ; BROUWER B
Test position and hip strength in healthy adults and people with chronic stroke
ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 4, p. 784-787

N° doc. : 134519
PAN SL ; LIEN IN ; YEN MF ; LEE TK ; CHEN HH
Dynamic aspects of functional recovery after stroke using a multistate model
ARCH.PHYS.MED.REHABIL., 2008, Vol. 89, n° 6, p. 1054-1060

N° doc. : 134534
HEIJNEN L ; FRANKEN RJP ; BEVAART BJW ; MEIJER JWG
Long term outcome of superficialis-to-profundus tendon transfer in patients with clenched fist due to spastic hemiplegia
DISABIL.REHABIL. , 2008, Vol. 30, n° 9, p. 675-678

N° doc. : 134634
PAES LOURENCAO MI ; BATTISTELLA LR ; MORAN DE BRITO CM
Effect of biofeedback accompanying occupational therapy and functional electrical stimulation in hemiplegic patients
INT.J.REHABIL.RES. , 2008, Vol. 31, n° 1, p. 33-41

N° doc. : 134659
MCCULLAGH R ; FITZGERALD AP ; MURPHY RP
How feasible is the attainment of community ambulation after stroke ?
CLIN.REHABIL. , 2008, Vol. 22, n° 3, p. 206-214

N° doc. : 134697
KULZER AM ; SCOLARI CC ; GUS M
Relationship between usual physical, cognitive and social activities and functional recovery at hospital discharge after acute stroke
J.REHABIL.MED. , 2008, Vol. 40, n° 3, p. 195-199

N° doc. : 134698
LECOURS J ; NADEAU S ; GRAVEL D ; TEIXERA SALMELA L
Interactions between foot placement, trunk frontal position, weight-bearing and knee moment asymmetry at seat-off during rising from a chair in healthy controls and persons with hemiparesis
J.REHABIL.MED. , 2008, Vol. 40, n° 3, p. 200-207

N° doc. : 134703
SALTER K ; MOSES MB ; FOLEY NC ; TEASELL RW
Health related quality of life after stroke : what are we measuring ?
INT.J.REHABIL.RES. , 2008, Vol. 31, n° 2, p. 111-117

N° doc. : 134712
UNSAI DELALIOGLU S ; KURT M ; KAYA K ; CULHA C ;
Effects of ideomotor apraxia on functional outcomes in patients with right hemiplegia
INT.J.REHABIL.RES. , 2008, Vol. 31, n° 2, p. 177-180

N° doc. : 134741
YU E ; ABE M ; MASANI K ; KAWASHIMA N ; ETO F
Evaluation of postural control in quiet standing using center of mass acceleration : comparison among the young, the elderly, and people with stroke
ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 6, p. 1133-1139

N° doc. : 134876
KWAKKEL G ; KOLLEN BJ ; KREBS HI
Effects of robot assisted therapy on upper limb recovery after stroke - a systematic review
NEUROREHABIL.NEURAL REPAIR , 2008, Vol. 22, n° 2, p. 111-121

N° doc. : 134877
DONOVAN NJ ; KENDALL DL ; HEATON S ; KWON S
Conceptualizing functional cognition in stroke
NEUROREHABIL.NEURAL REPAIR , 2008, Vol. 22, n° 2, p. 122-135

N° doc. : 134878

MARSHALL RS ; FERRERA JJ ; BARNES A ; ZHANG X
Brain activity associated with stimulation therapy of the visual borderzone in hemianopic stroke patients
NEUROREHABIL.NEURAL REPAIR , 2008, Vol. 22, n° 2, p. 136-144

N° doc. : 134880
DECHAUMONT PALACIN S ; MARQUE P ; DE BOISSEZON
Neural correlates of proprioceptive integration in the contralateral hemisphere of very impaired patients shortly after a subcortical stroke - an fMRI study
NEUROREHABIL.NEURAL REPAIR , 2008, Vol. 22, n° 2, p. 154-165

N° doc. : 134881
TYSON SF ; HANLEY M ; CHILLALA J ; SELLEY AB
Sensory loss in hospital admitted people with stroke : characteristics, associated factors, and relationship with function
NEUROREHABIL.NEURAL REPAIR , 2008, Vol. 22, n° 2, p. 166-172

N° doc. : 134882
VERHEYDEN G ; NIEUWBOER A ; DE WIT L ; THIJS V
Time course of trunk, arm, leg and functional recovery after ischemic stroke
NEUROREHABIL.NEURAL REPAIR , 2008, Vol. 22, n° 2, p. 173-179

N° doc. : 134883
RICHARDS LG ; SENESAC CR ; DAVIS SB ; WOODBURY M
Bilateral arm training with rhythmic auditory cueing in chronic stroke - not always efficacious
NEUROREHABIL.NEURAL REPAIR , 2008, Vol. 22, n° 2, p. 180-184

N° doc. : 134884
CAREY JR ; EVANS CD ; ANDERSON DC
Safety of 6-Hz primed low-frequency rTMS in stroke
NEUROREHABIL.NEURAL REPAIR , 2008, Vol. 22, n° 2, p. 185-192

N° doc. : 134920
YANG YR ; TSAI MP ; CHUANG TY ; SUNG WH ; WANG RY
Virtual reality based training improves community ambulation in individuals with stroke - a randomized controlled trial
GAIT POSTURE , 2008, Vol. 28, n° 2, p. 201-206

N° doc. : 135111
IVEY FM ; HAFTER MACKO CE ; MACKO R
Task oriented treadmill exercise training in chronic hemiparetic stroke
J.REHABIL.RES.DEV. , 2008, Vol. 45, n° 2, p. 249-260

N° doc. : 135112
HAFTER MACKO CE ; RYAN AS ; IVEY FM ; MACKO R
Skeletal muscle changes after hemiparetic stroke and potential beneficial effects of exercise intervention strategies
J.REHABIL.RES.DEV. , 2008, Vol. 45, n° 2, p. 261-272

N° doc. : 135113
MCKENZIE MJ ; YU S ; MACKO R ; MCLENITHAN JC
Human genome comparison of paretic and nonparetic vastus lateralis muscle in patients with hemiparetic stroke
J.REHABIL.RES.DEV. , 2008, Vol. 45, n° 2, p. 273-282

N° doc. : 135115
ENG JJ ; PANG MYC ; ASHE MC
Balance, falls and bone health - Role of exercise in reducing fracture risk after stroke
J.REHABIL.RES.DEV. , 2008, Vol. 45, n° 2, p. 297-314

N° doc. : 135116
RIMMER JH ; WANG E ; SMITH D
Barriers associated with exercise and community access for individuals with stroke
J.REHABIL.RES.DEV. , 2008, Vol. 45, n° 2, p. 315-322

N° doc. : 135117
MACKO R ; BENVENUTI F ; STANHOPE S ; MACELLARI V
Adaptive physical activity improves mobility function and

quality of life in chronic hemiparesis

J.REHABIL.RES.DEV., 2008, Vol. 45, n° 2, p. 205-220

N° doc. : 135118

STUART M ; CHARD S ; ROETTGER S

Exercise for chronic stroke survivors - a policy perspective

J.REHABIL.RES.DEV., 2008, Vol. 45, n° 2, p. 329-336

N° doc. : 135165

SHIRAI SHI H ; YAMAKAWA Y ; ITOU A ; MURAKI T

Long term effects of prism adaptation on chronic neglect after stroke

NEUROREHABILITATION, 2008, Vol. 23, n° 2, p. 137-151

N° doc. : 135175

KIM DG ; CHO YW ; HONG JH ; SONG JC ; CHUNG H ; BAI DS
Effect of constraint induced movement therapy with modified opposition restriction orthosis in chronic hemiparetic patients with stroke

NEUROREHABILITATION, 2008, Vol. 23, n° 3, p. 239-244

N° doc. : 135229

HISCOCK M ; MILLER S ; ROTHWELL J ; TALLIS RC
Informing does-finding studies of repetitive transcranial magnetic stimulation to enhance motor function - a qualitative systematic review

NEUROREHABIL.NEURAL REPAIR, 2008, Vol. 22, n° 3, p. 217-227

N° doc. : 135230

MALDONADO MA ; ALLRED RP ; FELTHAUSER EL
Motor skill training, but not voluntary exercise, improves skilled reaching after unilateral ischemic lesions of the sensorimotor cortex in rats

NEUROREHABIL.NEURAL REPAIR, 2008, Vol. 22, n° 3, p. 250-261

N° doc. : 135232

DEROSIER J ; DEMERS L ; ROBICHAUD L ; VINCENT C
Short term changes in and predictors of participation of older adults after stroke following acute care or rehabilitation

NEUROREHABIL.NEURAL REPAIR, 2008, Vol. 22, n° 3, p. 288-297

N° doc. : 135233

LANGAN J ; VAN DONKELAAR P

The influence of hand dominance on the response to a constraint induced therapy program following stroke

NEUROREHABIL.NEURAL REPAIR, 2008, Vol. 22, n° 3, p. 298-304

N° doc. : 135234

VOLPE BT ; LYNCH D ; RYKMAN BERLAND A ; FERRARO M

Intensive sensorimotor arm training mediated by therapist or robot improves hemiparesis in patients with chronic stroke

NEUROREHABIL.NEURAL REPAIR, 2008, Vol. 22, n° 3, p. 305-310

N° doc. : 135235

ZITTEL S ; WEILLER C ; LIEPERT J

Citalopram improves dexterity in chronic stroke patients

NEUROREHABIL.NEURAL REPAIR, 2008, Vol. 22, n° 3, p. 311-314

N° doc. : 135251

BANERJEE R ; SAMBAMOORTHI U ; WEAVER F ; MANEY M ; POGACH L ; FINDLEY T

Risk of stroke, heart attack, and diabetes complications among veterans with spinal cord injury

ARCH.PHYS.MED.REHABIL., 2008, Vol. 89, n° 8, p. 1448-1453

N° doc. : 135259

MIRBAGHERI MM ; RYMER WZ

Time-course of changes in arm impairment after stroke : variables predicting motor recovery over 12 months

ARCH.PHYS.MED.REHABIL., 2008, Vol. 89, n° 8, p. 1507-1513

N° doc. : 135270

DUNSKY A ; DICKSTEIN R ; MARCOVITZ E ; LEVY S

Home based motor imagery training for gait rehabilitation of people with chronic poststroke hemiparesis

ARCH.PHYS.MED.REHABIL., 2008, Vol. 89, n° 8, p. 1580-1588

N° doc. : 135271

DROMERICK AW ; EDWARDS DF ; KUMAR A

Hemiplegic shoulder pain syndrome : frequency and characteristics during inpatient stroke rehabilitation

ARCH.PHYS.MED.REHABIL., 2008, Vol. 89, n° 8, p. 1589-1593

TRAUMATISME CRANIEN

N° doc. : 135180

LOCKE DEC ; SMIGIELSKI JS ; POWELL M ; STEVENS S
Effort issues in post-acute outpatient acquired brain injury rehabilitation seekers

NEUROREHABILITATION, 2008, Vol. 23, n° 3, p. 273-281

N° doc. : 135189

GILWORTH G ; EYRES S ; CAREY A ; BHAKTA B

Working with a brain injury : personal experiences of returning to work following a mild or moderate brain injury

J.REHABIL.MED., 2008, Vol. 40, n° 5, p. 334-339

N° doc. : 135150

BROWN AW ; ELOVIC EP ; KOTHARI S ; FLANAGAN SR
Congenital and acquired brain injury : Epidemiology, pathophysiology, prognostication, innovative treatments and prevention (1)

ARCH.PHYS.MED.REHABIL., 2008, Vol. 89, SUPPL.1, S3-S8

N° doc. : 135151

FLANAGAN SR ; KWASNICA C ; BROWN AW ; ELOVIC EP
Congenital and acquired brain injury : Medical rehabilitation in acute and subacute settings (2)

ARCH.PHYS.MED.REHABIL., 2008, Vol. 89, SUPPL.1, S9-S14

N° doc. : 135155

PHELAN AH ; GITTNER MS ; KELLY BM ; KISER TS
2008 SAE-P : congenital and acquired brain injury

ARCH.PHYS.MED.REHABIL., 2008, Vol. 89, SUPPL.1, S32-S34

N° doc. : 135153

ELOVIC EP ; KOTHARI S ; FLANAGAN SR ; KWASNICA C
Congenital and acquired brain injury : Outpatient and community reintegration

ARCH.PHYS.MED.REHABIL., 2008, Vol. 89, SUPPL.1, S21-S26

N° doc. : 135156

2008 SAE-P : congenital and acquired brain injury - Answer key and commentary on preferred choice

ARCH.PHYS.MED.REHABIL., 2008, Vol. 89, SUPPL.1, S35-S37

N° doc. : 135152

KWASNICA C ; BROWN AW ; ELOVIC EP ; KOTHARI S

Congenital and acquired brain injury : Spectrum of the acquired brain injury population

ARCH.PHYS.MED.REHABIL., 2008, Vol. 89, SUPPL.1, S15-S20

N° doc. : 135154

KOTHARI S ; FLANAGAN SR ; KWASNICA C ; BROWN AW
Congenital and acquired brain injury : Emerging concepts in prognostication, evaluation and treatment

ARCH.PHYS.MED.REHABIL., 2008, Vol. 89, SUPPL.1, S27-S31

N° doc. : 134297

SATISH U ; STREUFERT S ; ESLINGER PJ

Simulation based executive cognitive assessment and rehabilitation after traumatic frontal lobe injury

DISABIL.REHABIL., 2008, Vol. 30, n° 6, p. 468-478

N° doc. : 134524

RIPLEY DL ; HARRISON FELIX C ; SENDROY TERRILL M
The impact of female reproductive function on outcomes after traumatic brain injury

ARCH.PHYS.MED.REHABIL., 2008, Vol. 89, n° 6, p. 1090-1096

N° doc. : 134592
CREVOISIER J ; NIBODEAU E
Le patient traumatisé crânien
SOINS , 2008, n° 724, p. 59-60

N° doc. : 134621
CALVERT S ; MILLER H ; CURRAN A ; HAMEED B
The King's outcome scale for childhood head injury and injury severity and outcome measures in children with traumatic brain injury
DEV.MED.CHILD NEUROL. , 2008, Vol. 50, n° 6, p. 426-431

N° doc. : 134674
COHEN S ; DUONG TT
Increased arousal in a patient with anoxic brain injury after administration of Zolpidem
AM.J.PHYS.MED.REHABIL. , 2008, Vol. 87, n° 3, p. 229-231

N° doc. : 134690
Eveil de coma et états limites : états végétatifs, états paucirélationnels et locked-in syndrome
ISSY LES MOULINEAUX : ELSEVIER MASSON , 2007, 165 p

N° doc. : 135120
LE COUSTUMER F ; PELE G ; LE GALL L ; GAMBERT S
La voile - support de rééducation chez des patients lésés cérébraux
KINESITHER.REV. , 2008, 80-81, p. 4-6

N° doc. : 135163
MARTELLI MF ; NICHOLSON K ; ZASLER ND
Skill reacquisition after acquired brain injury : a holistic habit retraining model of neurorehabilitation
NEUROREHABILITATION , 2008, Vol. 23, n° 2, p. 115-126

N° doc. : 135169
BLICHER JU ; NIELSEN JF
Does long term outcome after intensive inpatient rehabilitation of acquired brain injury depend on etiology ?
NEUROREHABILITATION , 2008, Vol. 23, n° 2, p. 175-183

N° doc. : 135170
STRUCHEN MA ; CLARK A ; SANDER AM ; MILLS M
Relation of executive functioning and social communication measures to functional outcomes following traumatic brain injury
NEUROREHABILITATION , 2008, Vol. 23, n° 2, p. 185-198

N° doc. : 135205
PARCELL DL ; PONSFORD JL ; REDMAN JR
Poor sleep quality and changes in objectively recorded sleep after traumatic brain injury
ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 5, p. 843-850

N° doc. : 135212
MARQUEZ DE LA PLATA C ; HART T ; HAMMOND FM
Impact of age on long-term recovery from traumatic brain injury
ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 5, p. 896-903

N° doc. : 135216
KASHLUBA S ; HANKS RA ; CASEY J ; MILLIS SR
Neuropsychologic and functional outcome after complicated mild traumatic brain injury
ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 5, p. 904-911

N° doc. : 135217
CORRIGAN JD ; BOGNER JA
Neighborhood characteristics and outcomes after traumatic brain injury
ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 5, p. 912-921

N° doc. : 135218
RAPPORT LJ ; COLEMAN BRYER R ; HANKS RA
Driving and community integration after traumatic brain injury
ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 5, p. 922-930

N° doc. : 135219
RIVERA PA ; ELLIOTT TR ; BERRY JW ; GRANT JS
Problem solving training for family caregivers of persons with

traumatic brain injuries
ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 5, p. 931-941

N° doc. : 135220
KALMAR K ; NOVACK TA ; NAKASE RICHARDSON R
Feasibility of a brief neuropsychologic test battery during acute inpatient rehabilitation after traumatic brain injury
ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 5, p. 942-949

N° doc. : 135221
HANKS RA ; MILLIS SR ; RICKER JH ; GIACINO JT
The predictive validity of a brief inpatient neuropsychologic battery for persons with traumatic brain injury
ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 5, p. 950-957

N° doc. : 135222

MEACHEN SJ ; HANKS RA ; MILLIS SR ; RAPPORT LJ
The reliability and validity of the brief symptom inventory - 18 in persons with traumatic brain injury
ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 5, p. 958-965

N° doc. : 135223

WHYTE J ; HART T ; ELLIS C ; CHERVONEVA I
The Moss attention rating scale for traumatic brain injury - further explorations of reliability and sensitivity to change
ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 5, p. 966-973

N° doc. : 135224

STRANGMAN G ; O'NEIL PIROZZI T ; GOLDSTEIN R
Prediction of memory rehabilitation outcomes in traumatic brain injury by using functional magnetic resonance imaging
ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 5, p. 974-981

N° doc. : 135225

MAYER N ; WHYTE J ; WANNSTEDT G ; ELLIS C
Comparative impact of 2 botulinum toxin injection - techniques for elbow flexor hypertonia
ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 5, p. 982-987

N° doc. : 135226

ARANGO LASPRILLA JC ; KETCHUM JM ; WILLIAMS K
Racial differences in employment outcomes after traumatic brain injury
ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 5, p. 988-995

N° doc. : 135227

SPAETH DM ; MAHAJAN H ; KARMARKAR A ; COLLINS D
Development of a wheelchair virtual driving environment : trials with subjects with traumatic brain injury
ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 5, p. 996-1003

N° doc. : 135228

GHAJAR J ; IVRY RB
The predictive brain state : timing deficiency in traumatic brain injury ?
NEUROREHABIL.NEURAL REPAIR , 2008, Vol. 22, n° 3, p. 217-227

N° doc. : 135265

POWELL JM ; FERRARO J ; DIKMEN SS ; TEMKIN NR
Accuracy of mild traumatic brain injury diagnosis
ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 8, p. 1550-1555

N° doc. : 135266

HANSEN T ; ENGBERG AW ; LARSEN K
Functional oral intake and time to reach unrestricted dieting for patients with traumatic brain injury
ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 8, p. 1556-1562

PARKINSON

N° doc. : 132867

TRAIL M ; PROTAS EJ ; LAI EC
Neurorehabilitation in Parkinson's disease : an evidence-based treatment model
THOROFARE : SLACK PUBL. , 2008, 360 p

N° doc. : 134303

BLETON JP
L'évaluation de la maladie de Parkinson par l'Unified Parkinson's disease rating scale (UPDRS) - UPDRS III : examen moteur
KINESITHER.SCI. , 2008, n° 490, p. 55-56

N° doc. : 134319

MA HI ; HWANG WJ ; CHEN SEA MJ ; SHEU CF
Handle size as a task constraint in spoon-used movement in patients with Parkinson's disease
CLIN.REHABIL. , 2008, Vol. 22, n° 6, p. 520-528

N° doc. : 134360

LORD S ; ROCHESTER L ; BAKER K ; NIEUWBOER A
Concurrent validity of accelerometry to measure gait in Parkinson's disease
GAIT POSTURE , 2008, Vol. 27, n° 2, p. 357-359

N° doc. : 134392

EBERSBACH G ; EDLER D ; KAUFHOLD O ; WISSEL J
Whole body vibration versus conventional physiotherapy to improve balance and gait in Parkinson's disease
ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 3, p. 399-403

N° doc. : 134406

KING LA ; HORAK FB
Lateral stepping for postural correction in Parkinson's disease
ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 3, p. 492-499
GAIT POSTURE , 2008, Vol. 27, n° 3, p. 463-470

N° doc. : 134459

TERMOZ N ; HALLIDAY SE ; WINTER DA ; FRANK JS
The control of upright stance in young, elderly and persons with Parkinson's disease
CLIN.REHABIL. , 2008, Vol. 22, n° 3, p. 226-233

N° doc. : 134660

CANNING CG ; ADA L ; WOODHOUSE E
Multiple task walking training in people with mild to moderate Parkinson's disease - a pilot study
ANN.READAPT.MED.PHYS. , 2008, Vol. 51, n° 6, p. 491-500

N° doc. : 134766

BOISSON D
Stimulation cérébrale profonde et maladie de Parkinson
REV.INFIRM. , 2008, n° 143, p. 13-26

N° doc. : 135177

HOFFMANN T ; RUSSELL T ; THOMPSON L ; VINCENT A
Using the internet to assess activities of daily living and hand function in people with Parkinson's disease
NEUROREHABILITATION , 2008, Vol. 23, n° 3, p. 253-261

N° doc. : 135178

FARRIS SM ; GIROUX ML
Gait changes after deep brain stimulation for Parkinson's disease in a patient with cervical myelopathy
NEUROREHABILITATION , 2008, Vol. 23, n° 3, p. 263-265

ALZHEIMER

N° doc. : 134595

BOURGEOIS F ; RUIJS J
Prendre soin des personnes atteintes de la maladie d'Alzheimer
REV.INFIRM. , 2008, n° 143, p. 13-26

N° doc. : 134756

KAROSI BOURGEA C ; REGNIER VIGOUROUX P
Elaboration d'un test de traitement de l'information de haut niveau et illustration auprès de quatre patients atteints d'une maladie d'Alzheimer débutante
REEDUC.ORTHOPHON. , 2008, n° 234, p. 107-120

SYSTEME NERVEUX VEGETATIF

N° doc. : 134364

HANAYAMA K ; LIU M ; HIGUCHI Y ; FUJIWARA T
Dysphagia in patients with Duchenne muscular dystrophy evaluated with a questionnaire and videofluorography
DISABIL.REHABIL. , 2008, Vol. 30, n° 7, p. 517-522

N° doc. : 134893

CALIS EAC ; VEUGELERS R ; SHEPPARD JJ ; TIBBOEL D
Dysphagia in children with severe generalized cerebral palsy and intellectual disability
DEV.MED.CHILD NEUROL. , 2008, Vol. 50, n° 8, p. 625-630

N° doc. : 135202

WITTE U ; HUCKABEE ML ; DOELTGEN SH ; GUMBLEY F
The effect of effortful swallow on pharyngeal manometric measurements during saliva and water swallowing in healthy participants
ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 5, p. 822-828

TROUBLES SPHINCTERIENS ET GENITAUX

- N° doc. : 134764
DE SEZE M ; DELLECI C ; DENYS P ; AMARENCO G
Electrostimulation périphérique et neurovessie
ANN.READAPT.MED.PHYS. , 2008, Vol. 51, n° 6, p. 473-478
- N° doc. : 134765
PERRIGOT M ; PICHON B ; PESKINE A ; VASSILEV K
Electrostimulation et rééducation périnéale de l'incontinence urinaire et des troubles mictionnels non neurologiques
ANN.READAPT.MED.PHYS. , 2008, Vol. 51, n° 6, p. 479-490
- N° doc. : 134800
DE SEZE M ; RUFFION A ; HAAB F ; CHARTIER KASTLER E
Suivi des patients après injection de toxine botulique intradétrusoriennes - Recommandations de bonne pratique clinique chez le patient neurologique
ANN.READAPT.MED.PHYS. , 2008, Vol. 51, n° 4, p. 315-321

- N° doc. : 134839
CREVOISIER J ; POINDESSOUS JL
Rééducation et sondage urinaire intermittent
SOINS , 2008, n° 727, p. 59-60

- N° doc. : 134994
ABRAMSON C ; MCBRIDE K ; KONNYU K ; ELLIOTT S
Sexual health outcome measures for individuals with a spinal cord injury
SPINAL CORD , 2008, Vol. 46, n° 5, p. 320-324

- N° doc. : 134995
BIERING SORENSEN F ; CRAGGS M ; KENNELLY M
International lower urinary tract function basic spinal cord injury data set
SPINAL CORD , 2008, Vol. 46, n° 5, p. 325-330

- N° doc. : 135013
BRACKETT NL ; LYNNE CM ; ATTIA GR ; CARMACK AJK
Treatment of infertility in men with spinal cord injury : medical progress and ethical considerations
TOP.SPINAL CORD INJ.REHABIL. , 2008, Vol. 13, n° 4, p. 120-133

- N° doc. : 135026
BIERING SORENSEN F ; CRAGGS M ; KENNELLY M
SCHICK E ; WYNDAELE JJ
International urodynamic basic spinal cord injury data set
SPINAL CORD , 2008, Vol. 46, n° 7, p. 513-516

- N° doc. : 135027
DEL POPOLO G ; MOSIELLO G ; PILATI C ; LAMARTINA M
Treatment of neurogenic bowel dysfunction using transanal irrigation : a multicenter Italian study
SPINAL CORD , 2008, Vol. 46, n° 7, p. 517-522

- N° doc. : 135036
MITSUI T ; TANAKA H ; MORIYA K ; MATSUDA M
Outcomes of lower urinary and bowel function in meningomyelocele patients with augmentation enterocystoplasty
SPINAL CORD , 2008, Vol. 46, n° 6, p. 432-437

- N° doc. : 135029
PANNEK J ; GOCKING K ; BERSCH U
Perineal abscess formation as a complication of intermittent self-catheterization
SPINAL CORD , 2008, Vol. 46, n° 7, p. 523-526

NEUROLOGIE INFANTILE

- N° doc. : 134622
SELASSIE GRH ; VIGGEDAL G ; OLSSON I ; JENNISCHE M
Speech, language and cognition in preschool children with epilepsy
DEV.MED.CHILD NEUROL. , 2008, Vol. 50, n° 6, p. 432-438
- N° doc. : 134623
BERGQVIST AGC ; TRABULSI J ; SCHALL JI ; STALLINGS VA
Growth failure in children with intractable epilepsy is not due to increased resting energy expenditure
DEV.MED.CHILD NEUROL. , 2008, Vol. 50, n° 6, p. 439-444

- N° doc. : 134627
INOUE Y ; INAGAKI M ; GUNJI A ; FURUSHIMA W ; KAGAM
Response switching process in children with attention-deficit-hyperactivity disorder on the novel continuous performance test
DEV.MED.CHILD NEUROL. , 2008, Vol. 50, n° 6, p. 462-466

- N° doc. : 134827
HART A ; WHITBY EW ; GRIFFITHS P ; SMITH MF
Magnetic resonance imaging and developmental outcome following preterm birth - review of current evidence
DEV.MED.CHILD NEUROL. , 2008, Vol. 50, n° 9, p. 655-663

- N° doc. : 134889
MARTINS I ; LAUTERBACH M ; SLADE P ; LUIS H
A longitudinal study of neurological soft signs from late childhood into early adulthood
DEV.MED.CHILD NEUROL. , 2008, Vol. 50, n° 8, p. 602-607

- N° doc. : 134890
LEWIS M ; VANCE A ; MARUFF P ; WILSON P
Differences in motor imagery between children with developmental coordination disorder with and without the combined type of ADHD
DEV.MED.CHILD NEUROL. , 2008, Vol. 50, n° 8, p. 608-612

- N° doc. : 134891
BARTLETT DJ ; KNEALE FANNING J ; MILLER L ;
Development of the daily activities of infants scale - a measure supporting early motor development
DEV.MED.CHILD NEUROL. , 2008, Vol. 50, n° 8, p. 613-617

PATHOLOGIE CONGENITALE ET PERINATALE

- N° doc. : 135191
NIJHUIS BJG ; REINDERS MESSELINK HA ; DE BLECOURT ACE
Needs, problems and rehabilitation goals of young children with cerebral palsy as formulated in the rehabilitation activities profile for children
J.REHABIL.MED. , 2008, Vol. 40, n° 5, p. 347-354

- N° doc. : 134309
HANNA SE ; BARTLETT DJ ; RIVARD LM ; RUSSELL DJ
Reference curves for the gross motor function measure : percentiles for clinical description and tracking over time among children with cerebral palsy
PHYS.THER. , 2008, Vol. 88, n° 5, p. 596-607

- N° doc. : 134343
ANGULO BARROSO RM ; WU J ; ULRICH DA
Long term effect of different treadmill interventions on gait development in new walkers with Down syndrome
GAIT POSTURE , 2008, Vol. 27, n° 2, p. 231-238

- N° doc. : 134466
BAR HAIM S ; BELOKOPYTOV M ; HARRIES N ;
Predicting of mechanical efficiency from heart rate during stair climbing in children with cerebral palsy
GAIT POSTURE , 2008, Vol. 27, n° 3, p. 512-517

N° doc. : 134540
PROVEZANO BARBOSA A ; VAZ DV
Therapeutic effects of electrical stimulation on manual function of children with cerebral palsy : evaluation of two cases
DISABIL.REHABIL. , 2008, Vol. 30, n° 9, p. 723-728

N° doc. : 134624
WESTERA JJ ; HOUTZAGER BA ; OVERDIEK B
Applying dutch and US versions of the BSID-II in Dutch children born preterm leads to different outcomes
DEV.MED.CHILD NEUROL. , 2008, Vol. 50, n° 6, p. 445-449

N° doc. : 134626
MULLER GODEFFROY E ; MICHAEL T ; POSTER M
Self-reported health-related quality of life in children and adolescents with myelomeningocele
DEV.MED.CHILD NEUROL. , 2008, Vol. 50, n° 6, p. 456-461

N° doc. : 134630
ALLINGTON N
Prévention et traitement des troubles orthopédiques : thérapie innovante chez l'enfant IMC
MOTRICITE CEREBR. , 2008, Vol. 29, n° 2, p. 57-60

N° doc. : 134631
RENDERS A
Les troubles orthopédiques secondaires de l'enfant IMC : comment les prévenir et les traiter
MOTRICITE CEREBR. , 2008, Vol. 29, n° 2, p. 61-64

N° doc. : 134632
BELHEUR JP
Cognitique et motricité : apprentissage et organisation du mouvement
MOTRICITE CEREBR. , 2008, Vol. 29, n° 2, p. 65-77

N° doc. : 134704
JONSSON J ; EKHOLM J ; SCHULT ML
The international classification of functioning, disability and health environmental factors as facilitators or barriers used in describing personal and social networks : a pilot study of adults with cerebral palsy
INT.J.REHABIL.RES. , 2008, Vol. 31, n° 2, p. 119-129

N° doc. : 134714
MAHER C ; WILLIAMS MT ; OLDS T
The six-minute walk test for children with cerebral palsy
INT.J.REHABIL.RES. , 2008, Vol. 31, n° 2, p. 185-188

N° doc. : 134773
HURVITZ EA ; GREEN LB ; HORNYAK JE ; KHURANA S
Body mass index measures in children with cerebral palsy related to gross motor function classification
AM.J.PHYS.MED.REHABIL. , 2008, Vol. 87, n° 5, p. 395-403

N° doc. : 134774
VERSCHUREN O ; KETELAAR M ; TAKKEN T ;
Exercise programs for children with cerebral palsy : a systematic review of the literature
AM.J.PHYS.MED.REHABIL. , 2008, Vol. 87, n° 5, p. 404-417

N° doc. : 134828
VAN HAASTERT IC ; DE VRIES LS ; EIJSERMANS MJC
Gross motor functional abilities in preterm-born children with cerebral palsy due to periventricular leukomalacia
DEV.MED.CHILD NEUROL. , 2008, Vol. 50, n° 9, p. 684-689

N° doc. : 134829
LIVINGSTON MH ; ROSENBAUM PL
Adolescents with cerebral palsy : stability in measurement of quality of life and health-related quality of life over 1 year
DEV.MED.CHILD NEUROL. , 2008, Vol. 50, n° 9, p. 696-701

N° doc. : 134830
GOUGH M ; SHORTLAND AP
Does sex influence outcome in ambulant children with bilateral spastic cerebral palsy ?
DEV.MED.CHILD NEUROL. , 2008, Vol. 50, n° 9, p. 702-705

N° doc. : 134831
GEERDINK N ; PASMAN JW ; ROTTEVEEL N
Compound muscle action potentials in newborn infants with spina bifida
DEV.MED.CHILD NEUROL. , 2008, Vol. 50, n° 9, p. 706-711

N° doc. : 134832
SOMERVILLE H ; TZANNES G ; WOOD J ; SHUN A ; HILL C
Gastrointestinal and nutritional problems in severe developmental disability
DEV.MED.CHILD NEUROL. , 2008, Vol. 50, n° 9, p. 712-716

N° doc. : 134886
MCGARRY A ; DIXON M ; GREIG RJ ; HAMILTON D
Head shape measurement standards and cranial orthoses in the treatment of infants with deformational plagiocephaly
DEV.MED.CHILD NEUROL. , 2008, Vol. 50, n° 8, p. 568-576

N° doc. : 134887
BIALOCERKOWSKI AE ; VLADUSIC SL ; WEI NG C
Prevalence, risk factors and natural history of positional plagiocephaly
DEV.MED.CHILD NEUROL. , 2008, Vol. 50, n° 8, p. 577-586

N° doc. : 134888
KULKARNI A ; COCHRANE DD ; MCNEELY PD
Comparing children's and parents' perspectives of health outcome in paediatric hydrocephalus
DEV.MED.CHILD NEUROL. , 2008, Vol. 50, n° 8, p. 587-592

N° doc. : 134892
WHITE KONING M ; GRANDJEAN H ; COLVER A
Parent and professional reports of the quality of life of children with cerebral palsy and associated intellectual impairment
DEV.MED.CHILD NEUROL. , 2008, Vol. 50, n° 8, p. 618-624

N° doc. : 134893
CALIS EAC ; VEUGELERS R ; SHEPPARD JJ ; TIBBOEL D
Dysphagia in children with severe generalized cerebral palsy and intellectual disability
DEV.MED.CHILD NEUROL. , 2008, Vol. 50, n° 8, p. 625-630

N° doc. : 134937
DE MORAIS FILHO MC ; YOSHIDA R ; DA SILVA CARVALHO W
Are the recommendations from three-dimensional gait analysis associated with better postoperative outcomes in patients with cerebral palsy ?
GAIT POSTURE , 2008, Vol. 28, n° 2, p. 316-322

N° doc. : 134938
ONG AML ; HILLMAN SJ ; ROBB JE
Reliability and validity of the Edinburgh visual gait score for cerebral palsy when used by inexperienced observers
GAIT POSTURE , 2008, Vol. 28, n° 2, p. 323-326

N° doc. : 135036
MITSUI T ; TANAKA H ; MORIYA K ; MATSUDA M
Outcomes of lower urinary and bowel function in meningomyelocele patients with augmentation enterocystoplasty
SPINAL CORD , 2008, Vol. 46, n° 6, p. 432-437

N° doc. : 135171
DEPEDIBI R ; UNLU E ; CEVIKOL A ; AKKAYA T ; CAKCI A
Ultrasound guided botulinum toxin type A injection to the iliopsoas muscle in the management of children with cerebral palsy
NEUROREHABILITATION , 2008, Vol. 23, n° 3, p. 199-205

N° doc. : 135204
REILLY D ; WOOLLACOTT MH ; VAN DONKELAAR P
The interaction between executive attention and postural control in dual-task conditions : children with cerebral palsy
ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 5, p. 834-842

N° doc. : 135298
Les infirmités motrices cérébrales - Réflexions et perspectives sur la prise en charge

PATHOLOGIE ACQUISE

N° doc. : 134620
KIRK C ; NAGIUB G ; ABU ARAFEH I
Chronic post-traumatic headache after head injury in children and adolescents
DEV.MED.CHILD NEUROL. , 2008, Vol. 50, n° 6, p. 422-425

N° doc. : 134793
CHEVIGNARD M ; AZZI V ; ABADA G ; LEMESLE C ; BUR S
Intérêt de la thérapie par contrainte induite chez l'enfant chez l'enfant hémiplégiique après lésion cérébrale acquise
ANN.READAPT.MED.PHYS. , 2008, Vol. 51, n° 4, p. 238-247

EXPLORATION FONCTIONNELLE

N° doc. : 135182
BROETZ D ; HAHN U ; MASCHKE E ; WICK W ; KUEKER W
Lumbar disk prolapse : response to mechanical physiotherapy in the absence of changes in magnetic resonance imaging
NEUROREHABILITATION , 2008, Vol. 23, n° 3, p. 289-294

N° doc. : 134461
KUPPUSWAMY A ; CATLEY M ; KING NKK ; STRUTTON P
Cortical control of erector spinae muscles during arm abduction in humans
GAIT POSTURE , 2008, Vol. 27, n° 3, p. 478-484

N° doc. : 134669
PLASTARAS CT ; MARCINIAK CM ; SIPPLE DP
Effect of interelectrode distance on sural nerve action potential parameters
AM.J.PHYS.MED.REHABIL. , 2008, Vol. 87, n° 3, p. 183-188

N° doc. : 134699
HAN DS ; LI CM ; CHANG CW
Reorganization of the cortico-spinal pathway in patients with chronic complete thoracic cord injury : a study of motor evoked potentials
J.REHABIL.MED. , 2008, Vol. 40, n° 3, p. 208-212

N° doc. : 134880
DECHAUMONT PALACIN S ; MARQUE P ; DE BOISSEZON X
Neural correlates of proprioceptive integration in the contralateral hemisphere of very impaired patients shortly after a subcortical stroke - an fMRI study
NEUROREHABIL.NEURAL REPAIR , 2008, Vol. 22, n° 2, p. 154-165

N° doc. : 135168
HAN BS ; AHN SH ; JANG SH
Cortical reorganization demonstrated by diffusion tensor tractography analyzed using functional MRI activation
NEUROREHABILITATION , 2008, Vol. 23, n° 2, p. 171-174

N° doc. : 135181
PARK JW ; KWON YH ; LEE MY ; NAM KS ; CHO YW
Brain activation pattern according to exercise complexity - a functional MRI study
NEUROREHABILITATION , 2008, Vol. 23, n° 3, p. 283-288

N° doc. : 135224
STRANGMAN G ; O'NEIL PIROZZI T ; GOLDSTEIN R
Prediction of memory rehabilitation outcomes in traumatic brain injury by using functional magnetic resonance imaging
ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 5, p. 974-981

Measuring health in patients with cervical and lumbosacral spinal disorders : is the 12-item short-form health survey a valid alternative for the 36-item short-form health survey ?
ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 5, p. 829-833

DEVIATIONS VERTEBRALES

N° doc. : 134337
WONG MS ; CHENG CY ; NG BKW ; LAM TP ; SIN SW
The effect of rigid versus flexible spinal orthosis on the gait pattern of patients with adolescent idiopathic scoliosis
GAIT POSTURE , 2008, Vol. 27, n° 2, p. 189-195

N° doc. : 134384
NEGRINI S ; ZAINA F ; ROMANO M ; NEGRINI A
Specific exercises reduce brace prescription in adolescent idiopathic scoliosis : a prospective controlled cohort study with worst case analysis
J.REHABIL.MED. , 2008, Vol. 40, n° 6, p. 451-455

N° doc. : 134914
KERR TP ; LIN JP ; GRESTY MA ; MORLEY T ; ROBB SA
Spinal stability is improved by inducing a lumbar lordosis in boys with Duchenne muscular dystrophy
GAIT POSTURE , 2008, Vol. 28, n° 1, p. 108-112

N° doc. : 135121
CALLENS C
Traitemen rééducatif des scolioses idiopathiques non appareillées
KINESITHER.REV. , 2008, 80-81, p. 14-22

N° doc. : 135122
BRUYNEEL AV ; CHAVET P ; MESURE S
Corset et scoliose idiopathique de l'adolescence
KINESITHER.REV. , 2008, 80-81, p. 23-29

N° doc. : 135123
FAUVY L ; DA CUNHA ABN
La scoliose thoracique plan sagittal et exercice cyphosant
KINESITHER.REV. , 2008, 80-81, p. 30-33

N° doc. : 135236
NEGRINI S
Approach to scoliosis changed due to causes other than evidence : patients call for conservative (rehabilitation) experts to join in team orthopedic surgeons
DISABIL.REHABIL. , 2008, Vol. 30, n° 10, p. 731-741

N° doc. : 135237
KOTWICKI T
Evaluation of scoliosis today : examination, X-rays and beyond
DISABIL.REHABIL. , 2008, Vol. 30, n° 10, p. 742-751

N° doc. : 135238
GRIVAS TB ; VASILIADIS E ; SAVVIDOU OD
What a school screening program could contribute in clinical research of idiopathic scoliosis aetiology
DISABIL.REHABIL. , 2008, Vol. 30, n° 10, p. 752-762

N° doc. : 135239
SMANIA N ; PICELLI A ; ROMANO M ; NEGRINI S
Neurophysiological basis of rehabilitation of adolescent idiopathic scoliosis
DISABIL.REHABIL. , 2008, Vol. 30, n° 10, p. 763-771

N° doc. : 135240
NEGRINI S ; FUSCO C ; MINOZZI S ; ATANASIO S ; ZAINA F ;
Exercises reduce the progression rate of adolescent idiopathic scoliosis : results of a comprehensive systematic review of the literature
DISABIL.REHABIL. , 2008, Vol. 30, n° 10, p. 772-785

N° doc. : 135241
MARUYAMA T
Bracing adolescent idiopathic scoliosis : a systematic review of the literature of effective conservative treatment looking for end results 5 years after weaning

RACHIS

N° doc. : 135203
LEE CE ; BROWELL LM ; JONES DL

N° doc. : 135242

KOTWICKI T ; JOZWIAK M

Conservative management of neuromuscular scoliosis - personal experience and review of literature

DISABIL.REHABIL. , 2008, Vol. 30, n° 10, p. 792-798

N° doc. : 134320

BOGEFELDT J ; GRUNNESJO MI ; SVARDSDUDD K

Sick leave reductions from a comprehensive manual therapy programme for low back pain - The Gotland low back pain study

CLIN.REHABIL. , 2008, Vol. 22, n° 6, p. 529-541

N° doc. : 135243

WEISS HR

Adolescent idiopathic scoliosis (AIS) - an indication for surgery ?

DISABIL.REHABIL. , 2008, Vol. 30, n° 10, p. 799-807

N° doc. : 134323

LAEKEMAN MA ; SITTER H ; BASLER HD

The pain attitudes and beliefs scale for physiotherapists : psychometric properties of the german version

CLIN.REHABIL. , 2008, Vol. 22, n° 6, p. 564-575

RACHIS CERVICAL

N° doc. : 135184

LAVIGNOLLE B ; MESSINA M ; SENEGRAS L

Rééducation des traumatismes du rachis cervical sans lésions neurologiques

ENCYCL.MED.CHIR.KINESITHER. ,

2008, FASC. 26285 A10, p. 1-28

N° doc. : 134325

WALLBOM AS ; GEISSEMER ME ; HAIG AJ ; KOCH J ; GUIDO C

Alterations of F wave parameters after exercise in symptomatic lumbar spinal stenosis

AM.J.PHYS.MED.REHABIL. , 2008, Vol. 87, n° 4, p. 270-274

N° doc. : 135194

SANDLUND J ; ROIEZON U ; BJORKLUND M ;
DJUPSSJÖBACKA M**Acuity of goal-directed arm movements to visible targets in chronic neck pain**

J.REHABIL.MED. , 2008, Vol. 40, n° 5, p. 366-374

N° doc. : 134347

KUO YL ; TULLY EA ; GALEA MP

Skin movement errors in measurement of sagittal lumbar and hip angles in young and elderly subjects

GAIT POSTURE , 2008, Vol. 27, n° 2, p. 264-270

N° doc. : 134318

CARROLL A ; BARNES M ; COMISKEY C

A prospective randomized controlled study of the role of botulinum in whiplash associated disorder

CLIN.REHABIL. , 2008, Vol. 22, n° 6, p. 513-519

N° doc. : 134377

PERREAULT JP

Linking health promotion with physiotherapy for low back pain

J.REHABIL.MED. , 2008, Vol. 40, n° 6, p. 401-409

N° doc. : 134379

BUNKETORP KALL L

Assessment of motion in the cervico-thoracic spine in patients with subacute whiplash-associated disorders

J.REHABIL.MED. , 2008, Vol. 40, n° 6, p. 418-425

N° doc. : 134394

WEIL L ; FRAUWIRTH NH ; AMIRDEFAN K ; GRANT D

Fluoroscopic analysis of lumbar epidural contrast spread after lumbar interlaminar injection

ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 3, p. 413-416

N° doc. : 134380

PAULUS I ; BRUMAGNE S

Altered interpretation of neck proprioceptive signals in persons with subclinical recurrent neck pain

J.REHABIL.MED. , 2008, Vol. 40, n° 6, p. 426-432

N° doc. : 134413

NOVAK S ; NEMETH WC

The basis for recommending repeating epidural steroid injections for radicular low back pain

ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 3, p. 543-552

N° doc. : 134410

TRELEAVEN J ; LOWCHOY N ; DARNELL R ; PANIZZA B

Comparison of sensorimotor disturbance between subjects with persistent whiplash associated disorder and subjects with vestibular pathology associated with acoustic neuroma

ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 3, p. 522-530

N° doc. : 134506

HEALEY EL ; BURDEN AM ; MCEWAN IM ; FOWLER NE
The impact of increasing paraspinal muscle activity on stature recovery in asymptomatic people

ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 4, p. 749-753

N° doc. : 134509

KIRPALANI D ; MITRA R

Cervical facet joint dysfunction - a review

ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 4, p. 770-774

N° doc. : 134513

ROUSSEL N ; TRUIJEN S ; DE KERF I ; LAMBEETS D ; NIJS J

Reliability of the assessment of lumbar range of motion and maximal isometric strength in patients with chronic low back pain

ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 4, p. 788-791

N° doc. : 134693

BUNKETORP KALL L ; KOWALSKI J ; STENER VICTORIN E
Assessing pain perception using the painmatch-R in patients with whiplash associated disorders

J.REHABIL.MED. , 2008, Vol. 40, n° 3, p. 171-177

N° doc. : 134795

VAILLANT J ; MEUNIER D ; CAILLAT MIOUSSE JL ;

Influence de stimulation nociceptive sur le sens de repositionnement céphalique

ANN.READAPT.MED.PHYS. , 2008, Vol. 51, n° 4, p. 257-262

N° doc. : 134514

FRIEDLY J ; NISHIO I ; BISHOP M ; MAYNARD C

The relationship between repeated epidural steroid injections and subsequent opioid use and lumbar surgery

ARCH.PHYS.MED.REHABIL., 2008, Vol. 89, n° 6, p. 1011-1015

RACHIS LOMBAIRE ET CHARNIERE LOMBO-SACREE

N° doc. : 135192

GOCKEL M ; LINDHOLM H ; NIEMISTO L ; HURRI H

Perceived disability but not pain is connected with autonomic nervous function among patients with chronic low back pain

N° doc. : 134775

KARATAS M ; BASARAN C ; OZGUL E ; TARHAN C

Postpartum sacral stress fracture : an unusual case of low-back and buttock pain

AM.J.PHYS.MED.REHABIL. , 2008, Vol. 87, n° 5, p. 418-422

N° doc. : 134796

BERNARD JC ; BARD R ; PUJOL A ; COMBEY A ; BOUSSARD D ; BEGUE C ; SALGHERI AM

Evaluation musculaire de l'adolescent sains - Comparaison avec

N° doc. : 134797
BERNARD JC ; BARD R ; PUJOL A ; COMBEY A
Muscle assessment in healthy teenagers comparison with teenagers with low back pain
ANN.READAPT.MED.PHYS. , 2008, Vol. 51, n° 4, p. 274-283

N° doc. : 134798
OLIVIER N ; LEPRRETRE A ; CABY I ; DUPUIS M ; PRIEUR F
Le réentrainement à l'effort de la lombalgie chronique nécessite-t-il un renforcement musculaire isokinétique quotidien du tronc ?
ANN.READAPT.MED.PHYS., 2008, Vol. 51, n° 4, p. 284-291

N° doc. : 134799
MAURICE M ; BLANCHARD DAUPHIN A ; LAURENT P
Efficacité à court et moyen terme d'un programme d'école du dos. Etude de cohorte rétrospective réalisée sur 328 lombalgiques chroniques de 1997 à 2004
ANN.READAPT.MED.PHYS. , 2008, Vol. 51, n° 4, p. 292-300

N° doc. : 134927
KASAHARA S ; MIYAMOTO K ; TAKAHASHI M
Lumbar pelvic coordination in the sitting position
GAIT POSTURE , 2008, Vol. 28, n° 2, p. 251-257

N° doc. : 134928
KATSUHIRA J ; SASAKI H ; ASAHIARA S ; IKEGAMI T
Comparison of low back joint moment using a dynamic 3D biomechanical model in different transferring tasks wearing low back belt
GAIT POSTURE , 2008, Vol. 28, n° 2, p. 258-264

N° doc. : 135264
SLABODA JC ; BOSTON JR ; RUDY TE ; LIEBER SJ
Classifying subgroups of chronic low back pain patients based on lifting patterns
ARCH.PHYS.MED.REHABIL. 2008, Vol. 89, n° 8, p. 1542-1549

ORTHOPEDIE

N° doc. : 134691
KAMINA P
Anatomie clinique : anatomie générale, membres (tome 1)
PARIS : MALOINE , 2008, 577 p
3ème Edition

N° doc. : 134631
RENDERS A
Les troubles orthopédiques secondaires de l'enfant IMC : comment les prévenir et les traiter
MOTRICITE CEREBR. , 2008, Vol. 29, n° 2, p. 61-64

MALFORMATIONS CONGENITALES

N° doc. : 134707
PIZZAMIGLIO MR ; NASTI M ; PICCARDI L ; VITTURINI C
Visual motor coordination computerized training improves the visuo-spatial performance in a child affected by Cri-du-Chat syndrome
INT.J.REHABIL.RES. , 2008, Vol. 31, n° 2, p. 151-154

TRAUMATOLOGIE

N° doc. : 135190
SOBERG HL ; FINSET A ; ROISE O ; BAUTZ HOLTER E
Identification and comparison of rehabilitation goals after multiple injuries - an ICF analysis of the patients', physiotherapists' and other allied professionnals' reported goals
J.REHABIL.MED. , 2008, Vol. 40, n° 5, p. 340-346

N° doc. : 135161
CHEVILLLOTTE J
Les soins aux personnes gravement brûlées
REV.INFIRM. , 2008, n° 144, p. 15-28

PATHOLOGIE OSTEOARTICULAIRE

N° doc. : 135195
BRANSTROM H ; FAHLSTROM M
Kinesiophobia in patients with chronic musculoskeletal pain : differences between men and women
J.REHABIL.MED. , 2008, Vol. 40, n° 5, p. 375-380

N° doc. : 134315
HOLM B ; JACOBSEN S ; SKJODT H ; KLARLUND M
Keitel functional Test for patients with rheumatoid arthritis : translation, reliability, validity and responsiveness
PHYS.THER. , 2008, Vol. 88, n° 5, p. 664-678

N° doc. : 134420
HAAK T ; SCOTT B
The effect of Qigong on fibromyalgia (FMS) : a controlled randomized study
DISABIL.REHABIL. , 2008, Vol. 30, n° 8, p. 625-633

N° doc. : 134710
BOONSTRA A ; SCHIPHORST PREUPER HR ; RENEMAN MF
Reliability and validity of the visual analogue scale for disability in patients with chronic musculoskeletal pain
INT.J.REHABIL.RES. , 2008, Vol. 31, n° 2, p. 165-169

N° doc. : 134713
BOONSTRA AM ; RENEMAN MF ; POSTHUMUS JB
Reliability of the life satisfaction questionnaire to assess patients with chronic musculoskeletal pain
INT.J.REHABIL.RES. , 2008, Vol. 31, n° 2, p. 181-183

N° doc. : 134738

COLLINS S ; VANHILLEN JJ ; MARINUS J

Development of a symptoms questionnaire for complex regional pain syndrome and potentially related illnesses : the trauma related neuronal dysfunction symptoms inventory

ARCH.PHYS.MED.REHABIL., 2008, Vol. 89, n° 6, p. 1114-1120

N° doc. : 134739

VAN DER GIESEN FJ ; NELISSEN RG ; ARENDZEN JH

Responsiveness of the Michigan hand outcomes questionnaire-Dutch language version in patients with rheumatoid arthritis

ARCH.PHYS.MED.REHABIL., 2008, Vol. 89, n° 6, p. 1121-1126

N° doc. : 134785

MAILHAN L ; MONTEIL I ; DENORMANDIE P

Prise en charge des complications orthopédiques chez les patients atteints d'affections neurologiques - mise au point

LETTRE MED.PHYS.READAPT., 2008, Vol. 24, n° 2, p. 55-56

N° doc. : 134924

WEISS R ; WRETENBERG P ; STARK A ; PALMBLAD K

Gait pattern in rheumatoid arthritis

GAIT POSTURE, 2008, Vol. 28, n° 2, p. 229-234

N° doc. : 135173

JEGEDE AB ; GILBERT C ; TULKIN SR

Muscle characteristics of persons with fibromyalgia syndrome

NEUROREHABILITATION, 2008, Vol. 23, n° 3, p. 217-230

N° doc. : 135209

HALL J ; SWINKELS A ; BRIDDON J ; MCCABE C

Does aquatic exercise relieve pain in adults with neurologic or musculoskeletal disease ? a systematic review and meta-analysis of randomized controlled trials

ARCH.PHYS.MED.REHABIL., 2008, Vol. 89, n° 5, p. 873-883

N° doc. : 135211

STANDAERT CJ ; MANNER PA ; HERRING SA

Expert opinion and controversies in musculoskeletal and sports medicine - Femoroacetabular impingement

ARCH.PHYS.MED.REHABIL., 2008, Vol. 89, n° 5, p. 890-893

TRAITEMENT DE L'APPAREIL LOCOMOTEUR

N° doc. : 134787

DENORMANDIE P ; GENET F ; SCHNITZLER A

Prise en charge des rétractions musculaires

LETTRE MED.PHYS.READAPT., 2008, Vol. 24, n° 2, p. 59-64

MEMBRE SUPERIEUR

N° doc. : 134367

MEIJER EM ; HUGENHOLTZ NIR ; SLUITER JK

What do referred patients with upper extremity musculoskeletal disorders expect of a multidisciplinary treatment and what is the perceived value ?

DISABIL.REHABIL., 2008, Vol. 30, n° 7, p. 541-550

N° doc. : 134447

COLEY B ; JOLLES BM ; FARRON A ; PICHONNAZ C

:stimating dominant upper limb segments during daily activity

GAIT POSTURE, 2008, Vol. 27, n° 3, p. 368-375

N° doc. : 134837

BURGESS T ; RASSAFIANI M ; COPLEY J

Factors associated with the acquisition of expertise in upper limb hypertonicity management

BR.J.OCCUP.THER., 2008, Vol. 71, n° 8, p. 329-338

N° doc. : 134409

TARNANEN SP ; YLINEN JJ ; SIEKKINEN KM ; MALKIA EA

Effect of isometric upper-extremity exercises on the activation of core stabilizing muscles

ARCH.PHYS.MED.REHABIL., 2008, Vol. 89, n° 3, p. 513-521

N° doc. : 134876

KWAKKEL G ; KOLLEN BJ ; KREBS HI

Effects of robot assisted therapy on upper limb recovery after stroke - a systematic review

NEUROREHABIL.NEURAL REPAIR

2008, Vol. 22, n° 2, p. 111-121

N° doc. : 135006

BACKUS D

Activity based interventions for the upper extremity in spinal cord injury

TOP.SPINAL CORD INJ.REHABIL., 2008, Vol. 13, n° 4, p. 1-9

N° doc. : 135007

HUTCHINSON D ; WEINIK M ; BETZ RR

Utility of electrophysiological studies in assessing peripheral sensory and motor nerve involvement in the upper limb after traumatic tetraplegia

TOP.SPINAL CORD INJ.REHABIL. 2008, Vol. 13, n° 4, p. 10-23

N° doc. : 135199

ELOVIC EP ; BRASHEAR A ; KAELEN D ; LIU J ; MILLIS SR

Repeated treatments with botulinum toxin type A produce sustained decreases in the limitations associated with focal upper-limb poststroke spasticity for caregivers and patients

ARCH.PHYS.MED.REHABIL., 2008, Vol. 89, n° 5, p. 799-806

N° doc. : 135267

WOODBURY M ; VELOZO CA ; RICHARDS LG

Longitudinal stability of the Fugl-Meyer assessment of the upper extremity

ARCH.PHYS.MED.REHABIL., 2008, Vol. 89, n° 8, p. 1563-1569

EPAULE

N° doc. : 134317

BAL A ; EKSIÖGLU F ; GULEC B ; GURÇAY E ; CAKCI A

Effectiveness of corticosteroid injection in adhesive capsulitis

CLIN.REHABIL., 2008, Vol. 22, n° 6, p. 503-512

N° doc. : 134336

HILL A ; BULL AMJ ; WALLACE AL ; JOHNSON GR

Qualitative and quantitative descriptions of glenohumeral motion

GAIT POSTURE, 2008, Vol. 27, n° 2, p. 177-188

N° doc. : 134385

FAYAD F ; ROBY BRAMI A ; GAUTHERON V

Relationship of glenohumeral elevation and 3-dimensional scapular kinematics with disability in patients with shoulder disorders

J.REHABIL.MED., 2008, Vol. 40, n° 6, p. 456-460

N° doc. : 134389

NIESSEN M ; MESKERS C ; KOPPE P ; KONIJNENBELT M

Kinematics of the contralateral and ipsilateral shoulder : a possible relationship with post-stroke shoulder pain

J.REHABIL.MED., 2008, Vol. 40, n° 6, p. 482-486

N° doc. : 134495

COLLINGER JL ; BONINGER ML ; KOONTZ AM ; PRICE R

Shoulder biomechanics during the push phase of wheelchair propulsion - a multisite study of persons with paraplegia

ARCH.PHYS.MED.REHABIL., 2008, Vol. 89, n° 4, p. 667-676

N° doc. : 134692

CHEING GLY ; SO E ; CHAO CY

Effectiveness of electroacupuncture and interferential electrotherapy in the management of frozen shoulder

J.REHABIL.MED., 2008, Vol. 40, n° 3, p. 166-170

N° doc. : 134744

DESROCHES G ; AISSAOUI R ; BOURBONNAIS D

Relationship between resultant force at the pushrim and the net shoulder joint moments during manual wheelchair propulsion in elderly persons

ARCH.PHYS.MED.REHABIL., 2008, Vol. 89, n° 6, p. 1155-1161

N° doc. : 134745

MILLER CA ; FORRESTER G ; LEWIS JS

The validity of the lag signs in diagnosing full-thickness tears of the rotator cuff

ARCH.PHYS.MED.REHABIL., 2008, Vol. 89, n° 6, p. 1162-1168

N° doc. : 134997

RIEK LM ; LUDEWIG PM ; NAWOCZENSKI DA

Comparative shoulder kinematics during free standing,

standing depression lifts and daily functional activities in persons with paraplegia - considerations for shoulder health
SPINAL CORD , 2008, Vol. 46, n° 5, p. 335-343

N° doc. : 135011
TUCKER C ; BAGLEY A ; WESDOCK K ; CHURCH C
Kinematic modeling of the shoulder complex in tetraplegia
TOP.SPINAL CORD INJ.REHABIL , 2008, Vol. 13, n° 4, p. 72-85

N° doc. : 135012
REQUEJO PS ; MULROY SJ ; LIGHTHALL HAUBERT L
Evidence-based strategies to preserve shoulder function in manual wheelchair users with spinal cord injury
TOP.SPINAL CORD INJ.REHABIL 2008, Vol. 13, n° 4, p. 86-119

N° doc. : 135271
DROMERICK AW ; EDWARDS DF ; KUMAR A
Hemiplegic shoulder pain syndrome : frequency and characteristics during inpatient stroke rehabilitation
ARCH.PHYS.MED.REHABIL., 2008, Vol. 89, n° 8, p. 1589-1593

BRAS

N° doc. : 135194
SANDLUND J ; ROIJEZON U ; BJORKLUND M
Acuity of goal-directed arm movements to visible targets in chronic neck pain
J.REHABIL.MED. , 2008, Vol. 40, n° 5, p. 366-374

N° doc. : 134359
ROOSE PE ; MCGUIGAN MP ; KERWIN DG ;
The role of arm movement in early trip recovery in younger and older adults
GAIT POSTURE , 2008, Vol. 27, n° 2, p. 352-356

N° doc. : 134457
KUHTZ BUSCHEBECK JP ; BROCKMANN K ; GILSTER R
Asymmetry of arm-swing not related to handedness
GAIT POSTURE , 2008, Vol. 27, n° 3, p. 447-454

N° doc. : 134883
RICHARDS LG ; SENESAC CR ; DAVIS SB
Bilateral arm training with rhythmic auditory cueing in chronic stroke - not always efficacious
NEUROREHABIL.NEURAL REPAIR , 2008, Vol. 22, n° 2, p. 180-184

N° doc. : 135234
VOLPE BT ; LYNCH D ; RYKMAN BERLAND A
Intensive sensorimotor arm training mediated by therapist or robot improves hemiparesis in patients with chronic stroke
NEUROREHABIL.NEURAL REPAIR , 2008, Vol. 22, n° 3, p. 305-310

N° doc. : 135259
MIRBAGHERI MM ; RYMER WZ
Time-course of changes in arm impairment after stroke : variables predicting motor recovery over 12 months
ARCH.PHYS.MED.REHABIL , 2008, Vol. 89, n° 8, p. 1507-1513

COUDE

N° doc. : 134504
PARK GY ; LEE SM ; LEE MY
Diagnostic value of ultrasonography for clinical medial epicondylitis
ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 4, p. 738-742

N° doc. : 134742
SONG R ; TONG KY ; HU X
Evaluation of velocity-dependent performance of the spastic elbow during voluntary movements
ARCH.PHYS.MED.REHABIL., 2008, Vol. 89, n° 6, p. 1140-1145

N° doc. : 135210
YOON JS ; HONG SJ ; KIM BJ ; KIM SJ ; KIM JM
Ulnar nerve and cubital tunnel ultrasound in ulnar neuropathy at the elbow
ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 5, p. 887-889

N° doc. : 135225

MAYER N ; WHYTE J ; WANNSTEDT G ; ELLIS C
Comparative impact of 2 botulinum toxin injection - techniques for elbow flexor hypertonia
ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 5, p. 982-987

MAIN-DOIGTS

N° doc. : 134391
YAVUZER G ; SELLES R ; SEZER N ; SUTBEYAZ S
Mirror therapy improves hand function in subacute stroke
ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 3, p. 393-398

N° doc. : 134667
STENEKES MW ; NICOLAI JPA ; GEERTZEN JHB
Kinematic analysis of hand movements after tendon repair surgery A new assessment using drawing movements
AM.J.PHYS.MED.REHABIL. , 2008, Vol. 87, n° 3, p. 169-176
N° doc. : 135008
KOO B ; PELJOVICH A ; BOHN A
Single stage tendon transfer reconstruction for active pinch and grasp in tetraplegia
TOP.SPINAL CORD INJ.REHABIL. , 2008, Vol. 13, n° 4, p. 24-36

MEMBRE INFÉRIEUR

N° doc. : 134918
JACQUEMIER M ; GLARD Y ; POMERO V ; VIEHWEGER E
Rotational profile of the lower limb in 1319 healthy children
GAIT POSTURE , 2008, Vol. 28, n° 2, p. 187-193

HANCHE

N° doc. : 134347
KUO YL ; TULLY EA ; GALEA MP
Skin movement errors in measurement of sagittal lumbar and hip angles in young and elderly subjects
GAIT POSTURE , 2008, Vol. 27, n° 2, p. 264-270

N° doc. : 134361
JIANG SD ; JIANG L ; ZHAO C ; DAI LY
No advantages of gamma nail over sliding hip screw in the management of peritrochanteric hip fractures : a meta-analysis of randomized controlled trials
DISABIL.REHABIL. , 2008, Vol. 30, n° 7, p. 493-497

N° doc. : 134487
MENDELSON ME ; OVEREND TJ ; CONNELLY DM
Improvement in aerobic fitness during rehabilitation after hip fracture
ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 4, p. 609-617

N° doc. : 134494
NEWMAN M ; BARKER KL ; PANDIT H ; MURRAY DW
Outcomes after metal-on-metal hip resurfacing - Could we achieve better function ?
ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 4, p. 660-666

N° doc. : 134539
PROCTOR R ; WADE R ; WOODWARD Y ; PENDLETON N ; BALDWIN R ; TARRIER N ; HORAN M ; BURNS A
The impact of psychological factors in recovery following surgery for hip fracture
DISABIL.REHABIL. , 2008, Vol. 30, n° 9, p. 716-722

N° doc. : 134647
SCHOLZ J
Revisionoperationen nach Hüftgelenktotalendoprothesen (= Revision surgery of total hip endoprostheses)
ORTHOP.TECHNIK , 2008, Vol. 59, n° 5, p. 320-325

N° doc. : 134648
THOMAS W ; TAFUROLI ; THOMAS S ; GRUNDEI H
Huftendoprothetik als bionisches Konzept (= Hip endoprostheses as a bionic concept)
ORTHOP.TECHNIK , 2008, Vol. 59, n° 5, p. 326-333

N° doc. : 134665
EGAN M ; JAGLAL S ; BYRNIE K ; WELLS J
Factors associated with a second hip fracture : a systematic review
CLIN.REHABIL. , 2008, Vol. 22, n° 3, p. 272-282

N° doc. : 134743

PUA YH ; WRIGLEY T ; COWAN SM ; BENNELL KL

Intrarater test-retest reliability of hip range of motion and hip muscle strength measurements in persons with hip osteoarthritis

ARCH.PHYS.MED.REHABIL., 2008, Vol. 89, n° 6, p. 1146-1154

N° doc. : 134769

PORTEGIJS E ; SIPILA S ; RANTANEN T ; LAMB SE

Leg extension power deficit and mobility limitation in women recovering from hip fracture

AM.J.PHYS.MED.REHABIL., 2008, Vol. 87, n° 5, p. 363-370

N° doc. : 134919

BENNETT D ; HUMPHREYS L ; O'BRIEN S ; KELLY C

Gait kinematics of age stratified hip replacement patients - a large scale, long term follow up study

GAIT POSTURE, 2008, Vol. 28, n° 2, p. 194-200

N° doc. : 135250

GALEA MP ; LEVINGER P ; LYTHGO N ; CIMOLI C

A targeted home- and center-based exercise program for people after total hip replacement

ARCH.PHYS.MED.REHABIL., 2008, Vol. 89, n° 8, p. 1442-1447

N° doc. : 135274

SUTLIFF MH ; NAFT JM ; STOUGH DK ; LEE J

Efficacy and safety of a hip flexion assist orthosis in ambulatory multiple sclerosis patients

ARCH.PHYS.MED.REHABIL., 2008, Vol. 89, n° 8, p. 1611-1617

N° doc. : 134521

JUHAKOSKI R ; TENHONEN S ; ANNTONEN T

Facteurs affecting self-reported pain and physical function in patients with hip osteoarthritis

ARCH.PHYS.MED.REHABIL., 2008, Vol. 89, n° 6, p. 1066-1073

TIBIA-PERONE - CHEVILLE

N° doc. : 134575

PREECE SJ ; GRAHAM SMITH P ; NESTER CJ ; HOWARD D

The influence of gluteus maximus on transverse plane tibial rotation

GAIT POSTURE, 2008, Vol. 27, n° 4, p. 616-621

N° doc. : 134287

DAUTY M ; ROUSSEAU B ; CAPPELLI M ; PAUMIER S

Description de la force isokinétique de la cheville après réparation chirurgicale du tendon d'Achille (tendon calcanéen)

SCI.SPORTS, 2008, Vol. 23, 3-4, p. 126-129

N° doc. : 134341

SUCKEL A ; MULLER O ; LANGENSTEIN P ; HERBERTS T

Chopart's joint load during gait in vitro study of 10 cadaver specimens in a dynamic model

GAIT POSTURE, 2008, Vol. 27, n° 2, p. 216-222

N° doc. : 134381

LIN CW ; MOSELEY AM ; HAAS M ; REFSHAUGE KM

Manual therapy in addition to physiotherapy does not improve clinical or economic outcomes after ankle fracture

J.REHABIL.MED., 2008, Vol. 40, n° 6, p. 433-439

N° doc. : 134400

KLUDING P ; SANTOS M

Effects of ankle joint mobilizations in adults poststroke - a pilot study

ARCH.PHYS.MED.REHABIL., 2008, Vol. 89, n° 3, p. 449-456

N° doc. : 134571

SANTOS MJ ; LIU H ; LIU W

Unloading reactions in functional ankle instability

GAIT POSTURE, 2008, Vol. 27, n° 4, p. 589-594

PIED

N° doc. : 134345

LAU H ; TONG K

The reliability of using accelerometer and gyroscope for gait event identification on persons with dropped foot

GAIT POSTURE, 2008, Vol. 27, n° 2, p. 248-257

N° doc. : 134464

PUTTI AB ; ARNOLD G ; COCHRANE L ; ABOUD RJ

Normal pressure values and repeatability of the Emed-R

GAIT POSTURE, 2008, Vol. 27, n° 3, p. 501-505

N° doc. : 134689

HA VAN G

Le pied diabétique

ELSEVIER MASSON, 2008, 200 p

N° doc. : 134782

TELLIER C

Le syndrome d'attelage des fléchisseurs plantaires

J.ORTHOP., 2008, n° 30, p. 1367-1370

N° doc. : 134788

GENET F ; SCHNITZLER A ; MAILHAN L ; DENORMANDIE P

Exemple de stratégie de prise en charge : le pied varus équin - mise au point

LETTRE MED.PHYS.READAPT., 2008, Vol. 24, n° 2, p. 65-66

N° doc. : 134792

FEMERY V ; POTDEVIN F ; THEVENON A ; MORETTO P

Elaboration et validation d'un nouveau dispositif de surveillance des pressions plantaires - application à la décharge du pied

ANN.READAPT.MED.PHYS., 2008, Vol. 51, n° 4, p. 231-237

N° doc. : 134936

ALVAREZ C ; DE VERA M ; CHHINA H ; BLACK A

Normative data for the dynamic pedobarographic profiles of children

GAIT POSTURE, 2008, Vol. 28, n° 2, p. 309-315

EQUILIBRE-MARCHE

N° doc. : 134532

LIAW LJ ; HSIEH CL ; LO SK ; CHEN HM ; LEE S ; LIN JH

The relative and absolute reliability of two balance performance measures in chronic stroke patients

DISABIL.REHABIL., 2008, Vol. 30, n° 9, p. 656-661

EQUILIBRATION

N° doc. : 134339

MAZIBRADA G ; TARIQ S ; PERENNOD D ; GRESTY M

The peripheral nervous system and the perception of verticality

GAIT POSTURE, 2008, Vol. 27, n° 2, p. 202-208

N° doc. : 134342

DOYLE RJ ; RAGAN BG ; RAJENDRAN K ; ROSENGREN KS

Generalizability of stabilogram diffusion analysis of center of pressure measures

GAIT POSTURE, 2008, Vol. 27, n° 2, p. 223-230

N° doc. : 134348

FRAIZER EV ; MITRA S

Methodological and interpretive issues in posture cognition dual tasking in upright stance

GAIT POSTURE, 2008, Vol. 27, n° 2, p. 271-279

N° doc. : 134349

GILLETT JC ; STEVERMER CA ; QUICK NE ; ABBAS JJ

Alternative foot placements for individuals with spinal cord injuries standing with the assistance of functional neuromuscular stimulation

GAIT POSTURE, 2008, Vol. 27, n° 2, p. 280-285

N° doc. : 134350

GAGE WH ; FRANK JS ; PRENTICE SD ; STEVENSON P

Postural responses following a rotational support surface perturbation, following knee joint replacement : frontal plane rotations

GAIT POSTURE, 2008, Vol. 27, n° 2, p. 286-293

N° doc. : 134351

VAUGOYEAU M ; VIEL S ; AMBLARD B ; AZULAY JP

Proprioceptive contribution of postural control as assessed from very slow oscillations of the support in healthy humans

GAIT POSTURE, 2008, Vol. 27, n° 2, p. 294-302

N° doc. : 134352

HAIBACH PS ; SLOBOUNOV SM ; NEWELL KM

The potential applications of a virtual moving environment for assessing falls in elderly adults
GAIT POSTURE , 2008, Vol. 27, n° 2, p. 303-308

N° doc. : 134358
LAUFER Y ; ASHKENAZI T ; JOSMAN N

The effects of a concurrent cognitive task on the postural control of young children with and without developmental coordination disorder
GAIT POSTURE , 2008, Vol. 27, n° 2, p. 347-351

N° doc. : 134359
ROOSE PE ; MCGUIGAN MP ; KERWIN DG
The role of arm movement in early trip recovery in younger and older adults
GAIT POSTURE , 2008, Vol. 27, n° 2, p. 352-356

N° doc. : 134362
CLEMSON L ; BUNDY AC ; CUMMING RG ; KAY L
Validating the falls behavioural (FaB) scale for older people : a Rasch analysis
DISABIL.REHABIL. , 2008, Vol. 30, n° 7, p. 498-506

N° doc. : 134406
KING LA ; HORAK FB
Lateral stepping for postural correction in Parkinson's disease
ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 3, p. 492-499

N° doc. : 134450
AKRAM SB ; FRANK JS ; PATLA AE ; ALLUM JHJ
Balance control during continuous rotational perturbations of the support surface
GAIT POSTURE , 2008, Vol. 27, n° 3, p. 393-398

N° doc. : 134452
SANTOS BR ; DELISLE A ; LARIVIERE C ; PLAMONDON A
Reliability of centre of pressure summary measures of postural steadiness in healthy young adults
GAIT POSTURE , 2008, Vol. 27, n° 3, p. 408-415

N° doc. : 134453
HASSEN CJ ; VAN EMMERIK REA ; CALDWELL GE
Influence of embedding parameters and noise in center of pressure recurrence quantification analysis
GAIT POSTURE , 2008, Vol. 27, n° 3, p. 416-422

N° doc. : 134459
TERMOZ N ; HALLIDAY SE ; WINTER DA ; FRANK JS
The control of upright stance in young, elderly and persons with Parkinson's disease
GAIT POSTURE , 2008, Vol. 27, n° 3, p. 463-470

N° doc. : 134460
ANKER LC ; WEERDESTYEN V ; VAN NES IJW
The relation between postural stability and weight distribution in healthy subjects
GAIT POSTURE , 2008, Vol. 27, n° 3, p. 471-477

N° doc. : 134636
HANSSON E ; MANSSON NO ; RINGSBERG KA
Falls among dizzy patients in primary healthcare : an intervention study with control group
INT.J.REHABIL.RES. , 2008, Vol. 31, n° 1, p. 51-57

N° doc. : 134637
PANELLA L ; TINELLI C ; BUIZZA A ; LOMBARDI R
Towards objective evaluation of balance in the elderly : validity and reliability of a measurement instrument applied to the Tinetti Test
INT.J.REHABIL.RES. , 2008, Vol. 31, n° 1, p. 65-72

N° doc. : 134668
KARATAS GK ; TOSUN AK ; KANATLI U
Center-of-pressure displacement during postural changes in relation to pressure ulcers in spinal cord-injured patients
AM.J.PHYS.MED.REHABIL. , 2008, Vol. 87, n° 3, p. 177-182

N° doc. : 134673
SPENCER LM ; ALISON JA ; MCKEOUGH ZJ
Six minute walk test as an outcome measure : are two six-

minute walk tests necessary immediately after pulmonary rehabilitation and at three month follow-up ?
AM.J.PHYS.MED.REHABIL. , 2008, Vol. 87, n° 3, p. 224-228

N° doc. : 134698
LECOURS J ; NADEAU S ; GRAVEL D
Interactions between foot placement, trunk frontal position, weight-bearing and knee moment asymmetry at seat-off during rising from a chair in healthy controls and persons with hemiparesis
J.REHABIL.MED. , 2008, Vol. 40, n° 3, p. 200-207

N° doc. : 134741
YU E ; ABE M ; MASANI K ; KAWASHIMA N ; ETO F
Evaluation of postural control in quiet standing using center of mass acceleration : comparison among the young, the elderly, and people with stroke
ARCH.PHYS.MED.REHABIL , 2008, Vol. 89, n° 6, p. 1133-1139

N° doc. : 134767
LEE JE ; STOKIC DS
Risk factors for falls during inpatient rehabilitation
AM.J.PHYS.MED.REHABIL. , 2008, Vol. 87, n° 5, p. 341-353

N° doc. : 134768
DESHPANDE N ; METTER EJ ; BANDINELLI S
Psychological, physical and sensory correlates of fear of falling and consequent activity restriction in the elderly
AM.J.PHYS.MED.REHABIL. , 2008, Vol. 87, n° 5, p. 354-362

N° doc. : 134903
HARRINGE ML ; HALVORSEN K ; RENSTROM P
Postural control measured as the center of pressure excursion in young female gymnasts with low back pain or lower extremity injury
GAIT POSTURE , 2008, Vol. 28, n° 1, p. 38-45

N° doc. : 134904
GAUTIER G ; THOUVARECQ R ; VUILLERME N
Postural control and perceptive configuration : influence of expertise in gymnastics
GAIT POSTURE , 2008, Vol. 28, n° 1, p. 46-51

N° doc. : 134907
LAESSOE L ; VOIGT M
Anticipatory postural control strategies related to predictive perturbations
GAIT POSTURE , 2008, Vol. 28, n° 1, p. 62-68

N° doc. : 134910
GALLI M ; CIMOLIN V ; CRIVELLINI M ; CAMPANINI I
Quantitative analysis of sit to stand movement : experimental set-up definition and application to healthy and hemiplegic adults
GAIT POSTURE , 2008, Vol. 28, n° 1, p. 80-85

N° doc. : 134911
GREGORY DE ; CALLAGHAN JP
Prolonged standing as a precursor for the development of low back discomfort : an investigation of possible mechanisms
GAIT POSTURE , 2008, Vol. 28, n° 1, p. 86-92

N° doc. : 134913
MILLS PM ; BARRETT RS ; MORRISON S
Toe clearance variability during walking in young and elderly men
GAIT POSTURE , 2008, Vol. 28, n° 1, p. 101-107

N° doc. : 134915
DEHNER C ; HEYM B ; MAIER D ; SANDERS S ; ARAND M
Postural control deficit in acute QTF grade II whiplash injuries
GAIT POSTURE , 2008, Vol. 28, n° 1, p. 113-119

N° doc. : 134917
KESHNER EA ; DHAHER Y
Characterizing head motion in three planes during combined visual and base of support disturbances in healthy and visually sensitive subjects
GAIT POSTURE , 2008, Vol. 28, n° 1, p. 127-134

N° doc. : 134927
KASAHARA S ; MIYAMOTO K ; TAKAHASHI M

Lumbar pelvic coordination in the sitting position
GAIT POSTURE , 2008, Vol. 28, n° 2, p. 251-257

N° doc. : 134929
LEROY D ; THOUVARECQ R ; GAUTIER G
Postural organisation during cascade juggling : influence of expertise
GAIT POSTURE , 2008, Vol. 28, n° 2, p. 265-270

N° doc. : 134932
KANGAS M ; KONTTILA A ; LINDGREN P ; WINBLAD I
Comparison of low-complexity fall detection algorithms for body attached accelerometers
GAIT POSTURE , 2008, Vol. 28, n° 2, p. 285-291

N° doc. : 134934
AL KHABBAZ YSSM ; SHIMADA T ; HASEGAWA M
The effect of backpack heaviness on trunk-lower extremity muscle activities and trunk posture
GAIT POSTURE , 2008, Vol. 28, n° 2, p. 297-302

N° doc. : 134935
REEVES ND ; SPANJAARD M ; MOHAGHEGH AA
Influence of light handrail use on the biomechanics of stair negotiation in old age
GAIT POSTURE , 2008, Vol. 28, n° 2, p. 327-336

N° doc. : 134940
LIN D ; SEOL H ; NUSSBAUM MA ; MADIGAN ML
Reliability of COP-based postural sway measures and age-related differences
GAIT POSTURE , 2008, Vol. 28, n° 2, p. 337-342

N° doc. : 135115
ENG JJ ; PANG MYC ; ASHE MC
Balance, falls and bone health - Role of exercise in reducing fracture risk after stroke
J.REHABIL.RES.DEV. , 2008, Vol. 45, n° 2, p. 297-314

N° doc. : 135204
REILLY D ; WOOLLACOTT MH ; VAN DONKELAAR P
The interaction between executive attention and postural control in dual-task conditions : children with cerebral palsy
ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 5, p. 834-842

N° doc. : 135261
GUERINI F ; FRISONI GB ; MARRE A ; TURCO R
Subcortical vascular lesions predict falls at 12 months in elderly patients discharged from a rehabilitation ward
ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 8, p. 1522-1527

N° doc. : 134906
RAY C ; HORVAT M ; CROCE R ; MASON R ; WOLF SL
The impact of vision loss on postural stability and balance strategies in individuals with profound vision loss
GAIT POSTURE , 2008, Vol. 28, n° 1, p. 58-61

MARCHE

N° doc. : 135197
STOLWIJK SWUSTE JM ; BEELEN A ; LANKHORST GJ
SF36 physical functioning scale and 2-minute walk test advocated as core qualifiers to evaluate physical functioning in patients with late-onset sequelae of poliomyelitis
J.REHABIL.MED. , 2008, Vol. 40, n° 5, p. 387-392

N° doc. : 135107
FORRESTER L ; WHEATON L ; LUFT AR
Exercise mediated locomotor recovery and lower limb neuroplasticity after stroke
J.REHABIL.RES.DEV. , 2008, Vol. 45, n° 2, p. 205-220

N° doc. : 135108
PATTERSON SL ; RODGERS MM ; MACKO R ; FORRESTER L
Effect of treadmill exercise training on spatial and temporal gait parameters in subjects with chronic stroke
J.REHABIL.RES.DEV. , 2008, Vol. 45, n° 2, p. 221-228

N° doc. : 135248
CHRISTIANSEN C
The effects of hip and ankle stretching on gait function of older people

ARCH.PHYS.MED.REHABIL , 2008, Vol. 89, n° 8, p. 1421-1428

N° doc. : 134296
VELOZO CA ; WANG Y ; LEHMAN L ; WANG J
Utilizing Rasch measurement models to develop a computer adaptive self-report of walking, climbing and running
DISABIL.REHABIL. , 2008, Vol. 30, n° 6, p. 458-467

N° doc. : 134308
BEHRMAN AL ; NAIR PM ; BOWDEN MG ; DAUSER RC
Locomotor training restores walking in a nonambulatory child with chronic, severe, incomplete cervical spinal cord injury
PHYS.THER. , 2008, Vol. 88, n° 5, p. 580-590

N° doc. : 134313
MARCHETTI GF ; WHITNEY SL ; BLATT PJ ; MORRIS LO
Temporal and spatial characteristics of gait during performance of the dynamic gait index in people with and people without balance or vestibular disorders
PHYS.THER. , 2008, Vol. 88, n° 5, p. 640-651

N° doc. : 134322
DONOVAN K ; MCNAUGHTON HK ; WEATHERALL M
Mobility beyond the clinic : the effect of environment on gait and its measurement in community ambulant stroke survivors
CLIN.REHABIL. , 2008, Vol. 22, n° 6, p. 556-563

N° doc. : 134333
ESQUENAZI A ; MAYER N ; GARRETA R
Influence of botulinum toxin type A treatment of elbow flexor spasticity on hemiparetic gait
AM.J.PHYS.MED.REHABIL. , 2008, Vol. 87, n° 4, p. 305-311

N° doc. : 134338
BREHM MA ; KNOL DL ; HARLAAR J
Methodological considerations for improving the reproducibility of walking efficiency outcomes in clinical gait studies
GAIT POSTURE , 2008, Vol. 27, n° 2, p. 196-201

N° doc. : 134340
KRAMER PA ; SARTON MILLER I
The energetics of human walking : is Froude number (fr) useful for metabolic comparisons ?
GAIT POSTURE , 2008, Vol. 27, n° 2, p. 209-215

N° doc. : 134341
SUCKEL A ; MULLER O ; LANGENSTEIN P ; HERBERTS T
Chopart's joint load during gait in vitro study of 10 cadaver specimens in a dynamic model
GAIT POSTURE , 2008, Vol. 27, n° 2, p. 216-222

N° doc. : 134343
ANGULO BARROSO RM ; WU J ; ULRICH DA
Long term effect of different treadmill interventions on gait development in new walkers with Down syndrome
GAIT POSTURE , 2008, Vol. 27, n° 2, p. 231-238

N° doc. : 134344
GERIN LAJOIE M ; RICHARDS CL ; FUNG J
Characteristics of personal space during obstacle circumvention in physical and virtual environments
GAIT POSTURE , 2008, Vol. 27, n° 2, p. 239-247

N° doc. : 134345
LAU H ; TONG K
The reliability of using accelerometer and gyroscope for gait event identification on persons with dropped foot
GAIT POSTURE , 2008, Vol. 27, n° 2, p. 248-257

N° doc. : 134346
SELFE J ; RICHARDS J ; THEWLIS D ; KILMURRAY S
The biomechanics of step descent under different treatment modalities used in patellofemoral pain
GAIT POSTURE , 2008, Vol. 27, n° 2, p. 258-263

N° doc. : 134353
LU TW ; YEN HC ; CHEN HL
Comparisons of the inter joint coordination between leading and trailing limbs when crossing obstacles of different heights
GAIT POSTURE , 2008, Vol. 27, n° 2, p. 309-315

N° doc. : 134354

MIFF SC ; HANSEN AH ; CHILDRESS DS ; GARD S
Roll over shapes of the able-bodied knee-ankle-foot system during gait initiation, steady state walking, and gait termination
GAIT POSTURE , 2008, Vol. 27, n° 2, p. 316-322

N° doc. : 134355

KORITNIK T ; BAJD T ; MUNIH M
Virtual environment for lower extremities training
GAIT POSTURE , 2008, Vol. 27, n° 2, p. 323-330

N° doc. : 134356

NESS ME ; LONG J ; MARKS R ; HARRIS G
Foot and ankle kinematics in patients with posterior tibial tendon dysfunction
GAIT POSTURE , 2008, Vol. 27, n° 2, p. 331-339

N° doc. : 134357

JENG SF ; LAU TW ; HSIEH WS ; LUO HJ ; CHEN PS
Development of walking in preterm and term infants : age of onset, qualitative features and sensitivity to resonance
GAIT POSTURE , 2008, Vol. 27, n° 2, p. 340-346

N° doc. : 134360

LORD S ; ROCHESTER L ; BAKER K ; NIEUWBOER A
Concurrent validity of accelerometry to measure gait in Parkinson's disease
GAIT POSTURE , 2008, Vol. 27, n° 2, p. 357-359

N° doc. : 134392

EBERSBACH G ; EDLER D ; KAUFHOLD O ; WISSEL J
Whole body vibration versus conventional physiotherapy to improve balance and gait in Parkinson's disease
ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 3, p. 399-403

N° doc. : 134448

SMITH SM ; COCKBURN RA ; HEMMERICH A ; LI R
Tibiofemoral joint contact forces and knee kinematics during squatting
GAIT POSTURE , 2008, Vol. 27, n° 3, p. 376-386

N° doc. : 134449

SIBLEY KM ; TANG A ; BROOKS D ; MCILROY WE
Effects of extended effortful activity on spatio-temporal parameters of gait in individuals with stroke
GAIT POSTURE , 2008, Vol. 27, n° 3, p. 387-392

N° doc. : 134451

BRUNNER R ; ROMKES J
Abnormal EMG muscle activity during gait in patients without neurological disorders
GAIT POSTURE , 2008, Vol. 27, n° 3, p. 399-407

N° doc. : 134454

VRIELING AH ; VAN KEEKEN HG ; SCHOPPEN T ; OTTEN E
Gait initiation in lower limb amputees
GAIT POSTURE , 2008, Vol. 27, n° 3, p. 423-430

N° doc. : 134455

BRACH JS ; STUDENSKI S ; PERERA S ;
Stance time and step width variability have unique contributing impairments in older persons
GAIT POSTURE , 2008, Vol. 27, n° 3, p. 431-439

N° doc. : 134456

SASAKI K ; NEPTUNE RR ; BURNFIELD JM ; MULROY SJ
Muscle compensatory mechanisms during able-bodied toe walking
GAIT POSTURE , 2008, Vol. 27, n° 3, p. 440-446

N° doc. : 134457

KUHTZ BUSCHBECK JP ; BROCKMANN K ; GILSTER R
Asymmetry of arm-swing not related to handedness
GAIT POSTURE , 2008, Vol. 27, n° 3, p. 447-454

N° doc. : 134458

BRULJN SM ; MEIJER OG ; VAN DIEEN JH ; KINGMA I
Coordination of leg swing, thorax rotations and pelvis rotations during gait : the organisation of total body angular momentum
GAIT POSTURE , 2008, Vol. 27, n° 3, p. 455-462

N° doc. : 134465

OKEN O ; YAVUZER G ; ERGOSEN S ; YORGANCIOLU ZR
Repeatability and variation of quantitative gait data in subgroups of patient with stroke
GAIT POSTURE , 2008, Vol. 27, n° 3, p. 506-511

N° doc. : 134467

VICKERS D ; PALK C ; MCINTOSH AS ; BEATTY KT
Elderly unilateral transtibial amputee gait on an inclined walkway : a biomechanical analysis
GAIT POSTURE , 2008, Vol. 27, n° 3, p. 518-529

N° doc. : 134565

COOPER R ; PREBEAU MENEZES LM ; BUTCHER MT
Step length and required friction in walking
GAIT POSTURE , 2008, Vol. 27, n° 4, p. 547-551

N° doc. : 134566

HODT BILLINGTON C ; HELBOSTAD JL ; MOE NIELSEN R
Should trunk movement or football parameters quantify gait asymmetry in chronic stroke patients ?
GAIT POSTURE , 2008, Vol. 27, n° 4, p. 552-558

N° doc. : 134568
BEAULIEU FGD ; PELLAND L ; ROBERTSON DGE
Kinetic analysis of forwards and backwards stair descent
GAIT POSTURE , 2008, Vol. 27, n° 4, p. 564-571

N° doc. : 134569
KANG HG ; DINGWELL JB
Separating the effects of age and walking speed on gait variability
GAIT POSTURE , 2008, Vol. 27, n° 4, p. 572-577

N° doc. : 134572
CINELLI ME ; PATLA AE ; ALLARD F
Strategies used to walk through a moving aperture
GAIT POSTURE , 2008, Vol. 27, n° 4, p. 595-602

N° doc. : 134573
ORENDURFF MS ; BERNATZ GC ; SCHOEN JA ; KLUTE GK
Kinetic mechanisms to alter walking speed
GAIT POSTURE , 2008, Vol. 27, n° 4, p. 603-610

N° doc. : 134574
YANG YR ; LEE Y ; CHENG SJ ; LIN PY ; WANG RY
Relationships between gait and dynamic balance in early Parkinson's disease
GAIT POSTURE , 2008, Vol. 27, n° 4, p. 611-615

N° doc. : 134576
ZIFCHOCK RA ; DAVIS I ; HIGGINSON J ; ROYER T
The symmetry angle : a novel, robust method of quantifying asymmetry
GAIT POSTURE , 2008, Vol. 27, n° 4, p. 622-627

N° doc. : 134577
WHITTINGTON B ; HEIDERSCHEIT B ; THELEN DG
The contribution of passive-elastic mechanisms to lower extremity joint kinetics during human walking
GAIT POSTURE , 2008, Vol. 27, n° 4, p. 628-634

N° doc. : 134578
HUNT MA ; BIRMINGHAM T ; JENKYN TR ; GIFFIN JR
Measures of frontal plane lower limb alignment obtained from static radiographs and dynamic gait analysis
GAIT POSTURE , 2008, Vol. 27, n° 4, p. 635-640

N° doc. : 134579
RIAD J ; HAGLUND AKERLIND Y ; MILLER F
Power generation in children with spastic hemiplegic cerebral palsy
GAIT POSTURE , 2008, Vol. 27, n° 4, p. 641-647

N° doc. : 134580
BROWN CR ; RICHARDSON A ; HERMAN J ; ROBB JE
Reliability and validity of the visual gait assessment scale for children with hemiplegic cerebral palsy when used by experienced and inexperienced observers
GAIT POSTURE , 2008, Vol. 27, n° 4, p. 648-652

N° doc. : 134581
SAHA D ; GARD S ; FATONE S
The effect of trunk flexion on able-bodied gait
GAIT POSTURE , 2008, Vol. 27, n° 4, p. 653-660

N° doc. : 134582
MARIGOLD DS ; PATLA AE
Age related changes in gait for multi surface terrain
GAIT POSTURE , 2008, Vol. 27, n° 4, p. 689-696

N° doc. : 134660
CANNING CG ; ADA L ; WOODHOUSE E
Multiple task walking training in people with mild to moderate Parkinson's disease - a pilot study
CLIN.REHABIL. , 2008, Vol. 22, n° 3, p. 226-233

N° doc. : 134673
SPENCER LM ; ALISON JA ; MCKEOUGH ZJ
Six minute walk test as an outcome measure : are two six-minute walk tests necessary immediately after pulmonary rehabilitation and at three month follow-up ?
AM.J.PHYS.MED.REHABIL. , 2008, Vol. 87, n° 3, p. 224-228

N° doc. : 134708
DE L'ETOILE SK
The effect of rhythmic auditory stimulation on the gait parameters of patients with incomplete spinal cord injury : an exploratory pilot study
INT.J.REHABIL.RES. , 2008, Vol. 31, n° 2, p. 155-157

N° doc. : 134714
MAHER C ; WILLIAMS MT ; OLDS T
The six-minute walk test for children with cerebral palsy
INT.J.REHABIL.RES. , 2008, Vol. 31, n° 2, p. 185-188

N° doc. : 134762
THRASHER TA ; POPOVIC MR
Functional electrical stimulation of walking : function, exercise and rehabilitation
ANN.READAPT.MED.PHYS. , 2008, Vol. 51, n° 6, p. 452-460

N° doc. : 134899
KAVANAGH JJ ; MENZ HB
Accelerometry - A technique for quantifying movement patterns during walking
GAIT POSTURE , 2008, Vol. 28, n° 1, p. 1-15

N° doc. : 134901
SEELEY MK ; UMBERGER BR ; SHAPIRO R
A test of the functional asymmetry hypothesis in walking
GAIT POSTURE , 2008, Vol. 28, n° 1, p. 24-28

N° doc. : 134902
HOUCK J ; TOME JM ; NAWOCZENSKI DA
Subtalar neutral position as an offset for a kinematic model of the foot during walking
GAIT POSTURE , 2008, Vol. 28, n° 1, p. 29-37

N° doc. : 134905
KANAI A ; KIYAMA T ; GENDA E ; SUZUKI Y
Biomechanical investigation of ambulatory training in patients with acetabular dysplasia
GAIT POSTURE , 2008, Vol. 28, n° 1, p. 52-57

N° doc. : 134908
MILNER CE
Interlimb asymmetry during walking following unilateral total knee arthroplasty
GAIT POSTURE , 2008, Vol. 28, n° 1, p. 69-73

N° doc. : 134909
BRANDES M ; SCHOMAKER R ; MOLLENHOFF G
Quantity versus quality of gait and quality of life in patients with osteoarthritis
GAIT POSTURE , 2008, Vol. 28, n° 1, p. 74-79

N° doc. : 134916
FINDLOW A ; GOULERMAS JY ; NESTER C ; HOWARD D
Predicting lower limb joint kinematics using wearable motion sensors
GAIT POSTURE , 2008, Vol. 28, n° 1, p. 120-126

N° doc. : 134919
BENNETT D ; HUMPHREYS L ; O'BRIEN S ; KELLY C ; ORR JF
Gait kinematics of age stratified hip replacement patients - a large scale, long term follow up study
GAIT POSTURE , 2008, Vol. 28, n° 2, p. 194-200

N° doc. : 134920
YANG YR ; TSAI MP ; CHUANG TY ; SUNG WH ; WANG RY
Virtual reality based training improves community ambulation in individuals with stroke - a randomized controlled trial
GAIT POSTURE , 2008, Vol. 28, n° 2, p. 201-206

N° doc. : 134921
FERRARI A ; BENEDETTI MG ; PAVAN E ; FRIGO C
Quantitative comparison of five current protocols in gait analysis
GAIT POSTURE , 2008, Vol. 28, n° 2, p. 207-216

N° doc. : 134922
FARMER SE ; PEARCE G ; STEWART C
Developing a technique to measure intra-limb coordination in gait : applicable to children with cerebral palsy
GAIT POSTURE , 2008, Vol. 28, n° 2, p. 207-216

N° doc. : 134923
VRIELING AH ; VAN KEEKEN HG ; SCHOPPEN T ; OTTEN E
Balance control on a moving platform in unilateral lower limb amputees
GAIT POSTURE , 2008, Vol. 28, n° 2, p. 207-216

N° doc. : 134924
WEISS R ; WRETNBERG P ; STARK A ; PALMBLAD K
Gait pattern in rheumatoid arthritis
GAIT POSTURE , 2008, Vol. 28, n° 2, p. 229-234

N° doc. : 134925
VRIELING AH ; VAN KEEKEN HG ; SCHOPPEN T ; OTTEN E
Uphill and downhill walking in unilateral lower limb amputees
GAIT POSTURE , 2008, Vol. 28, n° 2, p. 235-242

N° doc. : 134926
DUMAS R ; CHEZE L
Hip and knee joints are more stabilized than driven during the stance phase of gait : an analysis of the 3D angle between joint moment and joint angular velocity
GAIT POSTURE , 2008, Vol. 28, n° 2, p. 243-250

N° doc. : 134930
POLLOCK R ; HENEGHAN P ; RICHES PE
Under-arm partial body weight unloading causes spinal elongation and vibration attenuation during treadmill walking
GAIT POSTURE , 2008, Vol. 28, n° 2, p. 271-277

N° doc. : 134931
BEYAERT C ; GRUMILLIER C ; MARTINET N ; PAYSANT J ; ANDRE JM
Compensatory mechanism involving the knee joint of the intact limb during gait in unilateral below-knee amputees
GAIT POSTURE , 2008, Vol. 28, n° 2, p. 278-284

N° doc. : 134932
VAN DER LINDEN ML ; ROWE PJ ; NUTTON RW
Between day repeatability of knee kinematics during functional tasks recorded using flexible electrogoniometry
GAIT POSTURE , 2008, Vol. 28, n° 2, p. 292-296

N° doc. : 134935
AASLUND MK ; MOE NIELSEN R
Treadmill walking with body weight support effect of treadmill, harness and body weight support systems
GAIT POSTURE , 2008, Vol. 28, n° 2, p. 303-308

N° doc. : 134936
ALVAREZ C ; DE VERA M ; CHHINA H ; BLACK A
Normative data for the dynamic pedobarographic profiles of children
GAIT POSTURE , 2008, Vol. 28, n° 2, p. 309-315

N° doc. : 134937
DE MORAIS FILHO MC ; YOSHIDA R
Are the recommendations from three-dimensional gait analysis associated with better postoperative outcomes in patients with cerebral palsy ?
GAIT POSTURE , 2008, Vol. 28, n° 2, p. 316-322

N° doc. : 134938
ONG AML ; HILLMAN SJ ; ROBB JE
Reliability and validity of the Edinburgh visual gait score for cerebral palsy when used by inexperienced observers
GAIT POSTURE , 2008, Vol. 28, n° 2, p. 323-326

N° doc. : 134996
OLMOS LE ; FREIXES O ; GATTI MA ; COZZO DA
Comparison of gait performance on different environmental settings for patients with chronic spinal cord injury
SPINAL CORD , 2008, Vol. 46, n° 5, p. 331-334

N° doc. : 135022
LIU M ; BOSE P ; WALTER GA ; THOMPSON F
A longitudinal study of skeletal muscle following spinal cord injury and locomotor training
SPINAL CORD , 2008, Vol. 46, n° 7, p. 488-493

N° doc. : 135024
DITUNNO PL ; PATRICK M ; STINEMAN M ; DITUNNO JF
Who wants to walk ? preferences for recovery after SCI - a longitudinal and cross-sectional study
SPINAL CORD , 2008, Vol. 46, n° 7, p. 500-506

N° doc. : 135110
HICKS AL ; MARTIN GINIS KA
Treadmill training after spinal cord injury : it's not just about the walking
J.REHABIL.RES.DEV. , 2008, Vol. 45, n° 2, p. 241-248

N° doc. : 135111
IVEY FM ; HAFTER MACKO CE ; MACKO R
Task oriented treadmill exercise training in chronic hemiparetic stroke
J.REHABIL.RES.DEV. , 2008, Vol. 45, n° 2, p. 249-260

N° doc. : 135127
ROULET V ; GOURDON C ; SANTISTEBAN L
Exercices thérapeutiques en vue de la reprise de la marche du paraplégique incomplet
KINESITHER.REV. , 2008, 80-81, p. 53-62

N° doc. : 135178
FARRIS SM ; GIROUX ML
Gait changes after deep brain stimulation for Parkinson's disease in a patient with cervical myelopathy
NEUROREHABILITATION , 2008, Vol. 23, n° 3, p. 263-265

N° doc. : 135208
GRAHAM JE ; OSTIR GV ; KUO YF ; FISHER S
Relationship between test methodology and mean velocity in timed walk tests
ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 5, p. 865-872

N° doc. : 135270
DUNSKY A ; DICKSTEIN R ; MARCOVITZ E ; LEVY S
Home based motor imagery training for gait rehabilitation of people with chronic poststroke hemiparesis
ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 8, p. 1580-1588

ANALYSE DU MOUVEMENT

N° doc. : 134462
NEWELL RS ; HUBLEY KOZEEY CL ; STANISH WD
Detecting differences between asymptomatic and osteoarthritic gait is influenced by changing the knee adduction moment model
GAIT POSTURE , 2008, Vol. 27, n° 3, p. 485-492

N° doc. : 134463
LE TT ; KAPOULA Z
Role of ocular convergence in the Romberg quotient
GAIT POSTURE , 2008, Vol. 27, n° 3, p. 493-500

N° doc. : 134468
WREN TAL ; DO KP ; HARA R ; RETHLEFSEN SA
Use of a patella marker to improve tracking of dynamic hip rotation range of motion
GAIT POSTURE , 2008, Vol. 27, n° 3, p. 530-534

N° doc. : 134567
KNUDSON DV ; CHOW JW
North american perception of the prestige of biomechanics serials
GAIT POSTURE , 2008, Vol. 27, n° 4, p. 559-563

N° doc. : 134570
RIEMER R ; HSIAO WECKSLER ET ; ZHANG X
Uncertainties in inverse dynamics solutions : a comprehensive analysis and an application to gait
GAIT POSTURE , 2008, Vol. 27, n° 4, p. 578-588

N° doc. : 134583
ZHANG J ; TAKATA KI ; YAMAZAKI H ; MORITA T
Postural stability and physical performance in social dancers
GAIT POSTURE , 2008, Vol. 27, n° 4, p. 697-701

N° doc. : 134900
LIAO CF ; LIN SI
Effects of different movement strategies on forward reach distance
GAIT POSTURE , 2008, Vol. 28, n° 1, p. 16-23

N° doc. : 134912
LUNDGREN P ; NESTER C ; LIU A ; ARNDT A ; JONES R
Invasive in vivo measurement of rear-, mid- and forefoot motion during walking
GAIT POSTURE , 2008, Vol. 28, n° 1, p. 93-100

AMPUTATION APPAREILLAGE

N° doc. : 134396
ZIEGLER GRAHAM K ; MACKENZIE EJ ; EPHRAIM PL
Estimating the prevalence of limb loss in the United States - 2005 to 2050
ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 3, p. 422-429

N° doc. : 134653
BRUCKNER L
Rehabilitationseingangskriterien fur Amputierte (= Rehabilitation criteria for amputation patients)
ORTHOP.TECHNIK , 2008, Vol. 59, n° 5, p. 354-358

N° doc. : 134740
KETZ AK
The experience of phantom limb pain in patients with combat related traumatic amputations
ARCH.PHYS.MED.REHABIL., 2008, Vol. 89, n° 6, p. 1127-1132

AMPUTATION DU MEMBRE SUPERIEUR

N° doc. : 135198
BURGER H ; FRANCHIGNONI F ; HEINEMANN AW
Validation of the orthotics and prosthetics user survey upper extremity functional status module in people with unilateral upper limb amputation
J.REHABIL.MED. , 2008, Vol. 40, n° 5, p. 393-399

AMPUTATION DU MEMBRE INFÉRIEUR

N° doc. : 134397
BUSSMANN JB ; SCHRAUWEN HJ ; STAM HJ
Daily physical activity and heart rate response in people with a unilateral traumatic transtibial amputation
ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 3, p. 430-434

N° doc. : 134454
VRIELING AH ; VAN KEEKEN HG ; SCHOPPEN T ; OTTEN E
Gait initiation in lower limb amputees
GAIT POSTURE , 2008, Vol. 27, n° 3, p. 423-430

N° doc. : 134670
MAC NEILL HL ; DEVLIN M ; PAULEY T ; YUDIN A
Long term outcomes and survival of patients with bilateral transtibial amputations after rehabilitation
AM.J.PHYS.MED.REHABIL. , 2008, Vol. 87, n° 3, p. 189-196

N° doc. : 134925
VRIELING AH ; VAN KEEKEN HG ; SCHOPPEN T ; OTTEN E
Uphill and downhill walking in unilateral lower limb amputees
GAIT POSTURE , 2008, Vol. 28, n° 2, p. 235-242

N° doc. : 134931
BEYAERT C ; GRUMILLIER C ; MARTINET N ; PAYSANT J ; ANDRE JM
Compensatory mechanism involving the knee joint of the intact limb during gait in unilateral below-knee amputees
GAIT POSTURE , 2008, Vol. 28, n° 2, p. 278-284

N° doc. : 134988
BAIMA J ; TROVATO M ; HOPKINS M ; DELATEUR B
Achieving functional ambulation in a patient with Chopart amputation
AM.J.PHYS.MED.REHABIL. , 2008, Vol. 87, n° 6, p. 510-513

APPAREILLAGE

N° doc. : 134649
LECHLER K
Die Zukunft der bionic technology - ein Ausblick (= The future of bionic technology - a preview)
ORTHOP.TECHNIK , 2008, Vol. 59, n° 5, p. 334-339

N° doc. : 134840
LUSARDI MM ; NIELSEN CC
Orthotics and prosthetics in rehabilitation
ST LOUIS : SAUNDERS , 2007, 904 p ; 2nd Edition

PROTHESE

N° doc. : 134650
DIETL H
Der Weg zur Gedanken gesteuerten Prothese (= Steps towards mindcontrolled prosthetics)
ORTHOP.TECHNIK , 2008, Vol. 59, n° 5, p. 340-344

ORTHESE

N° doc. : 134337
WONG MS ; CHENG CY ; NG BKW ; LAM TP ; SIN SW ; LEE SHUM LF ; CHOW HK ; TAM YP
The effect of rigid versus flexible spinal orthosis on the gait pattern of patients with adolescent idiopathic scoliosis
GAIT POSTURE , 2008, Vol. 27, n° 2, p. 189-195

N° doc. : 134780
COULON S ; MASSE F
Silicone et thermoformable haute température dans l'orthèse de la main - Pour qui ? pour quoi ?
J.ORTHOP. , 2008, n° 30, p. 1353-1354

N° doc. : 134781
ROCHET JM ; BOUKEROU M ; COUPE M ; LAMOURET A
L'orthèse de la main brûlée : principes, règles et conseils de réalisation
J.ORTHOP. , 2008, n° 30, p. 1360-1366

N° doc. : 134783
THINEY G ; SOUFFLET I ; OUCHENE A
Utilisation de l'analyse sensorielle pour l'évaluation des bas de compression veineuse élastique
J.ORTHOP. , 2008, n° 30, p. 1371-1376

N° doc. : 134886
MCGARRY A ; DIXON M ; GREIG RJ ; HAMILTON D
Head shape measurement standards and cranial orthoses in the treatment of infants with deformational plagiocephaly

N° doc. : 135175

KIM DG ; CHO YW ; HONG JH ; SONG JC ; CHUNG H

Effect of constraint induced movement therapy with modified opposition restriction orthosis in chronic hemiparetic patients with stroke

NEUROREHABILITATION , 2008, Vol. 23, n° 3, p. 239-244

APPAREILLAGE DU MEMBRE SUPERIEUR

N° doc. : 135198

BURGER H ; FRANCHIGNONI F ; HEINEMANN AW

Validation of the orthotics and prosthetics user survey upper extremity functional status module in people with unilateral upper limb amputation

J.REHABIL.MED. , 2008, Vol. 40, n° 5, p. 393-399

N° doc. : 135009

BRYDEN AM ; KILGORE KL ; KEITH MW ; PECKHAM PH
Assessing activity of daily living performance after implantation of an upper extremity neuroprosthesis

TOP.SPINAL CORD INJ.REHABIL. , 2008, Vol. 13, n° 4, p. 37-53

APPAREILLAGE DU MEMBRE INFERIEUR

N° doc. : 134651

BLUMENTRITT S ; LUDWIGS E ; BELLMANN M ; BOITEN H
Das neue Huftgelenk Helix-3D

(= The new hip joint Helix-3D)

ORTHOP.TECHNIK , 2008, Vol. 59, n° 5, p. 345-350

N° doc. : 134652

SCHWAGER D ; MARTIN D ; KAPHINGST W

Neue Entwicklungen in der Versorgung mit polyzentrischen Prothesenkniegelenken

(= Recent developments in the fitting of polycentric prosthetic knee joints)

ORTHOP.TECHNIK , 2008, Vol. 59, n° 5, p. 352-353

N° doc. : 134757

GAWRON O

Passform und Funktionskontrolle an Oberschenkelprothesen

(= Design and functional check of above knee prosthesis)

ORTHOP.TECHNIK , 2008, Vol. 59, n° 6, p. 480-485

N° doc. : 134758

SCHMALZ T ; KNOPF E ; DREWITZ H ; BLUMENTRITT S
Nachweis der Wirksamkeit einer valgisierend wirkenden Gonarthrose-Orthese mithilfe biomechanischer Analysen

(= Proof of effectiveness for a valgising gonarthrosis orthosis by means of biomechanic analyses)

ORTHOP.TECHNIK , 2008, Vol. 59, n° 6, p. 480-485

APPAREIL CARDIO-VASCULAIRE

N° doc. : 134770

VINCENT HK ; VINCENT KR

Functional and economic outcomes of cardiopulmonary patients : a preliminary comparison of the inpatient rehabilitation and skilled nursing facility environments

AM.J.PHYS.MED.REHABIL. , 2008, Vol. 87, n° 5, p. 371-380

N° doc. : 134779

APARECIDA PEREIRA DE SOUSA L ; BRITTO RR

Six minute walk test in patients with permanent cardiac pacemakers

J.CARDIOPULMONARY REHABIL.PREV. ,

2008, Vol. 28, n° 4, p. 253-257

PATHOLOGIE CARDIAQUE

N° doc. : 134700

DELEY G ; EICHER JC ; VERGES B ; WOLF JE

Do low frequency electrical myostimulation and aerobic training similarly improve performance in chronic heart failure patients with different exercise capacities ?

J.REHABIL.MED. , 2008, Vol. 40, n° 3, p. 219-224

N° doc. : 134763

CASILLAS JM ; GREMEAUX V ; LABRUNEE M

Low frequency electromyostimulation and chronic heart failure

ANN.READAPT.MED.PHYS. , 2008, Vol. 51, n° 6, p. 461-472

N° doc. : 135019

BAUMAN WA ; SPUNGEN AM

Coronary heart disease in individuals with spinal cord injury - assessment of risk factors

SPINAL CORD , 2008, Vol. 46, n° 7, p. 466-476

REEDUCATION CARDIAQUE

N° doc. : 134488

JEGER RV ; RICKENBACHER P ; PFISTERER M

Outpatient rehabilitation in patients with coronary artery and peripheral arterial occlusive disease

ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 4, p. 618-621

N° doc. : 134501

FORNUSEK C ; DAVIS GM

Cardiovascular and metabolic responses during functional electric stimulation cycling at different cadences

ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 4, p. 719-725

N° doc. : 134701

IZAWA KP ; OKA K ; WATANABE S ; YOKOYAMA H

Gender related differences in clinical characteristics and physiological and psychosocial outcomes of Japanese patients at entry into phase II cardiac rehabilitation

J.REHABIL.MED. , 2008, Vol. 40, n° 3, p. 225-230

N° doc. : 134987

DELEY G ; KERVIO G ; VERGES B ; HANNEQUIN A

Neuromuscular adaptations to low-frequency stimulation training in a patient with chronic heart failure

AM.J.PHYS.MED.REHABIL. , 2008, Vol. 87, n° 6, p. 502-509

PATHOLOGIE VASCULAIRE

N° doc. : 135028

RATHORE MFA ; HANIF S ; NEW PW ; BUTT AW ; AASI MH

The prevalence of deep vein thrombosis in a cohort of patients with spinal cord injury following the Pakistan earthquake of October 2005

SPINAL CORD , 2008, Vol. 46, n° 7, p. 523-526

POUMON

TECHNIQUES DE REEDUCATION DU POUMON

N° doc. : 134984

BIANCHI C ; BAIARDI P

Cough peak flows : standard values for children and adolescents

AM.J.PHYS.MED.REHABIL. , 2008, Vol. 87, n° 6, p. 461-467

N° doc. : 134299

DE CHAVIGNY D

La rééducation des voies aériennes supérieures après extubation

KINESITHER.SCI. , 2008, n° 490, p. 5-16

N° doc. : 134328

BACH JR ; GONCALVES M ; EISENBERG M ; ISHIKAWA Y

A ventilator requirement index

AM.J.PHYS.MED.REHABIL. , 2008, Vol. 87, n° 4, p. 285-291

PATHOLOGIE RESPIRATOIRE

N° doc. : 134393

STEELE BG ; BELZA B ; CAIN KC ; COPPERSMITH J

A randomized clinical trial of an activity and exercise adherence intervention in chronic pulmonary disease

ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 3, p. 404-412

N° doc. : 134485

IEZZONI LI ; NGO LH ; LI D ; ROETZHEIM RG ; DREWS RE

Treatment disparities for disabled medicare beneficiaries with stage I non-small cell lung cancer

ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 4, p. 595-601

N° doc. : 134511
TOKI A ; TAMURA R ; SUMIDA M
Long term ventilation for high level tetraplegia - a report of 2 cases of noninvasive positive pressure ventilation
ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 4, p. 779-783

N° doc. : 134736
PUTT MT ; WATSON M ; SEALE H ; PARATZ J
Muscle stretching technique increases vital capacity and range of motion in patients with chronic obstructive pulmonary disease
ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 6, p. 1103-1107

N° doc. : 134737
HILL K ; GOLDSTEIN R ; GARTNER EJ ; BROOKS D
Daily utility and satisfaction with rollators among persons with chronic obstructive pulmonary disease
ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 6, p. 1108-1113

DISABIL.REHABIL. , 2008, Vol. 30, n° 9, p. 689-695

N° doc. : 134662
SIEBES RC ; NIJHUIS BJG ; BOONSTRA AM ; KETELAAR M
A family specific use of the measure of processes of care for service providers (MPOC-SP)
CLIN.REHABIL. , 2008, Vol. 22, n° 3, p. 242-251

N° doc. : 134696
YOUNG CA ; MANMATHAN GP ; WARD J
Perception of goal setting in a neurological rehabilitation unit : a qualitative study of patients, carers and staff
J.REHABIL.MED. , 2008, Vol. 40, n° 3, p. 190-194

N° doc. : 135262
EBERT JR ; ACKLAND TR ; LLOYD DG ; WOOD DJ
Accuracy of partial weight bearing after autologous chondrocyte implantation
ARCH.PHYS.MED.REHABIL. 2008, Vol. 89, n° 8, p. 1528-1534

N° doc. : 135275
BAMM EL ; ROSENBAUM P
Family centered theory - origins, development, barriers and supports to implementation in rehabilitation medicine
ARCH.PHYS.MED.REHABIL. 2008, Vol. 89, n° 8, p. 1618-1624

N° doc. : 135536
SJOLUND BH
RCT field manual on rehabilitation
Copenhague : RCT , 2007, 419 p

ORGANISATION DE LA SANTE

ORGANISATION DE LA READAPTATION

N° doc. : 134293
SMITH DM ; BROWN SL ; UBEL PA
Mispredictions and misrecollections : challenges for subjective outcome measurement
DISABIL.REHABIL. , 2008, Vol. 30, n° 6, p. 418-424

N° doc. : 134316
SHERRINGTON C ; PAMPHELETT P ; JACKA JA ; OLIVETTI L ; NUGENT JA ; HALL JM ; DORSCH S
Group exercise can improve participants' mobility in an outpatient rehabilitation setting
CLIN.REHABIL. , 2008, Vol. 22, n° 6, p. 493-502

N° doc. : 134418
LIN J ; HSU SW ; CHOU YT ; YEN CF ; WU J ; CHU CM
Assessment of GPs' beliefs relating to the care of people with intellectual disabilities : a Taiwan-based, opportunity guided approach
DISABIL.REHABIL. , 2008, Vol. 30, n° 8, p. 611-617

N° doc. : 134516
CHAN L ; CIOL MA ; SHUMWAY COOK A ; YORKSTON KM
A longitudinal evaluation of persons with disabilities : does a longitudinal definition help define who receives necessary care ?
ARCH.PHYS.MED.REHABIL. 2008, Vol. 89, n° 6, p. 1023-1030

N° doc. : 134518
TAO W ; HALEY SM ; COSTER WJ ; NI P ; JETTE AM
An exploratory analysis of functional staging using an item response theory approach
ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 6, p. 1046-1053

N° doc. : 134520
BRAUER SG ; BEW P ; KUY'S S ; LYNCH MR ; MORRISON G
Prediction of discharge destination after stroke using the motor assessment scale on admission : a prospective, multisite study
ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 6, p. 1061-1065

N° doc. : 134523
MORIELLO C ; MAYO NE ; FELDMAN L ; CARLI F
Validating the six-minute walk test as a measure of recovery after elective colon resection surgery
ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 6, p. 1083-1089

N° doc. : 134535
STINEMAN MG ; KURZ AE ; KELLEHER D ; KENNEDY B
The patient's view of recovery : an emerging tool for empowerment through self-knowledge
DISABIL.REHABIL. , 2008, Vol. 30, n° 9, p. 679-688

N° doc. : 134536
CLARK MJ ; HAGGLUND KJ ; SHERMAN AK
A longitudinal comparison of consumer-directed and agency-directed personal assistance service programmes among persons with physical disabilities

QUALITE DE VIE

N° doc. : 134626
MULLER GODEFFROY E ; MICHAEL T ; POSTER M
Self-reported health-related quality of life in children and adolescents with myelomeningocele
DEV.MED.CHILD NEUROL. , 2008, Vol. 50, n° 6, p. 456-461

N° doc. : 134658
MCCULLAGH R ; FITZGERALD AP ; MURPHY RP ; Long term benefits of exercising on quality of life and fatigue in multiple sclerosis patients with mild disability
CLIN.REHABIL. , 2008, Vol. 22, n° 3, p. 206-214

N° doc. : 134703
SALTER K ; MOSES MB ; FOLEY NC ; TEASELL RW
Health related quality of life after stroke : what are we measuring ?
INT.J.REHABIL.RES. , 2008, Vol. 31, n° 2, p. 111-117

N° doc. : 134706
CHOPRA P ; HERMAN H ; KENNEDY G
Comparison of disability and quality of life measures in patients with long-term psychotic disorders and patients with multiple sclerosis : an application of the WHO disability assessment schedule II and WHO quality of life-BREF
INT.J.REHABIL.RES. , 2008, Vol. 31, n° 2, p. 141-149

N° doc. : 134713
BOONSTRA AM ; RENEMAN MF ; POSTHUMUS JB
Reliability of the life satisfaction questionnaire to assess patients with chronic musculoskeletal pain
INT.J.REHABIL.RES. , 2008, Vol. 31, n° 2, p. 181-183

N° doc. : 134892
WHITE KONING M ; GRANDJEAN H ; COLVER A
Parent and professional reports of the quality of life of children with cerebral palsy and associated intellectual impairment
DEV.MED.CHILD NEUROL. , 2008, Vol. 50, n° 8, p. 618-624

N° doc. : 135003
TONACK M ; HITZIG SL ; CRAVEN BC ; CAMPBELL KA
Predicting life satisfaction after spinal cord injury in a canadian sample
SPINAL CORD , 2008, Vol. 46, n° 5, p. 380-385

N° doc. : 135025
SMITH BM ; LAVELA SL ; WEAVER FM
Health related quality of life for veterans with spinal cord injury
SPINAL CORD , 2008, Vol. 46, n° 7, p. 507-512

N° doc. : 135117
MACKO R ; BENVENUTI F ; STANHOPE S ; MACELLARI V
Adaptive physical activity improves mobility function and quality of life in chronic hemiparesis
J.REHABIL.RES.DEV. , 2008, Vol. 45, n° 2, p. 205-220

N° doc. : 134590
LAHRACHE F ; LAGARDE F
Qualité de vie et nouvelles techniques de prise en charge du patient diabétique
SOINS , 2008, n° 725, p. 28-34

PERSONNEL DE MPR

N° doc. : 135190
SOBERG HL ; FINSET A ; ROISE O ; BAUTZ HOLTER E
Identification and comparison of rehabilitation goals after multiple injuries - an ICF analysis of the patients', physiotherapists' and other allied professionals' reported goals
J.REHABIL.MED. , 2008, Vol. 40, n° 5, p. 340-346

N° doc. : 134635
BURGE E ; CIEZA A ; ALLET L ; FINGER M ; STUCKI G
Intervention categories for physiotherapists treating patients with internal medicine conditions on the basis of the international classification of functioning disability and health
INT.J.REHABIL.RES. , 2008, Vol. 31, n° 1, p. 43-50

N° doc. : 134805
HALLIWELL V
Challenging knowledge reproduction : problem based learning for evidence-based practice
BR.J.OCCUP.THER. , 2008, Vol. 71, n° 6, p. 257-259

HANDICAP

N° doc. : 134298
ALLEN D ; NI P ; HALEY SM
Efficiency and sensitivity of multidimensional computerized adaptive testing of pediatric physical functioning
DISABIL.REHABIL. , 2008, Vol. 30, n° 6, p. 479-484

N° doc. : 134525
PEREIRA M ; JULL GA ; TRELEAVEN J
Self reported driving habits in subjects with persistent whiplash associated disorder : relationship to sensorimotor and psychologic features
ARCH.PHYS.MED.REHABIL. 2008, Vol. 89, n° 6, p. 1097-1102

N° doc. : 134538
JOHNSTONE B ; WALSH J ; CARTON S ; FISH R
Rehabilitation psychology : meeting the needs of individuals with acquired disabilities in Ireland
DISABIL.REHABIL. , 2008, Vol. 30, n° 9, p. 709-715

N° doc. : 134587
Echelles et questionnaires d'évaluation chez l'enfant et l'adolescent - vol. 1
ISSY LES MOULINEAUX : ELSEVIER MASSON , 2008, 177 p

N° doc. : 134586
Echelles et questionnaires d'évaluation chez l'enfant et l'adolescent - vol. 2
ISSY LES MOULINEAUX : ELSEVIER MASSON , 2008, 180 p

N° doc. : 134629
RONDI F ; MARRIMPOEY P ; BELOT M ; GALLOIS A
Echelle EDAAP 1. La douleur de la personne polyhandicapée : la comprendre et évaluer ses spécificités d'expression par une échelle
MOTRICITE CEREBR. , 2008, Vol. 29, n° 2, p. 45-52

N° doc. : 134633
WIRTZ MA ; VOIGT RADLOFF S
The international classification of functioning, disability and health orientated occupational therapy assessment : a Rasch analysis of its domains
INT.J.REHABIL.RES. , 2008, Vol. 31, n° 1, p. 23-32

N° doc. : 134635
BURGE E ; CIEZA A ; ALLET L ; FINGER M ; STUCKI G
Intervention categories for physiotherapists treating patients with internal medicine conditions on the basis of the international classification of functioning disability and health
INT.J.REHABIL.RES. , 2008, Vol. 31, n° 1, p. 43-50

N° doc. : 134638
OKAWA Y ; UEDA S
Implementation of the international classification of functioning, disability and health in national legislation and policy in Japan
INT.J.REHABIL.RES. , 2008, Vol. 31, n° 1, p. 73-77

N° doc. : 134666
ROHRER JE ; WILKINSON JM ; BARNES DE ; ADAMSON SC
Physical limitations and perceived quality of care among family medicine patients
CLIN.REHABIL. , 2008, Vol. 22, n° 3, p. 283-287

N° doc. : 134704
JONSSON J ; EKHOLM J ; SCHULT ML
The international classification of functioning, disability and health environmental factors as facilitators or barriers used in describing personal and social networks : a pilot study of adults with cerebral palsy
INT.J.REHABIL.RES. , 2008, Vol. 31, n° 2, p. 119-129

N° doc. : 134778
BROCQ H
Ethique et annonce de diagnostic - Informer ou l'art de mettre les formes
J.PSYCHOL. , 2008, n° 259, p. 65-69

N° doc. : 134791
MORIN C ; PRADAT DIEHL P
Anosognosie de l'hémiplégie, personification de la main paralysée et image du corps.
LETTRE MED.PHYS.READAPT. , 2008, Vol. 24, n° 2, p. 77-80

N° doc. : 134838
MACREZ P
Vivre son handicap au quotidien
AIDE SOIGNANTE , 2008, n° 99, p. 9-20

N° doc. : 135253
HYOCK PARK J ; HYUN PARK J ; LEE SY ; KIM SY ; SHIN Y
Disparities in antihypertensive medication adherence in persons with disabilities and without disabilities : results of a korean population-based study
ARCH.PHYS.MED.REHABIL., 2008, Vol. 89, n° 8, p. 1460-1467

N° doc. : 135273
RIST PM ; FREAS DW ; MAISLIN G ; STINEMAN MG
Recovery from disablement : what functional abilities do rehabilitation professionals value the most ?
ARCH.PHYS.MED.REHABIL., 2008, Vol. 89, n° 8, p. 1600-1606

TRAVAIL ET HANDICAP

N° doc. : 135189
GILWORTH G ; EYRES S ; CAREY A ; BHAKTA B
Working with a brain injury : personal experiences of returning to work following a mild or moderate brain injury
J.REHABIL.MED., 2008, Vol. 40, n° 5, p. 334-339

N° doc. : 135187
DA COSTA BR ; VIEIRA ER
Stretching to reduce work-related musculoskeletal disorders
J.REHABIL.MED., 2008, Vol. 40, n° 5, p. 321-328

N° doc. : 135193
RASMUSSEN BARR E ; LUNDQVIST L ; NILSSON WIKMAR L
Aerobic fitness in patients at work despite recurrent low back pain - a cross sectional study with healthy age- and gender-matched controls
J.REHABIL.MED., 2008, Vol. 40, n° 5, p. 359-365

N° doc. : 134286
FIPHEP - Fonds pour l'insertion des personnes handicapées dans la fonction publique (premier bilan)
READAPTATION, 2008, n° 551, 54 p

N° doc. : 134382
HOU WH ; TSAUO JY ; LIN CH ; LIANG HW ; DU CL
Worker's compensation and return to work following orthopaedic injury to extremities
J.REHABIL.MED., 2008, Vol. 40, n° 6, p. 440-445

N° doc. : 134414
ERIKSSON UB ; ENGSTROM LG ; STARRIN B ; JANSON S
Falling between two stools : how a weak co-operation between the social security and the unemployment agencies obstructs rehabilitation of unemployed sick-listed persons
DISABIL.REHABIL., 2008, Vol. 30, n° 8, p. 569-576

N° doc. : 134417
MCCABE M ; ROBERTS C ; FIRTH L
Work and recreational changes among people with neurological illness and their caregivers
DISABIL.REHABIL., 2008, Vol. 30, n° 8, p. 600-610

N° doc. : 134531
SJOSTROM R ; ALRICSSON M ; ASPLUND R
Back to work - evaluation of a multidisciplinary rehabilitation programme with emphasis on musculoskeletal disorders (a two-year follow-up)
DISABIL.REHABIL., 2008, Vol. 30, n° 9, p. 649-655

N° doc. : 134694
AHLGREN A ; BERGROTH A ; EKHOLM J
Selection of clients for vocational rehabilitation at six local social insurance offices - a combined register and questionnaire study on rehabilitation measures and attitudes among social insurance officers
J.REHABIL.MED., 2008, Vol. 40, n° 3, p. 178-184

N° doc. : 135226
ARANGO LASPRILLA JC ; KETCHUM JM ; WILLIAMS K
Racial differences in employment outcomes after traumatic brain injury
ARCH.PHYS.MED.REHABIL., 2008, Vol. 89, n° 5, p. 988-995

SPORT

N° doc. : 135033
REKAND T ; SCHAAFRING EE ; VARGA V ; SCHATTEL U

Spinal cord injuries among paragliders in Norway
SPINAL CORD, 2008, Vol. 46, n° 6, p. 412-416

N° doc. : 135120
LE COUSTUMER F ; PELE G ; LE GALL L ; GAMBERT S
La voile - support de rééducation chez des patients lésés cérébraux
KINESITHER.REV., 2008, 80-81, p. 4-6

N° doc. : 135211
STANDAERT CJ ; MANNER PA ; HERRING SA
Expert opinion and controversies in musculoskeletal and sports medicine - Femoroacetabular impingement
ARCH.PHYS.MED.REHABIL., 2008, Vol. 89, n° 5, p. 890-893

N° doc. : 134311
CHEUNG RTH ; NG GYF
Influence of different footwear on force of landing during running
PHYS.THER., 2008, Vol. 88, n° 5, p. 620-628

SPORT ET HANDICAP

N° doc. : 134378
ROE C ; DALEN H ; LEIN M ; BAUTZ HOLTER E
Comprehensive rehabilitation at beitostolen healthsports centre : influence on mental and physical functioning
J.REHABIL.MED., 2008, Vol. 40, n° 6, p. 410-417

N° doc. : 134386
VISSERS M ; VAN DEN BERG EMONS R ; SLUIS T
Barriers to and facilitators of everyday physical activity in persons with a spinal cord injury after discharge from the rehabilitation centre
J.REHABIL.MED., 2008, Vol. 40, n° 6, p. 461-467

N° doc. : 134564
JOHNSTON TE ; BARR AE ; LEE SCK
Biomechanics of recumbent cycling in adolescents with cerebral palsy with and without the use of a fixed shank guide
GAIT POSTURE, 2008, Vol. 27, n° 4, p. 539-546

MEDECINE DU SPORT

N° doc. : 134288
OLIVIER N ; LEGRAND R ; ROGEZ J ; BERTHOIN S
Arrêt de l'entraînement et déconditionnement à l'effort aérobic
SCI.SPORTS, 2008, Vol. 23, 3-4, p. 136-144

N° doc. : 134290
RELAVE A ; ROGOWSKI I ; HAUTIER C
Proposition d'un test de terrain dans le suivi de la préparation physique du rugbymen : le 15'1'
SCI.SPORTS, 2008, Vol. 23, 3-4, p. 156-161

N° doc. : 134291
BRUN JF ; FEDOU C ; GRUBKA E ; KARAFIAT M ;
Moindre utilisation des lipides à l'exercice chez le diabétique de type I
SCI.SPORTS, 2008, Vol. 23, 3-4, p. 198-200

KINESITHERAPIE

N° doc. : 134986
ANTTILA H ; SUORANTA J ; MALMIVAARA A
Effectiveness of physiotherapy and conductive education interventions in children with cerebral palsy
AM.J.PHYS.MED.REHABIL., 2008, Vol. 87, n° 6, p. 478-501

N° doc. : 134300
MARSAL C ; COCHET H ; LASSALLE T ; JAILLARD P
La séquence de redressement : au passage, que se passe-t-il en passant ?
KINESITHER.SCI., 2008, n° 490, p. 17-28

N° doc. : 134310
CAMPO M ; WEISER S ; KOENIG KL ; NORDIN M
Work related musculoskeletal disorders in physical therapists : a prospective cohort study with 1-year follow up
PHYS.THER., 2008, Vol. 88, n° 5, p. 608-619

N° doc. : 134312
LONG TM ; PERRY DF
Pediatric physical therapists' perceptions of their training in

assistive technology

PHYS.THER. , 2008, Vol. 88, n° 5, p. 629-639

N° doc. : 134381

LIN CW ; MOSELEY AM ; HAAS M ; REFSHAUGE KM
Manual therapy in addition to physiotherapy does not improve clinical or economic outcomes after ankle fracture
J.REHABIL.MED. , 2008, Vol. 40, n° 6, p. 433-439

N° doc. : 134392

EBERSBACH G ; EDLER D ; KAUFHOLD O ; WISSEL J
Whole body vibration versus conventional physiotherapy to improve balance and gait in Parkinson's disease
ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 3, p. 399-403

N° doc. : 134396

BUCKUP K

Clinical tests for the musculoskeletal system : examinations, signs, phenomena
G.THIEME , 2008, 325 p ; 2nd Edition

N° doc. : 134823

DVORAK J ; DVORAK V ; GILLIAR W ; SCHNEIDER W
Musculoskeletal manual medicine : diagnosis and treatment
G.THIEME , 2008, 788 p

N° doc. : 135017

VANDEWALLE JY

Traité pratique de crocheting

AIRE SUR LA LYS : IMPR. MORDACQ , 2008, 160 p

N° doc. : 135125

DAHDOUH F ; NICHAULT R

Thérapie manuelle et ilio-psos

KINESITHER.REV. , 2008, 80-81, p. 41-49

N° doc. : 135252

VAN LANGEVELD S ; POST MW ; VAN ASBECK FW
Feasibility of a classification system for physical therapy, occupational therapy, and sports therapy interventions for mobility and self-care in spinal cord injury rehabilitation
ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 8, p. 1454-1459

N° doc. : 135254

LIANG H ; TOMEY K ; CHEN D ; SAVAR NL ; RIMMER JH
Objective measures of neighborhood environment and self-reported physical activity in spinal cord injured men
ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 8, p. 1468-1473

N° doc. : 135559

DEVILLERS J

Technique FM. Alexander : apprendre pour soulager ses douleurs

KINE ACTUALITE , 2008, n° 1126, p. 18-21

N° doc. : 134409

TARNANEN SP ; YLINEN JJ ; SIEKKINEN KM ; MALKIA EA
Effect of isometric upper-extremity exercises on the activation of core stabilizing muscles
ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 3, p. 513-521

N° doc. : 134989

MASSIOT M

Renforcement musculaire - les apports technologiques en chaîne ou en analytique

KINE ACTUALITE , 2008, n° 1122, p. 50-53

N° doc. : 135187

DA COSTA BR ; VIEIRA ER

Stretching to reduce work-related musculoskeletal disorders

J.REHABIL.MED. , 2008, Vol. 40, n° 5, p. 321-328

N° doc. : 135248

CHRISTIANSEN C

The effects of hip and ankle stretching on gait function of older people

ARCH.PHYS.MED.REHABIL. 2008, Vol. 89, n° 8, p. 1421-1428

N° doc. : 134736

PUTT MT ; WATSON M ; SEALE H ; PARATZ J

Muscle stretching technique increases vital capacity and range

of motion in patients with chronic obstructive pulmonary disease

ARCH.PHYS.MED.REHABIL., 2008, Vol. 89, n° 6, p. 1103-1107

N° doc. : 135249

RINTALA DH ; GARBER SL ; FRIEDMAN JD ; HOLMES A
Preventing recurrent pressure ulcers in veterans with spinal cord injury : impact of a structured education and follow-up intervention

ARCH.PHYS.MED.REHABIL., 2008, Vol. 89, n° 8, p. 1429-1441

N° doc. : 134402

JANSSEN TW ; BELTMAN JM ; ELICH P ; KOPPE P
Effects of electric stimulation - assisted cycling training in people with chronic stroke

ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 3, p. 463-469

N° doc. : 134634

PAES LOURENCAO MI ; BATTISTELLA LR
Effect of biofeedback accompanying occupational therapy and functional electrical stimulation in hemiplegic patients
INT.J.REHABIL.RES. , 2008, Vol. 31, n° 1, p. 33-41

N° doc. : 134711

CARVALHO DE ABREU DC ; CLIQUET JUNIOR A
Muscle hypertrophy in quadriplegics with combined electrical stimulation and body weight support training
INT.J.REHABIL.RES. , 2008, Vol. 31, n° 2, p. 171-175

N° doc. : 134761

DEHAUT P ; DUCLOS C ; BARAT M
Electrical stimulation and muscle strengthening
ANN.READAPT.MED.PHYS. , 2008, Vol. 51, n° 6, p. 441-451

N° doc. : 134825

BASSOE GJELSVIK BE

The Bobath concept in adult neurology

G.THIEME , 2008, 237 p

N° doc. : 135114

DUDLEY JAVOROSKI S ; SHIELDS RK
Muscle and bone plasticity after spinal cord injury - review of adaptations to disuse and to electrical muscle stimulation
J.REHABIL.RES.DEV. , 2008, Vol. 45, n° 2, p. 283-296

N° doc. : 135124

PENINOU G

Les abdominaux

KINESITHER.REV. , 2008, 80-81, p. 34-40

N° doc. : 134676

CHEW K ; STEVENS KJ ; WANG TG ; FREDERICSON M

Introduction to diagnostic musculoskeletal ultrasound : examination of the lower limb

AM.J.PHYS.MED.REHABIL. , 2008, Vol. 87, n° 3, p. 238-248

N° doc. : 134692

CHEUNG GLY ; SO E ; CHAO CY

Effectiveness of electroacupuncture and interferential electrotherapy in the management of frozen shoulder

J.REHABIL.MED. , 2008, Vol. 40, n° 3, p. 166-170

N° doc. : 134759

DOLHEM R

Histoire de l'électrostimulation en médecine et en rééducation ANN.READAPT.MED.PHYS. , 2008, Vol. 51, n° 6, p. 427-431

N° doc. : 135201

COCHRANE DJ ; SARTOR F ; WINWOOD K ; STANNARD SR
A comparison of the physiologic effects of acute whole body vibration exercise in young and older people
ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 5, p. 815-821

N° doc. : 135209

HALL J ; SWINKELS A ; BRIDDON J ; MCCABE C
Does aquatic exercise relieve pain in adults with neurologic or musculoskeletal disease ? a systematic review and meta-analysis of randomized controlled trials
ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 5, p. 873-883

ERGOTHERAPIE

N° doc. : 135191

NIJHUIS BJG ; REINDERS MESSELINK HA ; DE BLECOURT ACE
Needs, problems and rehabilitation goals of young children with cerebral palsy as formulated in the rehabilitation activities profile for children
J.REHABIL.MED. , 2008, Vol. 40, n° 5, p. 347-354

N° doc. : 134837

BURGESS T ; RASSAFIANI M ; COPLEY J
Factors associated with the acquisition of expertise in upper limb hypertonicity management
BR.J.OCCUP.THER. , 2008, Vol. 71, n° 8, p. 329-338

N° doc. : 134383

DI MONACO M ; VALLERO F ; DE TOMA E ; DE LAUSO L
A single home visit by an occupational therapist reduces the risk of falling after hip fracture in elderly women : a quasi randomized controlled trial
J.REHABIL.MED. , 2008, Vol. 40, n° 6, p. 446-450

N° doc. : 134397

BUSSMANN JB ; SCHRAUWEN HJ ; STAM HJ
Daily physical activity and heart rate response in people with a unilateral traumatic transtibial amputation
ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 3, p. 430-434

N° doc. : 134447

COLEY B ; JOLLES BM ; FARRON A ; PICHONNAZ C
Estimating dominant upper limb segments during daily activity
GAIT POSTURE , 2008, Vol. 27, n° 3, p. 368-375

N° doc. : 134634

PAES LOURENCAO MI ; BATTISTELLA LR
Effect of biofeedback accompanying occupational therapy and functional electrical stimulation in hemiplegic patients
INT.J.REHABIL.RES. , 2008, Vol. 31, n° 1, p. 33-41

N° doc. : 134803

BRISTOW A ; RUGG S ; DREW J
The occupational therapists in independent practice national telephone enquiry line : who use it, why and how ?
BR.J.OCCUP.THER. , 2008, Vol. 71, n° 6, p. 234-240

N° doc. : 134891

BARTLETT DJ ; KNEALE FANNING J ; MILLER L
Development of the daily activities of infants scale - a measure supporting early motor development
DEV.MED.CHILD NEUROL. , 2008, Vol. 50, n° 8, p. 613-617

N° doc. : 134945

Expériences en ergothérapie - 21ème série
SAURAMPS MEDICAL , 2008, 260 p

N° doc. : 134997

RIEK LM ; LUDEWIG PM ; NAWOCZENSKI DA

Comparative shoulder kinematics during free standing, standing depression lifts and daily functional activities in persons with paraplegia - considerations for shoulder health
SPINAL CORD , 2008, Vol. 46, n° 5, p. 335-343

N° doc. : 135009

BRYDEN AM ; KILGORE KL ; KEITH MW ; PECKHAM PH
Assessing activity of daily living performance after implantation of an upper extremity neuroprosthesis
TOP.SPINAL CORD INJ.REHABIL. 2008, Vol. 13, n° 4, p. 37-53

N° doc. : 135177

HOFFMANN T ; RUSSELL T ; THOMPSON L ; VINCENT A
Using the internet to assess activities of daily living and hand function in people with Parkinson's disease
NEUROREHABILITATION , 2008, Vol. 23, n° 3, p. 253-261

N° doc. : 135200

LATHAM NK ; JETTE AM ; NGO LH ; SOUKUP J
Did the 1997 balanced budget act reduce use of physical and occupational therapy services ?
ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 5, p. 807-814

N° doc. : 135252

VAN LANGEVELD S ; POST MW ; VAN ASBECK FW
Feasibility of a classification system for physical therapy, occupational therapy, and sports therapy interventions for mobility and self-care in spinal cord injury rehabilitation
ARCH.PHYS.MED.REHABIL., 2008, Vol. 89, n° 8, p. 1454-1459

N° doc. : 135273

RIST PM ; FREAS DW ; MAISLIN G ; STINEMAN MG
Recovery from disablement : what functional abilities do rehabilitation professionals value the most ?
ARCH.PHYS.MED.REHABIL. 2008, Vol. 89, n° 8, p. 1600-1606

AIDES TECHNIQUES

N° doc. : 134368

SAMUELSSON K ; WRESSLE E
User satisfaction with mobility assistive devices : an important element in the rehabilitation process
DISABIL.REHABIL. , 2008, Vol. 30, n° 7, p. 551-558

N° doc. : 134655

BRINKS K
Bewegtes Sitzen für Kinder mit besonderen Bedürfnissen (= A moved sitting for children with special needs)
ORTHOP.TECHNIK , 2008, Vol. 59, n° 5, p. 367-369

FAUTEUIL ROULANT

N° doc. : 134403

KIM J ; BRIENZA DM ; LYNCH RD ; COOPER RA
Effectiveness evaluation of a remote accessibility assessment system for wheelchair users using virtualized reality
ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 3, p. 470-479

N° doc. : 134404

KIRBY RL ; CORKUM CG ; SMITH C ; RUSHTON P
Comparing performance of manual wheelchair skills using new and conventional rear anti-tip devices
ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 3, p. 480-485

N° doc. : 134405

SONENBLUM SE ; SPRIGLE S ; HARRIS F ; MAURER CL
Characterization of power wheelchair use in the home and community
ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 3, p. 486-491

N° doc. : 134495

COLLINGER JL ; BONINGER ML ; KOONTZ AM ; PRICE R
Shoulder biomechanics during the push phase of wheelchair propulsion - a multisite study of persons with paraplegia
ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 4, p. 667-676

N° doc. : 134654

SCHOLZ J
Die Optimierung von Rollstühlen ist notwendig (= An optimization of wheelchairs is necessary)
ORTHOP.TECHNIK , 2008, Vol. 59, n° 5, p. 320-325

N° doc. : 134656
SCHOLZ J
Kinderreha : Mobile Kids - trots Handicap
ORTHOP.TECHNIK , 2008, Vol. 59, n° 5, p. 370-376

N° doc. : 134672
KIRBY RL ; GILLIS D ; BOUDREAU AL ; SMITH C
Effect of a high rolling resistance training method on the success rate and time required to learn the wheelchair wheelie skill : a randomized controlled trial
AM.J.PHYS.MED.REHABIL. , 2008, Vol. 87, n° 3, p. 204-211

N° doc. : 134702
VIGNIER N ; RAVAUD JF ; WINANCE M ; LEPOUTRE FX
Demographic of wheelchair users in France : results of national community-based handicaps incapacités-dépendance surveys
J.REHABIL.MED. , 2008, Vol. 40, n° 3, p. 231-239

N° doc. : 134744
DESROCHES G ; AISSAOUI R ; BOURBONNAIS D
Relationship between resultant force at the pushrim and the net shoulder joint moments during manual wheelchair propulsion in elderly persons
ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 6, p. 1155-1161

N° doc. : 134747
MORTENSON WB ; MILLER WC ; AUGER C
Issues for the selection of wheelchair specific activity and participation outcome measure - a review
ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 6, p. 1177-1186

N° doc. : 135012
REQUEJO PS ; MULROY SJ ; LIGHTHALL HAUBERT L
Evidence-based strategies to preserve shoulder function in manual wheelchair users with spinal cord injury
TOP.SPINAL CORD INJ.REHABIL.
2008, Vol. 13, n° 4, p. 86-119

N° doc. : 135227
SPAETH DM ; MAHAJAN H ; KARMARKAR A ; COLLINS D
Development of a wheelchair virtual driving environment : trials with subjects with traumatic brain injury
ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 5, p. 996-1003

N° doc. : 134999
WILSON SKM ; HASLER JP ; DALL PM ; GRANAT MH
Objective assessment of mobility of the spinal cord injured in a free-living environment
SPINAL CORD , 2008, Vol. 46, n° 5, p. 352-357

ORTHOPHONIE

N° doc. : 131542
Defauts de mobilité laryngée et réhabilitation fonctionnelle
SOLAL , 2007, 292 p

N° doc. : 134750
Les inférences dans la communication : cadre théorique général
REEDUC.ORTHOPHON. , 2008, n° 234, p. 15-23

N° doc. : 134754
DUCHENE MAY CARLE A
La gestion des inférences chez les cérébroésés droits
REEDUC.ORTHOPHON. , 2008, n° 234, p. 75-90

N° doc. : 134756
KAROSI BOURGEA C ; REGNIER VIGOUROUX P
Elaboration d'un test de traitement de l'information de haut niveau et illustration auprès de quatre patients atteints d'une maladie d'Alzheimer débutante
REEDUC.ORTHOPHON. , 2008, n° 234, p. 107-120

N° doc. : 135172
TAMPLIN J
A pilot study into the effect of vocal exercises and singing on dysarthric speech
NEUROREHABILITATION , 2008, Vol. 23, n° 3, p. 207-216

OSTEOPATHIE

N° doc. : 127498
POMMEROL P

Ostéopathie et thérapie manuelle du tissu neuro-méningé
MONTPELLIER : SAURAMPS MEDICAL , 2006, 425 p

GERONTOLOGIE

N° doc. : 135248
CHRISTIANSEN C
The effects of hip and ankle stretching on gait function of older people
ARCH.PHYS.MED.REHABIL., 2008, Vol. 89, n° 8, p. 1421-1428

N° doc. : 134347
KUO YL ; TULLY EA ; GALEA MP
Skin movement errors in measurement of sagittal lumbar and hip angles in young and elderly subjects
GAIT POSTURE , 2008, Vol. 27, n° 2, p. 264-270

N° doc. : 134352
HAIBACH PS ; SLOBOUNOV SM ; NEWELL KM
The potential applications of a virtual moving environment for assessing falls in elderly adults
GAIT POSTURE , 2008, Vol. 27, n° 2, p. 303-308

N° doc. : 134359
ROOSE PE ; MCGUIGAN MP ; KERWIN DG
The role of arm movement in early trip recovery in younger and older adults
GAIT POSTURE , 2008, Vol. 27, n° 2, p. 352-356

N° doc. : 134362
CLEMSON L ; BUNDY AC ; CUMMING RG ; KAY L
Validating the falls behavioural (FaB) scale for older people : a Rasch analysis
DISABIL.REHABIL. , 2008, Vol. 30, n° 7, p. 498-506

N° doc. : 134455
BRACH JS ; STUDENSKI S ; PERERA S
Stance time and step width variability have unique contributing impairments in older persons
GAIT POSTURE , 2008, Vol. 27, n° 3, p. 431-439

N° doc. : 134459
TERMOZ N ; HALLIDAY SE ; WINTER DA ; FRANK JS
The control of upright stance in young, elderly and persons with Parkinson's disease
GAIT POSTURE , 2008, Vol. 27, n° 3, p. 463-470

N° doc. : 134490
MYERS AM ; PARADIS JA ; BLANCHARD RA
Conceptualizing and measuring confidence in older drivers - Development of the day and night driving comfort scales
ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 4, p. 630-640

N° doc. : 134491
DE MORTON NA ; KEATING JL ; DAVIDSON M
Rasch analysis of the Barthel Index in the assessment of hospitalized older patients after admission for an acute medical condition
ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 4, p. 641-647

N° doc. : 134537
VAN EIJKEN M ; MELIS R ; WENSING M ; OLDE M
Feasibility of a new community based geriatric intervention programme : an exploration of experiences of GPs, nurses, geriatricians, patients and caregivers
DISABIL.REHABIL. , 2008, Vol. 30, n° 9, p. 696-708

N° doc. : 134637
PANELLA L ; TINELLI C ; BUIZZA A ; LOMBARDI R
Towards objective evaluation of balance in the elderly : validity and reliability of a measurement instrument applied to the Tinetti Test
INT.J.REHABIL.RES. , 2008, Vol. 31, n° 1, p. 65-72

N° doc. : 134741
YU E ; ABE M ; MASANI K ; KAWASHIMA N ; ETO F
Evaluation of postural control in quiet standing using center of mass acceleration : comparison among the young, the elderly, and people with stroke
ARCH.PHYS.MED.REHABIL., 2008, Vol. 89, n° 6, p. 1133-1139

N° doc. : 134744
DESROCHES G ; AISSAOUI R ; BOURBONNAIS D
Relationship between resultant force at the pushrim and the net shoulder joint moments during manual wheelchair propulsion in elderly persons
ARCH.PHYS.MED.REHABIL., 2008, Vol. 89, n° 6, p. 1155-1161

N° doc. : 134768
DESHPANDE N ; METTER EJ ; BANDINELLI S
Psychological, physical and sensory correlates of fear of falling and consequent activity restriction in the elderly
AM.J.PHYS.MED.REHABIL., 2008, Vol. 87, n° 5, p. 354-362

N° doc. : 134932
KANGAS M ; KONTTILA A ; LINDGREN P ; WINBLAD I
Comparison of low-complexity fall detection algorithms for body attached accelerometers
GAIT POSTURE, 2008, Vol. 28, n° 2, p. 285-291

N° doc. : 134939
REEVES ND ; SPANJAARD M ; MOHAGHEGH AA
Influence of light handrail use on the biomechanics of stair negotiation in old age
GAIT POSTURE, 2008, Vol. 28, n° 2, p. 327-336

N° doc. : 134940
LIN D ; SEOL H ; NUSSBAUM MA ; MADIGAN ML
Reliability of COP-based postural sway measures and age-related differences
GAIT POSTURE, 2008, Vol. 28, n° 2, p. 337-342

N° doc. : 135201
COCHRANE DJ ; SARTOR F ; WINWOOD K ; STANNARD SR
A comparison of the physiologic effects of acute whole body vibration exercise in young and older people
ARCH.PHYS.MED.REHABIL., 2008, Vol. 89, n° 5, p. 815-821

N° doc. : 135232
DESROSIERS J ; DEMERS L ; ROBICHAUD L ; VINCENT C
Short term changes in and predictors of participation of older adults after stroke following acute care or rehabilitation
NEUROREHABIL.NEURAL REPAIR, 2008, Vol. 22, n° 3, p. 288-297

N° doc. : 135251
BANERJEA R ; SAMBAMOORTHI U ; WEAVER F
Risk of stroke, heart attack, and diabetes complications among veterans with spinal cord injury
ARCH.PHYS.MED.REHABIL., 2008, Vol. 89, n° 8, p. 1448-1453

N° doc. : 135261
GUERINI F ; FRISONI GB ; MARRE A ; TURCO R
Subcortical vascular lesions predict falls at 12 months in elderly patients discharged from a rehabilitation ward
ARCH.PHYS.MED.REHABIL., 2008, Vol. 89, n° 8, p. 1522-1527

N° doc. : 135272
CLEMENCION M ; HAUTIER C ; RAHMANI A ; CORNU C
Potential role of optimal velocity as a qualitative factor of physical functional performance in women aged 72 to 96 years
ARCH.PHYS.MED.REHABIL., 2008, Vol. 89, n° 8, p. 1594-1599

N° doc. : 135297
DUJARDIN K ; LEMAIRE P
Neuropsychologie du vieillissement normal et pathologique
ELSEVIER MASSON, 2008, 240 p

ESCARRES

N° doc. : 134419
STINSON MD ; CRAWFORD SA ; PORTER ARMSTRONG AP
Interface pressure measurements : visual interpretation of pressure maps in MS clients
DISABIL.REHABIL., 2008, Vol. 30, n° 8, p. 618-624

N° doc. : 135249
RINTALA DH ; GARBER SL ; FRIEDMAN JD ; HOLMES A
Preventing recurrent pressure ulcers in veterans with spinal cord injury : impact of a structured education and follow-up

intervention

ARCH.PHYS.MED.REHABIL., 2008, Vol. 89, n° 8, p. 1429-1441

DIVERS

N° doc. : 134790
PESKINE A ; NICOLAS C ; LAURENT VANNIER A
Les bactéries multirésistantes aux antibiotiques en service de médecine physique et de réadaptation - pour des recommandations applicables
LETTRE MED.PHYS.READAPT., 2008, Vol. 24, n° 2, p. 73-75

N° doc. : 134407
SCHUBERT MC ; MIGLIACCIO AA ; CLENDANIEL RA
Mechanism of dynamic visual acuity recovery with vestibular rehabilitation
ARCH.PHYS.MED.REHABIL., 2008, Vol. 89, n° 3, p. 500-507

N° doc. : 134990
SEMAL S
Accompagner le patient diabétique
REV.INFIRM., 2008, n° 141, p. 15-27

N° doc. : 134369
HAMAGUCHI T ; OKAMURA H ; NAKAYA N ; ABE K
Survey of the current status of cancer rehabilitation in Japan
DISABIL.REHABIL., 2008, Vol. 30, n° 7, p. 559-564

ROBOTIQUE

N° doc. : 134657
LUCKING H
Roboterunterstützung in der Rehabilitation (= Robot support in rehabilitation)
ORTHOP.TECHNIK, 2008, Vol. 59, n° 5, p. 378-380

N° doc. : 134876
KWAKKEL G ; KOLLEN BJ ; KREBS HI
Effects of robot assisted therapy on upper limb recovery after stroke - a systematic review
NEUROREHABIL.NEURAL REPAIR, 2008, Vol. 22, n° 2, p. 111-121

N° doc. : 135119
HIDLER J ; HAMM LF ; LICHY A ; GROAH SL
Automating activity-based interventions : the role of robotics
J.REHABIL.RES.DEV., 2008, Vol. 45, n° 2, p. 337-344