

SYSTEME NEUROMUSCULAIRE

N° doc. : 140947
WIDMAIER EP ; RAFF H ; STRANGE K
Physiologie humaine : les mécanismes du fonctionnement de l'organisme, 5e ed.
Paris, :Maloine, 2009, 888 p ;

MUSCLES

N° doc. : 139492
WERNER B ; SKALSKY AJ ; MCDONALD CM ; HAN J
Convexity of scoliosis related to handedness in identical twin boys with Duchenne's muscular dystrophy - a case report
ARCH.PHYS.MED.REHABIL., 2008, Vol. 89, n° 10, p. 2021-2024

N° doc. : 140251
MORANA C ; PERREY S
Evaluation de la fatigue musculaire
KINESITHER.SCI., 2009, n° 500, p. 5-10

N° doc. : 140320
EMERY AEH
Muscular dystrophy, 3rd ed.
Oxford : Oxford University Press, 2008, 150 p.

N° doc. : 140470
AMBROSIO F ; KADI F ; LEXELL J ; FITZGERALD GK
The effect of muscle loading on skeletal muscle regenerative potential : an update of current research findings relating to aging and neuromuscular pathology
AM.J.PHYS.MED.REHABIL., 2009, Vol. 88, n° 2, p. 145-155

N° doc. : 140602
BONNEL F ; MARC T
Le muscle - nouveaux concepts : anatomie, biomécanique, chirurgie, rééducation
Montpellier : Sauramps Med., 2009, 566 p.

N° doc. : 140693
D'ANGELO MG ; BERTI M ; PICCININI M ; ROMEI M
Gait pattern in Duchenne muscular dystrophy
GAIT POSTURE, 2009, Vol. 29, n° 1, p. 36-41

SYSTEME NERVEUX PERIPHERIQUE

N° doc. : 140778
PENTEADO TCB ; GURGEL TESTA JR ; ANTUNES ML
Evaluation de la technique Chevalier pour la prévention des séquelles dans la paralysie faciale périphérique
KINESITHER.REV., 2009, n° 90, p. 40-47

N° doc. : 140856
CROSBIE J ; BURNS J ; OUVRIER RA
Pressure characteristics in painful pes cavus feet resulting from Charcot-Marie-Tooth disease
GAIT POSTURE, 2008, Vol. 28, n° 4, p. 545-551

N° doc. : 140972
DE CHAVIGNY D
Paralysie faciale : petit guide
KINESITHER.SCI., 2009, n° 501, p. 24-30

SEMILOGIE ET SYNDROMES CENTRAUX

N° doc. : 139597
Racial / ethnic disparities in outcomes after central nervous system injury
NEUROREHABILITATION, 2009, Vol. 24, n° 1, p. 1-3

N° doc. : 139602
KRAUSE JS ; SALADIN LK ; ADKINS RH
Disparities in subjective well-being, participation and health after spinal cord injury - a 6 year longitudinal study
NEUROREHABILITATION, 2009, Vol. 24, n° 1, p. 47-56

MOTRICITE

N° doc. : 139286
KWON J ; KIM JS
Selective blocking of the anterior branch of the obturator nerve in children with cerebral palsy
AM.J.PHYS.MED.REHABIL., 2009, Vol. 88, n° 1, p. 7-13

N° doc. : 139406
JOHNSON DC ; WADE MG
Children at risk for developmental coordination disorder : judgement of changes in action capabilities
DEV.MED.CHILD NEUROL., 2009, Vol. 51, n° 5, p. 397-403

N° doc. : 139644
SANDLUND M ; MCDONOUGH S ; HAGER ROSS C
Interactive computer play in rehabilitation of children with sensorimotor disorders : a systematic review
DEV.MED.CHILD NEUROL., 2009, Vol. 51, n° 3, p. 173-179

N° doc. : 140141
TRUONG D ; DRESSLER D ; HALLETT M
Manual of botulinum toxin therapy
Cambridge: Cambridge University Press, 2009, 218 p

N° doc. : 140598
JOSEBY AL ; JARNLO GB ; GUMMESSON C
Longitudinal construct validity of the GMFM-88 total score and goal total score and the GMFM-66 score in a 5-year follow up study
PHYS.THER., 2009, Vol. 89, n° 4, p. 342-350

N° doc. : 140600
SIENGSUKON CF ; BOYD LA
Does sleep promote motor learning ? implications for physical rehabilitation
PHYS.THER., 2009, Vol. 89, n° 4, p. 370-383

N° doc. : 140728
BARICICH A ; CARDA S ; BERTONI M ; MADERNA L
A single-blinded, randomized pilot study of botulinum toxin type A combined with non-pharmacological treatment for spastic foot
J.REHABIL.MED., 2008, Vol. 40, n° 10, p. 870-872

N° doc. : 140731
BLEYENHEUFT C ; DETREMBLEUR C ; DELTOMBE T
Quantitative assessment of anaesthetic nerve block and neurotomy in spastic equinus foot
J.REHABIL.MED., 2008, Vol. 40, n° 10, p. 879-881

N° doc. : 140762
LUKBAN MB ; ROSALES RL ; DRESSLER D
Effectiveness of botulinum toxin A for upper and lower limb spasticity in children with cerebral palsy
J.NEURAL TRANSM., 2009, Vol. 116, p. 319-331

N° doc. : 140777
DUBOS JL ; MESSINA M
Actualités sur l'utilisation de la toxine botulique pour le traitement des dystonies et autres indications
KINESITHER.REV., 2009, n° 90, p. 31-39

CERVELET SYNDROME CEREBELLEUX

N° doc. : 139364
CHAYS A ; FLORANT A ; ULMER E
Les vertiges : diagnostic, thérapeutique, conseils, examens complémentaires, 2ème ed.
Issy les Moulineaux:Elsevier Masson, 2009, 185 p.

N° doc. : 139934
BRONSTEIN A ; LEMPERT T
Dizziness : a practical approach to diagnosis and management
Cambridge : Cambridge University Press , 2007, 220 p.

N° doc. : 140522
BASTA D ; SINGBARTL F ; TODT I ; CLARKE A ; ERNST A
Vestibular rehabilitation by auditory feedback in otolith disorders
GAIT POSTURE , 2008, Vol. 28, n° 3, p. 397-404

N° doc. : 140882
VUILLERME N ; PINSULT N ; FLEURY A ; CHENU O
Effectiveness of an electro-tactile vestibular substitution system in improving upright postural control in unilateral vestibular defective patients
GAIT POSTURE , 2008, Vol. 28, n° 4, p. 711-715

N° doc. : 141199
LAGARDE J ; HANTKIE O ; HAJJIOUI A ; YELNIK A
Troubles neuropsychologiques induits par les lésions cérébelleuses
ANN.PHYS.REHABIL.MED. , 2009, Vol. 52, n° 4, p. 360-370

NEUROPSYCHOLOGIE FONCTIONS COGNITIVES

N° doc. : 139192
WAGNER S ; KASCHEL R ; PAULSEN S ; BLEICHER F
Does a cognitive training programme improve the performance of middle-aged employees undergoing in-patient psychosomatic treatment ?
DISABIL.REHABIL. , 2008, Vol. 30, n° 23, p. 1786-1793

N° doc. : 139193
ROUCH I ; THOMAS ANTERION C ; DAUPHINOT V
Cognitive complaints, neuropsychological performance and affective disorders in elderly community residents
DISABIL.REHABIL. , 2008, Vol. 30, n° 23, p. 1794-1802

N° doc. : 128801
Aphasies et aphasiques
/sous la dir.de MAZAUX JM ; PRADAT DIEHL P ; BRUN V
Elsevier Masson , 2007, 305 p

N° doc. : 129766
NICOLAS S ; GUILLERY GIRARD B ; EUSTACHE F
Les maladies de la mémoire
Editions In Press , 2007, 150 p.

N° doc. : 139346
SORITA E
Apports et spécificités de l'ergothérapie dans l'intervention auprès de personnes présentant des troubles cognitifs
ERGOTHERAPIES , 2009, n° 33, p. 5-23

N° doc. : 139360
Traité de neuropsychologie de l'enfant /sous la dir.de PONCELET M. ; MAJERUS S ; VAN DER LINDEN M
Marseille:Solal : Solal , 2009, 680 p.

N° doc. : 139365
CROUAIL A
Rééduquer dyscalculie et dyspraxie : méthode pratique pour l'enseignement des mathématiques
Issy les Moulineaux:Elsevier Masson , 2008, 170 p.

N° doc. : 139389
STUSS D ; WINOCUR G ; ROBERTSON IH
Cognitive neurorehabilitation : evidence and application
2ème ed. Cambridge : Cambridge University Press , 2008, 606 p.

N° doc. : 139390
Traité de psychopathologie cognitive : bases théoriques
(t. 1) /sous la dir.de VAN DER LINDEN M. ; CESCHI G
Marseille:Solal , 2008, 195 p.

N° doc. : 139542
Traité de psychopathologie cognitive: Etats psychopathologiques (t. 2) /sous la dir.de VAN DER LINDEN M. ; CESCHI G
Marseille:Solal : Solal , 2008, 446 p.

N° doc. : 139416
BRED S ; SACKS A ; ASHMAN T ; GORDON WA
Cognitive functioning among individuals with traumatic brain injury, Alzheimer's disease and no cognitive impairments
J.HEAD TRAUMA REHABIL. , 2008, Vol. 23, n° 3, p. 149-157

N° doc. : 139420
BALLESTEROS J ; GIEMES I ; IBARRA N ; QUEMADA JI
The effectiveness of Donepezil for cognitive rehabilitation after traumatic brain injury
J.HEAD TRAUMA REHABIL. , 2008, Vol. 23, n° 3, p. 171-180

N° doc. : 139449
PILLER AG ; CARMES E ; SIZARET E ; GALLOUX A
Comparaison entre évaluation standardisée et évaluation fonctionnelle du langage de 12 sujets dysphasiques de 16 à 20 ans
ANAE , 2008, n° 98, p. 164-169

N° doc. : 139450
CHELIOUT-HERAUT F ; ANTONETTI C ; LEMAITRE A
Potentiels évoqués cognitifs et dyspraxie : étude préliminaire
ANAE , 2008, n° 98, p. 169-173

N° doc. : 139510
LINEBARGER MC ; ROMANIA JF ; FINK FB ;
Building on residual speech : a portable processing prosthesis for aphasia
J.REHABIL.RES.DEV. , 2008, Vol. 45, n° 9, p. 1401-1414

N° doc. : 139585
HARDING P ; RIDDOCH MJ
Functional electrical stimulation (FES) of the upper limb alleviates unilateral neglect
NEUROPSYCHOL.REHABIL. , 2009, Vol. 19, n° 1, p. 41-63

N° doc. : 139605
MARQUEZ DE LA PLATA C ; ARANGO LASPRILLA JC
Item analysis of three spanish naming tests : a cross-cultural investigation
NEUROREHABILITATION , 2009, Vol. 24, n° 1, p. 75-85

N° doc. : 139606
MARQUEZ DE LA PLATA C ; LACRITZ LH ; MITSCHKE R
Detecting differential memory performance among spanish-speaking patients with temporal lobe epilepsy
NEUROREHABILITATION , 2009, Vol. 24, n° 1, p. 87-93

N° doc. : 139690
BAUTMANS I ; DEMARTEAU J ; CRUTS B ; LEMPER JC
Dysphagia in elderly nursing home residents with severe cognitive impairment can be attenuated by cervical spine mobilization
J.REHABIL.MED. , 2008, Vol. 40, n° 9, p. 755-760

N° doc. : 139735
PRIGATANO GP
The problem of not developing normally and pediatric neuropsychological rehabilitation : the Mitchell Rosenthal lecture
J.HEAD TRAUMA REHABIL. , 2008, Vol. 23, n° 6, p. 414-422

- N° doc. : 139889*
STROTH S ; HILLE K ; SPITZER M ; REINHARDT R
Aerobic endurance exercise benefits memory and affect in young adults
NEUROPSYCHOL.REHABIL. , 2009, Vol. 19, n° 2, p. 223-243
- N° doc. : 139890*
LEVAUX MN ; VEZZARO J ; LAROI F ; OFFERLIN MEYER I
Cognitive rehabilitation of the updating sub-component of working memory in schizophrenia
NEUROPSYCHOL.REHABIL. , 2009, Vol. 19, n° 2, p. 244-273
- N° doc. : 139891*
TURTON AJ ; DEWAR SJ ; LIEVESLEY A ; O'LEARY K
Walking and wheelchair navigation in patients with left visual neglect
NEUROPSYCHOL.REHABIL. , 2009, Vol. 19, n° 2, p. 274-290
- N° doc. : 139892*
INCOCCIA C ; MAGNOTTI L ; IARIA G ; PICCARDI L
Topographical disorientation in a patient who never developed navigational skills : the (re)habilitation treatment
NEUROPSYCHOL.REHABIL. , 2009, Vol. 19, n° 2, p. 291-314
- N° doc. : 139923*
IVINS B ; KANE R ; SCHWAB KA
Performance on the automated neuropsychological assessment metrics in a nonclinical sample of soldiers screened for mild TBI after returning from Iraq and Afghanistan - a descriptive analysis
J.HEAD TRAUMA REHABIL. , 2009, Vol. 24, n° 1, p. 24-31
- N° doc. : 139926*
LEW HL ; ROSEN PN ; THOMANDER D ; POOLE JH
The potential utility of driving simulators in the cognitive rehabilitation of combat-returnees with traumatic brain injury
J.HEAD TRAUMA REHABIL. , 2009, Vol. 24, n° 1, p. 51-56
- N° doc. : 139955*
RITZLER CB
Vision, effort and learning : a successful organization
AM.J.PHYS.MED.REHABIL. , 2008, Vol. 87, n° 11, p. 863-871
- N° doc. : 139959*
WEE JYM ; HOPMAN W
Comparing consequences of right and left unilateral neglect in a stroke rehabilitation population
AM.J.PHYS.MED.REHABIL. , 2008, Vol. 87, n° 11, p. 910-920
- N° doc. : 140022*
DEGGOUJ N
Dépistage auditif précoce et plasticité cérébrale
REEDUC.ORTHOPHON. , 2009, n° 237, p. 37-46
- N° doc. : 140135*
PROTO D ; PELLA RD ; HILL B ; GOUVIER WD
Assessment and rehabilitation of acquired visuospatial and proprioceptive deficits associated with visuospatial neglect
NEUROREHABILITATION , 2009, Vol. 24, n° 2, p. 145-157
- N° doc. : 140213*
BIGLER ED ; BROOKS M
Traumatic brain injury and forensic neuropsychology
J.HEAD TRAUMA REHABIL. , 2009, Vol. 24, n° 2, p. 76-87
- N° doc. : 140214*
WOOD RL
The scientist practitioner model : how do advances in clinical and cognitive neuroscience affect neuropsychology in the courtroom ?
J.HEAD TRAUMA REHABIL. , 2009, Vol. 24, n° 2, p. 88-99
- N° doc. : 140215*
SCHWARZ L ; SCHRIFT M ; PLISKIN N
Forensic neuropsychological evaluations in an academic medical center
J.HEAD TRAUMA REHABIL. , 2009, Vol. 24, n° 2, p. 100-104
- N° doc. : 140216*
FREDERICK R ; BOWDEN SC
Evaluating constructs represented by symptom validity tests in forensic neuropsychological assessment of traumatic brain injury
J.HEAD TRAUMA REHABIL. , 2009, Vol. 24, n° 2, p. 105-122
- N° doc. : 140217*
BAILEY C ; BARTH JT ; BENDER SD
SLAM on the stand : how the sports-related concussion literature can inform the expert witness
J.HEAD TRAUMA REHABIL. , 2009, Vol. 24, n° 2, p. 123-130
- N° doc. : 140218*
RUFF R
Best practice guidelines for forensic neuropsychological examinations of patients with traumatic brain injury
J.HEAD TRAUMA REHABIL. , 2009, Vol. 24, n° 2, p. 131-140
- N° doc. : 140291*
VALDOIS S
Dyslexies développementales : théorie de l'empan visuo-attentionnel
ANAE , 2008, 96-97, p. 15-21
- N° doc. : 140292*
CHAIX Y ; ALBARET JM
Interactions entre troubles moteurs et déficit attentionnel chez les dyslexiques. Pour une approche plus générale des troubles spécifiques des apprentissages
ANAE , 2008, 96-97, p. 23-26
- N° doc. : 140293*
SIMOES PERLANT A ; LARGY P
L'apprentissage implicite chez l'enfant présentant des troubles du langage écrit
ANAE , 2008, 96-97, p. 27-32
- N° doc. : 140322*
BISHOP DVM
Les causes des troubles spécifiques du langage chez l'enfant
ANAE , 2008, n° 99, p. 196-201
- N° doc. : 140323*
MAILLART C ; ORBAN A
Le bilan langagier de l'enfant dysphasique : aspects théoriques et cliniques
ANAE , 2008, n° 99, p. 211-220
- N° doc. : 140325*
DUSSART T
Le langage en devenir de l'enfant dysphasique : entre l'oral et l'écrit
ANAE , 2008, n° 99, p. 240-244
- N° doc. : 140326*
REGAERT C ; THOMAS N
La guidance parentale logopédique : une expérience clinique
ANAE , 2008, n° 99, p. 245-249
- N° doc. : 140344*
MCDONALD S ; BORNHOFEN C ; HUNT C
Addressing deficits in emotion recognition after severe traumatic brain injury : the role of focused attention and mimicry
NEUROPSYCHOL.REHABIL. , 2009, Vol. 19, n° 3, p. 321-339
- N° doc. : 140345*
ABLINGER I ; DOMAHS F
Improved single-letter identification after whole-word training in pure alexia
NEUROPSYCHOL.REHABIL. , 2009, Vol. 19, n° 3, p. 340-363

N° doc. : 140346

POLANOWSKA K ; SENIOW J ; PAPROT E ; LESNIAK M ;
Left-hand somatosensory stimulation combined with visual scanning training in rehabilitation for post-stroke hemineglect
NEUROPSYCHOL.REHABIL. , 2009, Vol. 19, n° 3, p. 364-382

N° doc. : 140347

DEWAR BK ; PATTERSON K ; WILSON BA ; GRAHAM KS
Re-acquisition of person knowledge in semantic memory disorders
NEUROPSYCHOL.REHABIL. , 2009, Vol. 19, n° 3, p. 383-421

N° doc. : 140348

ZAUNMULLER L ; DOMAHS F ; DRESSEL K
Rehabilitation of arithmetic fact retrieval via extensive practice - a combined fMRI and behavioural case study
NEUROPSYCHOL.REHABIL. , 2009, Vol. 19, n° 3, p. 422-443

N° doc. : 140350

KUTLAY S ; KUCUKDEVECI AA ; ELHAN AH ; TENNANT A
Validation of the behavioural inattention Test (BIT) in patients with acquired brain injury in Turkey
NEUROPSYCHOL.REHABIL. , 2009, Vol. 19, n° 3, p. 461-475

N° doc. : 140419

CHODZKO ZAJKO W ; KRAMER A ; POON LW
Enhancing cognitive functioning and brain plasticity
HUMAN KINETICS PUBL. , 2009, 235 p

N° doc. : 140730

VOGT L ; WIELAND K ; BACH M ; HIMMELREICH H
Cognitive status and ambulatory rehabilitation outcome in geriatric patients
J.REHABIL.MED. , 2008, Vol. 40, n° 10, p. 876-878

N° doc. : 140783

ETIENNE V ; MARIN LAMELLET C ; LAURENT B
Evolution du contrôle exécutif au cours du vieillissement normal
REV.NEUROL. (Paris) , 2008, Vol. 164, n° 12, p. 1010-1017

N° doc. : 140815

MANHEIM LM ; HALPER AS ; CHERNEY L
Patient-reported changes in communication after computer-based script training for aphasia
ARCH.PHYS.MED.REHABIL. , 2009, Vol. 90, n° 4, p. 623-633

DOULEUR

N° doc. : 139288

SLACK D ; NELSON L ; PATTERSON D ; BURNS S ; **The feasibility of hypnotic analgesia in ameliorating pain and anxiety among adults undergoing needle electromyography**
AM.J.PHYS.MED.REHABIL. , 2009, Vol. 88, n° 1, p. 21-29

N° doc. : 139369

SILVEMARK AJ ; KALLMEN H ; PORTALA K ;
Life satisfaction in patients with long-term non-malignant pain: relation to demographic factors and pain intensity
DISABIL.REHABIL. , 2008, Vol. 30, n° 25, p. 1929-1937

N° doc. : 139474

DOUGLAS C ; WOLLIN J ; WINDSOR C
Illness and demographic correlates of chronic pain among a community-based sample of people with multiple sclerosis
ARCH.PHYS.MED.REHABIL.,2008,Vol. 89, n° 10, p. 1923-1932

N° doc. : 139475

STOELB BL ; CARTER GT ; ABRESCH RT ; PUREKAL S
Pain in persons with postpolio syndrome : frequency, intensity and impact
ARCH.PHYS.MED.REHABIL.,2008,Vol. 89, n° 10, p. 1933-1940

N° doc. : 139557

STANOS S ; FISHBAIN DA ; FISHMAN S
Pain management with opioid analgesics : balancing risk and benefit
AM.J.PHYS.MED.REHABIL. , 2009, Vol. 88, 3 - SUPPL. 2, 30 p

N° doc. : 139967

HYVARINEN A ; TARKKA IM ; MERVAALA E
Cutaneous electrical stimulation treatment in unresolved facial nerve paralysis : an exploratory study
AM.J.PHYS.MED.REHABIL. , 2008, Vol. 87, n° 12, p. 992-997

N° doc. : 139969

CHEN KH ; HONG CZ ; KUO FC ; HSU HC ; HSIEH YL
Electrophysiologic effects of a therapeutic laser on myofascial trigger spots of rabbit skeletal muscles
AM.J.PHYS.MED.REHABIL. , 2008, Vol. 87, n° 12, p. 1006-1014

N° doc. : 140118

PERROUIN VERBE B ; VENTURA M ; ALBERT T ; SOUAN P
Recommandations de pratique clinique sur la douleur neuropathique chronique du blessé médullaire - introduction et méthodologie
ANN.PHYS.REHABIL.MED. , 2009, Vol. 52, n° 2, p. 77-82

N° doc. : 140119

CALMELS P ; MICK G ; PERROUIN VERBE B ; VENTURA M
la douleur neuropathique chez le blessé médullaire - identification, classification, évaluation
ANN.PHYS.REHABIL.MED. , 2009, Vol. 52, n° 2, p. 83-102

N° doc. : 140120

LE CHAPELAIN L ; PERROUIN VERBE B ; FATTAL C
Douleur neuropathique chronique du blessé médullaire - quel bilan paraclinique ?
ANN.PHYS.REHABIL.MED. , 2009, Vol. 52, n° 2, p. 103-110

N° doc. : 140121

MARGOT DUCLOT A ; TOURNEBISE H ; VENTURA M
What are the risk factors of occurrence and chronicity of neuropathic pain in spinal cord injury patients ?
ANN.PHYS.REHABIL.MED. , 2009, Vol. 52, n° 2, p. 111-123

N° doc. : 140122

ATTAL N ; MAZALTARINE G ; PERROUIN VERBE B
Douleur neuropathique chronique du blessé médullaire. Quelle est l'efficacité des traitements médicamenteux par voie générale ? (orale, transdermique, intraveineuse)
ANN.PHYS.REHABIL.MED. , 2009, Vol. 52, n° 2, p. 124-141

N° doc. : 140123

BENSMAIL D ; ECOFFEY C ; VENTURA M ; ALBERT T
Douleur neuropathique chronique du blessé médullaire. Quelle est l'efficacité des thérapeutiques locorégionales ? Blocs sympathétiques, anesthésiques, thérapeutiques intrathécaux
ANN.PHYS.REHABIL.MED. , 2009, Vol. 52, n° 2, p. 142-148

N° doc. : 140124

FATTAL C ; KONG A SIOU D ; GILBERT C ; VENTURA M
Quelle efficacité des thérapeutiques physiques dans le traitement des douleurs neuropathiques chez le blessé médullaire ?
ANN.PHYS.REHABIL.MED. , 2009, Vol. 52, n° 2, p. 149-166

N° doc. : 140125

GAULT D ; MOREL FATIO M ; ALBERT T ; FATTAL C
Douleur neuropathique chronique du blessé médullaire - Quelle est l'efficacité de la prise en charge psychocomportementale ?
ANN.PHYS.REHABIL.MED. , 2009, Vol. 52, n° 2, p. 167-172

N° doc. : 140126

GOOSSENS D ; DOUSSE M ; VENTURA M ; FATTAL C
Douleur neuropathique chronique du blessé médullaire : quelle est l'efficacité de la prise en charge sociale et environnementale ?
ANN.PHYS.REHABIL.MED. , 2009, Vol. 52, n° 2, p. 173-179

N° doc. : 140127

LAGAUCHE D ; FACIONE J ; ALBERT T ; FATTAL C
Douleur neuro-pathique chronique du blessé médullaire - quelle efficacité des stimulations médullaires ?
ANN.PHYS.REHABIL.MED. , 2009, Vol. 52, n° 2, p. 180-187

N° doc. : 140130

SALLE JY ; GINIES P ; PERROUIN VERBE B ; VENTURA M
Quels sont les modèles organisationnels les plus efficaces ?
ANN.PHYS.REHABIL.MED. , 2009, Vol. 52, n° 2, p. 203-209

N° doc. : 140788

SIDDALL P
Management of neuropathic pain following spinal cord injury : now and in the future
SPINAL CORD , 2009, Vol. 47, n° 5, p. 352-359

N° doc. : 140818

HIRSH AT ; TURNER AP ; EHDE DM ; HASELKORN JK
Prevalence and impact of pain in multiple sclerosis : physical and psychologic contributors
ARCH.PHYS.MED.REHABIL. , 2009, Vol. 90, n° 4, p. 646-656

N° doc. : 140977

CREPON F
Electrostimulation antalgique par gate control
KINESITHER.SCL. , 2009, n° 501, p. 55-56

MOELLE

N° doc. : 140680

THOMPSON A ; HELM ESTABROOKS N ; CHONG SL
Spinal reflexes in ankle flexor and extensor muscles after chronic central nervous system lesions and functional electrical stimulation
NEUROREHABIL.NEURAL REPAIR , 2009, Vol. 23, n° 2, p. 133-142

N° doc. : 139292

MORSE L ; GELLER A ; BATTAGLINO RA ; STOLZMANN K
Barriers to providing dual energy X-ray absorptiometry services to individuals with spinal cord injury
AMJ.PHYS.MED.REHABIL. , 2009, Vol. 88, n° 1, p. 57-60

PARAPLEGIE

N° doc. : 139478

LAFFONT I ; GUILLON B ; FERMANIAN C ; POUILLOT S
Evaluation of a stair climbing power wheelchair in 25 people with tetraplegia
ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 10, p. 1958-1964

N° doc. : 139694

DAKHIL JEREW F ; BROOK S ; DERRY F
Autonomic dysreflexia triggered by breastfeeding in a tetraplegic mother
J.REHABIL.MED. , 2008, Vol. 40, n° 9, p. 780-782

N° doc. : 140400

HARVEY LA ; LIN CW ; GLINSKY J ; DE WOLF A
The effectiveness of physical interventions for people with spinal cord injuries
SPINAL CORD , 2009, Vol. 47, n° 3, p. 184-195

N° doc. : 140403

WANG D
Reticular formation and spinal cord injury
SPINAL CORD , 2009, Vol. 47, n° 3, p. 204-212

N° doc. : 140404

ALLEN D ; MULCAHEY MJ ; HALEY SM ; DEVIVO MJ
Motor scores on the functional independence measure after pediatric spinal cord injury
SPINAL CORD , 2009, Vol. 47, n° 3, p. 213-217

N° doc. : 140405

MORIYAMA H ; NISHIHARA K ; HOSODA M ; SAKA Y
Contrasting alteration patterns of different cartilage plates in knee articular cartilage after spinal cord injury in rats
SPINAL CORD , 2009, Vol. 47, n° 3, p. 218-224

N° doc. : 140406

KANNO N ; NAKAMURA T ; YAMANAKA M ; KOUDA K
Low echoic lesions underneath the skin in subjects with spinal cord injury
SPINAL CORD , 2009, Vol. 47, n° 3, p. 225-229

N° doc. : 140545

FATTAL C ; GAULT D ; LEBLOND C ; GOSENS D
Metastatic paraplegia : care management characteristics within a rehabilitation center
SPINAL CORD , 2009, Vol. 47, n° 2, p. 115-121

N° doc. : 140678

VAN HEDEL HJA ; DIETZ V
Walking during daily life can be validly and responsively assessed in subjects with a spinal cord injury
NEUROREHABIL.NEURAL REPAIR , 2009, Vol. 23, n° 2, p. 117-124

N° doc. : 140790

DE ARRUDA SERRA GASPAR MI ; CLIQUET JR A
Relationship between median nerve somatosensory evoked potentials and spinal cord injury levels in patients with quadriplegia
SPINAL CORD , 2009, Vol. 47, n° 5, p. 372-378

N° doc. : 140816

KRAUSE JS ; CARTER R ; ZHAI Y ; REED K
Psychologic factors and risk of mortality after spinal cord injury
ARCH.PHYS.MED.REHABIL. , 2009, Vol. 90, n° 4, p. 628-633

N° doc. : 140823

KRASSIOUKOV A ; WARBURTON DE ; TEASELL R ; ENG JJ
A systematic review of the management of autonomic dysreflexia after spinal cord injury
ARCH.PHYS.MED.REHABIL. , 2009, Vol. 90, n° 4, p. 682-695

N° doc. : 141147

HAMON MEKKI F
Faire découvrir de nouvelles sensations corporelles aux personnes blessées médullaires
SOINS , 2009, n° 737, p. 40-41

SEP

N° doc. : 139399

BERNARD M
Sclérose en plaques et rééducation vésico-sphinctérienne
KINE ACTUALITE , 2009, n° 1151, p. 2

N° doc. : 139233

FINLAYSON M ; CHO C
A descriptive profile of caregivers of older adults with MS and the assistance they provide
DISABIL.REHABIL. , 2008, Vol. 30, n° 24, p. 1848-1857

N° doc. : 139321

DEVILLERS J
Sclérose en plaques : A chaque patient sa prise en charge
KINE ACTUALITE , 2009, n° 1148, p. 19-22

N° doc. : 139439
FREEMAN JA ; PORTER B ; THOMPSON AJ
Neurorehabilitation in multiple sclerosis
TOP.SPINAL CORD INJ.REHABIL.,2008, Vol. 14, n° 2, p. 63-75

N° doc. : 139464
BOMBARDIER CH ; CUNNIFFE M ; WADHWANI R
The efficacy of telephone counseling for health promotion in people with multiple sclerosis
ARCH.PHYS.MED.REHABIL.,2008,Vol. 89, n° 10, p. 1849-1856

N° doc. : 139474
DOUGLAS C ; WOLLIN J ; WINDSOR C
Illness and demographic correlates of chronic pain among a community-based sample of people with multiple sclerosis
ARCH.PHYS.MED.REHABIL.,2008,Vol. 89, n° 10, p. 1923-1932

N° doc. : 139507
FINKELSTEIN J ; LAPSHIN O ; CASTRO H ; CHA E
Home based physical telerehabilitation in patients with multiple sclerosis
J.REHABIL.RES.DEV. , 2008, Vol. 45, n° 9, p. 1361-1374

N° doc. : 139687
JOHANSSON S ; YTTERBERG C ; BACK B
The swedish occupational fatigue inventory in people with multiple sclerosis
J.REHABIL.MED. , 2008, Vol. 40, n° 9, p. 737-743

N° doc. : 139847
SNOOK EM ; MOTL RW ; GLIOTTONI RC
The effect of walking mobility on the measurement of physical activity using accelerometry in multiple sclerosis
CLIN.REHABIL. , 2009, Vol. 23, n° 3, p. 248-258

N° doc. : 140133
STUIFBERGEN A ; BROWN A ; PHILLIPS L
Predictors and moderators of the disablement process in persons with multiple sclerosis
NEUROREHABILITATION , 2009, Vol. 24, n° 2, p. 119-129

N° doc. : 140462
KHURANA S ; BAMER AM ; TURNER AP ; WADHWANI R
The prevalence of overweight and obesity in veterans with multiple sclerosis
AM.J.PHYS.MED.REHABIL. , 2009, Vol. 88, n° 2, p. 83-91

N° doc. : 140677
SNOOK EM ; MOTL RW
Effect of exercise training on walking mobility in multiple sclerosis : a meta analysis
NEUROREHABIL.NEURAL REPAIR ,
2009, Vol. 23, n° 2, p. 108-116

N° doc. : 140710
GIVON U ; ZEILIG G ; ACHIRON A
Gait analysis in multiple sclerosis : characterization of temporal spatial parameters using GAITrite functional ambulation system
GAIT POSTURE , 2009, Vol. 29, n° 1, p. 138-142

N° doc. : 140743
TURNER AP ; KIVLAHAN DR ; HASELKORN JK
Exercise and quality of life among people with multiple sclerosis : looking beyond physical functioning to mental health and participation in life
ARCH.PHYS.MED.REHABIL. , 2009, Vol. 90, n° 3, p. 420-428

N° doc. : 140786
SOUPLET JC ; LEBRUN C ; CHANALET S ; AYACHE N
Revue des approches de segmentation des lésions de sclérose en plaques dans les séquences conventionnelles IRM
REV.NEUROL. (Paris) , 2009, Vol. 165, n° 1, p. 7-14

N° doc. : 140811
KAYES NM ; SCHLUTER PJ ; MCPHERSON KM ; LEETE M
Exploring actical accelerometers as an objective measure of physical activity in people with multiple sclerosis
ARCH.PHYS.MED.REHABIL. , 2009, Vol. 90, n° 4, p. 594-601

N° doc. : 140812
WIDENER G ; ALLEN D ; GIBSON HORN C
Balance based torso weighting may enhance balance in persons with multiple sclerosis : preliminary evidence
ARCH.PHYS.MED.REHABIL. , 2009, Vol. 90, n° 4, p. 602-609

N° doc. : 140818
HIRSH AT ; TURNER AP ; EHDE DM ; HASELKORN JK
Prevalence and impact of pain in multiple sclerosis : physical and psychological contributors
ARCH.PHYS.MED.REHABIL. , 2009, Vol. 90, n° 4, p. 646-656

TUMEUR

N° doc. : 139435
STUBBLEFIELD MD
Barriers to rehabilitation of the malignant spine
TOP.SPINAL CORD INJ.REHABIL.,2008, Vol. 14, n° 2, p. 19-30

N° doc. : 140547
PARK SB ; JAHNG TA ; CHUNG CK
The clinical outcomes after complete surgical resection of intramedullary cavernous angiomas : changes in motor and sensory symptoms
SPINAL CORD , 2009, Vol. 47, n° 2, p. 128-133

N° doc. : 140757
KOO DW ; TOWNSON AF ; DVORAK MF ; FISHER CG
Spinal epidural abscess : a 5-year case-controlled review of neurologic outcomes after rehabilitation
ARCH.PHYS.MED.REHABIL. , 2009, Vol. 90, n° 3, p. 512-516

MALADIES DEGENERATIVES DE LA MOELLE

N° doc. : 139433
MCKINLEY W
Nontraumatic spinal cord injury / disease : etiologies and outcomes
TOP.SPINAL CORD INJ.REHABIL. , 2008, Vol. 14, n° 2, p. 1-9

N° doc. : 139434
MCKINLEY W ; GRAHAM RS ; LEE K ; DINICOLA A
Cervical and lumbar spinal stenosis associated with myelopathy and cauda equina syndrome
TOP.SPINAL CORD INJ.REHABIL.,2008, Vol. 14, n° 2, p. 10-18

N° doc. : 139436
MERRELL C ; MCKINLEY W
Infection related spinal cord injury : etiologies and outcomes
TOP.SPINAL CORD INJ.REHABIL.,2008, Vol. 14, n° 2, p. 31-41

N° doc. : 139437
KAMIN SS ; GARSTANG S
Vascular disease of the spinal cord
TOP.SPINAL CORD INJ.REHABIL.,2008, Vol. 14, n° 2, p. 42-52

N° doc. : 139438
VOGEL LC ; STURM P
Management of patients with developmental and hereditary spinal cord disorders
TOP.SPINAL CORD INJ.REHABIL. ,2008, Vol. 14, n° 2, p. 53-62

N° doc. : 139440
FRANKLIN KL ; YOON DP ; ACUFF M ; JOHNSTONE B
Relationships among religiousness, spirituality and health for individuals with spinal cord injury
TOP.SPINAL CORD INJ.REHABIL.,2008, Vol. 14, n° 2, p. 76-81

N° doc. : 139475

STOELB BL ; CARTER GT ; ABRESCH RT ; PUREKAL S
Pain in persons with postpolio syndrome : frequency, intensity and impact
ARCH.PHYS.MED.REHABIL., 2008, Vol. 89, n° 10, p.1933-1940

N° doc. : 139476

MIDDLETON JW ; MCCORMICK M ; ENGEL S
Issues and challenges for development of a sustainable service model for people with spinal cord injury living in rural regions
ARCH.PHYS.MED.REHABIL., 2008, Vol. 89, n° 10, p.1941-1947

N° doc. : 139499

VORRINK SNW ; VAN DER WOUDE LHV ; MESSEBERG A
Comparison of wheelchair wheels in terms of vibration and spasticity in people with spinal cord injury
J.REHABIL.RES.DEV. , 2008, Vol. 45, n° 9, p. 1269-1280

N° doc. : 139514

GILLIS D ; WOUDA M ; HJELTNES N
Non pharmacological management of orthostatic hypotension after spinal cord injury - a critical review of the literature
SPINAL CORD , 2008, Vol. 46, n° 10, p. 652-659

N° doc. : 139515

BURTON AR ; BROWN R ; MACEFIELD GV
Selective activation of muscle and skin nociceptors does not trigger exaggerated sympathetic responses in spinal injured subjects
SPINAL CORD , 2008, Vol. 46, n° 10, p. 660-665

N° doc. : 139516

BROWN R ; MACEFIELD GV
Assessing the capacity of the sympathetic nervous system to respond to a cardiovascular challenge in human spinal cord injury
SPINAL CORD , 2008, Vol. 46, n° 10, p. 666-672

N° doc. : 139517

RAPIDI CA ; PETROPOULOU K ; GALATA A ; FRAGKAKI M
Neuropathic bladder dysfunction in patients with motor complete and sensory incomplete spinal cord lesion
SPINAL CORD , 2008, Vol. 46, n° 10, p. 673-678

N° doc. : 139518

LOMBARDI G ; MACCHIARELLA A ; CECCONI F ; AITO S
Sexual life of males over 50 years of age with spinal cord lesions of at least 20 years
SPINAL CORD , 2008, Vol. 46, n° 10, p. 679-683

N° doc. : 139519

BERGMARK BA ; WINOGRAD C ; KOOPMAN C
Residence and quality of life determinants for adults with tetraplegia of traumatic spinal cord injury etiology
SPINAL CORD , 2008, Vol. 46, n° 10, p. 684-689

N° doc. : 139520

MIGLIORINI CE ; ELFSTROM ML ; TONGE BJ
Translation and Australian validation of the spinal cord lesion related coping strategies and emotional wellbeing questionnaires
SPINAL CORD , 2008, Vol. 46, n° 10, p. 690-695

N° doc. : 139521

XIONG GX ; ZHANG J ; HONG Y ; GUAN Y ; GUAN H
Motor unit number estimation of the tibialis anterior muscle in spinal cord injury
SPINAL CORD , 2008, Vol. 46, n° 10, p. 696-702

N° doc. : 139522

LIDAL IB ; VEENSTRA M ; HJELTNES N ; BIERING
Health related quality of life in persons with long standing spinal cord injury
SPINAL CORD , 2008, Vol. 46, n° 11, p. 710-715

N° doc. : 139523

YONG T ; HUIYONG S ; LIN H ; YANFENG W ; WEI Y
Effect of intrathecal Papaverine on blood flow and secondary injury in injured cord
SPINAL CORD , 2008, Vol. 46, n° 11, p. 716-721

N° doc. : 139524

ZBOGAR D ; ENG JJ ; KRASSIOUKOV AV ; SCOTT JM
The effects of functional electrical stimulation leg cycle ergometry training on arterial compliance in individuals with spinal cord injury
SPINAL CORD , 2008, Vol. 46, n° 11, p. 722-726

N° doc. : 139525

ALEKNA V ; TAMULAITIENE M ; SINEVICIUS T
Effect of weight-bearing activities on bone mineral density in spinal cord injured patients during the period of the first two years
SPINAL CORD , 2008, Vol. 46, n° 11, p. 727-732

N° doc. : 139526

HARNESS ET ; YOZBATIRAN N ; CRAMER SC
Effects of intense exercise in chronic spinal cord injury
SPINAL CORD , 2008, Vol. 46, n° 11, p. 733-737

N° doc. : 139527

HIRSCHFELD S ; EXNER G ; LUUKKAALA T ; BAER G
Mechanical ventilation or phrenic nerve stimulation for treatment of spinal cord injury-induced respiratory insufficiency
SPINAL CORD , 2008, Vol. 46, n° 11, p. 738-742

N° doc. : 139528

BRESKOVIC T ; DENOBLE P ; PALADA I ; OBAD A ;
Venous gas bubble formation and decompression risk after scuba diving in persons with chronic spinal cord injury and able-bodied controls
SPINAL CORD , 2008, Vol. 46, n° 11, p. 743-747

N° doc. : 139529

NORDGREN C
On the need of validating inpatient registers
SPINAL CORD , 2008, Vol. 46, n° 11, p. 748-752

N° doc. : 139530

MCGEOCH PD ; RAMACHANDRAN VS
Vestibular stimulation can relieve central pain of spinal origin
SPINAL CORD , 2008, Vol. 46, n° 11, p. 756-757

N° doc. : 139531

RAWAL N ; SHARMA S ; SONI B
A case of silent rupture of an ectopic pregnancy
SPINAL CORD , 2008, Vol. 46, n° 11, p. 758-759

N° doc. : 139589

DAWSON J ; SHAMLEY D ; JAMOUS MA
A structured review of outcome measures used for the assessment of rehabilitation interventions for spinal cord injury
SPINAL CORD , 2008, Vol. 46, n° 12, p. 768-780

N° doc. : 139590

AHONIEMI E ; ALARANTA H ; HOKKINEN EM
Incidence of traumatic spinal cord injuries in Finland over a 30-year period
SPINAL CORD , 2008, Vol. 46, n° 12, p. 781-784

N° doc. : 139592

MAHMOOD NS ; KADAVIGERE R ; RAMESH AK ; RAO VR
Magnetic resonance imaging in acute cervical spinal cord injury : a correlative study on spinal cord changes and 1 month motor recovery
SPINAL CORD , 2008, Vol. 46, n° 12, p. 791-797

- N° doc. : 139593*
YATES C ; CHARLESWORTH A ; ALLEN S ; REESE NB
The onset of hyperreflexia in the rat following complete spinal cord transection
SPINAL CORD , 2008, Vol. 46, n° 12, p. 798-803
- N° doc. : 139594*
HANNA MITCHELL AT ; O'LEARY D ; MOBARAK MS
The impact of neurotrophin-3 on the dorsal root transitional zone following injury
SPINAL CORD , 2008, Vol. 46, n° 12, p. 804-810
- N° doc. : 139595*
WRIGHT KT ; EL MASRI W ; OSMAN A ; ROBERTS S
The cell culture expansion of bone marrow stromal cells from humans with spinal cord injury : implications for future cell transplantation therapy
SPINAL CORD , 2008, Vol. 46, n° 12, p. 811-817
- N° doc. : 139596*
WIDERSTROM NOGA E ; BIERING SORENSEN F ; BRYCE T
The international spinal cord injury pain basic data set
SPINAL CORD , 2008, Vol. 46, n° 12, p. 818-823
- N° doc. : 139682*
OSTLUND G ; WAHLIN A ; SUNNERHAGEN KS ; BORG K
Vitality among swedish patients with post-polio : a physiological phenomenon
J.REHABIL.MED. , 2008, Vol. 40, n° 9, p. 709-714
- N° doc. : 139688*
CHEN SL ; BIH LI ; HUANG YH ; TSAI SJ ; LIN TB ; KAO YL
Effect of single botulinum toxin A injection to the external urethral sphincter for treating detrusor external sphincter dyssynergia in spinal cord injury
J.REHABIL.MED. , 2008, Vol. 40, n° 9, p. 744-748
- N° doc. : 139708*
BROSE SW ; BONINGER ML ; FULLERTON B ; MCCANN T
Shoulder ultrasound abnormalities, physical examination findings and pain in manual wheelchair users with spinal cord injury
ARCH.PHYS.MED.REHABIL. ,2008, Vol. 89, n° 11, p 2086-2093
- N° doc. : 139709*
VAN DEN BERG EMONS RJ ; BUSSMANN JB ; HAISMA J
A prospective study on physical activity levels after spinal cord injury during inpatient rehabilitation and the year after discharge
ARCH.PHYS.MED.REHABIL. ,2008, Vol. 89, n° 11, p 2094-2101
- N° doc. : 139719*
BLENNERHASSETT JM ; JAYALATH VM
The four square step test in a feasible and valid clinical test of dynamic standing balance for use in ambulant people poststroke
ARCH.PHYS.MED.REHABIL.,2008, Vol. 89, n° 11, p 2156-2161
- N° doc. : 139720*
BALLAZ L ; FUSCO N ; CRETUAL A ; LANGELLA B
Peripheral vascular changes after home-based passive leg cycle exercise training in people with paraplegia
ARCH.PHYS.MED.REHABIL. ,2008, Vol. 89, n° 11, p 2162-2166
- N° doc. : 139896*
MYERS J
Cardiovascular disease after SCI : prevalence, instigators and risk clusters
TOP.SPINAL CORD INJ.REHABIL. , 2009, Vol. 14, n° 3, p. 1-14
- N° doc. : 139897*
NASH MS ; MENDEZ A
Nonfasting lipemia and inflammation as cardiovascular disease risks after SCI
TOP.SPINAL CORD INJ.REHABIL. 2009, Vol. 14, n° 3, p. 15-31
- N° doc. : 139898*
DYSON HUDSON T ; NASH MS
Guideline-driven assessment of cardiovascular disease and related risks after spinal cord injury
TOP.SPINAL CORD INJ.REHABIL. , 2009, Vol. 14, n° 3, p. 32-45
- N° doc. : 139899*
GOLDBERG R
Guideline-driven intervention on SCI-associated dyslipidemia, metabolic syndrome and glucose intolerance using pharmacological agents
TOP.SPINAL CORD INJ.REHABIL. , 2009, Vol. 14, n° 3, p. 46-57
- N° doc. : 139900*
FEASEL S ; GROAH SL
The impact of diet on cardiovascular disease risk in individuals with spinal cord injury
TOP.SPINAL CORD INJ.REHABIL. , 2009, Vol. 14, n° 3, p. 58-68
- N° doc. : 139901*
COWAN RE ; MALONE LA ; NASH MS
Exercise is medicine™ : exercise prescription after SCI to manage cardiovascular disease risk factors
TOP.SPINAL CORD INJ.REHABIL. , 2009, Vol. 14, n° 3, p. 69-83
- N° doc. : 139902*
GROAH SL ; SPUNGEN MI ; BAUMAN WA
Cardiovascular disease in individuals with spinal cord injury : toward best practice
TOP.SPINAL CORD INJ.REHABIL. , 2009, Vol. 14, n° 3, p. 84-98
- N° doc. : 140125*
GAULT D ; MOREL FATIO M ; ALBERT T ; FATTAL C
Chronic neuropathic pain of spinal cord injury : what is the effectiveness of psychocomportemental management ? = Douleur neuropathique chronique du blessé médullaire - Quelle est l'efficacité de la prise en charge psychocomportementale ?
ANN.PHYS.REHABIL.MED. , 2009, Vol. 52, n° 2, p. 167-172
- N° doc. : 140126*
GOOSSENS D ; DOUSSE M ; VENTURA M ; FATTAL C
Douleur neuropathique chronique du blessé médullaire - quelle est l'efficacité de la prise en charge sociale et environnementale ?
ANN.PHYS.REHABIL.MED. , 2009, Vol. 52, n° 2, p. 173-179
- N° doc. : 140127*
LAGAUCHE D ; FACIONE J ; ALBERT T ; FATTAL C
Douleur neuropathique chronique du blessé médullaire - quelle efficacité des stimulations médullaires ?
ANN.PHYS.REHABIL.MED. , 2009, Vol. 52, n° 2, p. 180-187
- N° doc. : 140128*
PREVINAIRE JG ; NGUYEN JP ; PERROUIN VERBE B
Douleur neuropathique chronique du blessé médullaire - Quelle efficacité des stimulations cérébrales (profondes et du cortex moteur) ?
ANN.PHYS.REHABIL.MED. , 2009, Vol. 52, n° 2, p. 188-193
- N° doc. : 140129*
ROBERT R ; PERROUIN VERBE B ; ALBERT T ; BUSSEL B
Douleur neuropathique chronique du blessé médullaire : quelle est l'efficacité des traitements chirurgicaux à l'exclusion des neurostimulations centrales ?
ANN.PHYS.REHABIL.MED. , 2009, Vol. 52, n° 2, p. 194-202
- N° doc. : 140139*
GONTKOVSKY ST ; RUSSUM P ; STOKIC DS
Comparison of the CIQ and chart short form in assessing community integration in individuals with chronic spinal cord injury
NEUROREHABILITATION , 2009, Vol. 24, n° 2, p. 185-192

N° doc. : 140402

KLOOSTERMAN MGM ; SNOEK GJ ; JANNINK MJA
Systematic review of the effects of exercise therapy on the upper extremity of patients with spinal cord injury
SPINAL CORD , 2009, Vol. 47, n° 3, p. 196-203

N° doc. : 140409

BASSETT RL ; GINIS KAM
More than looking good : impact on quality of life moderates the relationship between functional body image and physical activity in men with SCI
SPINAL CORD , 2009, Vol. 47, n° 3, p. 252-256

N° doc. : 140447

WADSWORTH BM ; HAINES TP ; CORNWELL PL ; PARATZ J
Abdominal binder use in people with spinal cord injuries : a systematic review and meta-analysis
SPINAL CORD , 2009, Vol. 47, n° 4, p. 274-285

N° doc. : 140448

KO HY ; SHIN YB ; SOHN HJ ; CHANG JH ; AHN YH
Unmyelinated fibers in human spinal ventral roots : C4 to S2
SPINAL CORD , 2009, Vol. 47, n° 4, p. 286-289

N° doc. : 140449

KENNEDY P ; SHERLOCK O ; SANDU N
Rehabilitation outcomes in people with pre-morbid mental health disorders following spinal cord injury
SPINAL CORD , 2009, Vol. 47, n° 4, p. 290-294

N° doc. : 140450

LANNEM AM ; SORENSEN M ; FROSLIE KF ; HJELTNES N
Incomplete spinal cord injury, exercise and life satisfaction
SPINAL CORD , 2009, Vol. 47, n° 4, p. 295-300

N° doc. : 140451

TAWASHY AE ; ENG JJ ; LIN KH ; TANG PF ; HUNG C
Physical activity is related to lower levels of pain, fatigue and depression in individuals with spinal cord injury : a correlational study
SPINAL CORD , 2009, Vol. 47, n° 4, p. 301-306

N° doc. : 140452

GUPTA A ; TALY AB ; SRIVASTAVA A ; MURALI T
Non-traumatic spinal cord lesions : epidemiology, complications, neurological and functional outcome in rehabilitation
SPINAL CORD , 2009, Vol. 47, n° 4, p. 307-311

N° doc. : 140453

SELLNER J ; LUTHI N ; SCHUPBACH WMM ; GEBHARDT A
Diagnostic workup of patients with acute transverse myelitis : spectrum of clinical presentation, neuroimaging and laboratory findings
SPINAL CORD , 2009, Vol. 47, n° 4, p. 312-317

N° doc. : 140454

WALTERS JL ; BUCHHOLZ AC ; MARTIN GINIS KA
Evidence of dietary inadequacy in adults with chronic spinal cord injury
SPINAL CORD , 2009, Vol. 47, n° 4, p. 318-322

N° doc. : 140455

COGRAVE M ; NORTON C ; WILSON BARNETT J
Management of neurogenic bowel dysfunction in the community after spinal cord injury - a postal survey in the United kingdom
SPINAL CORD , 2009, Vol. 47, n° 4, p. 323-333

N° doc. : 140456

ANDERSON KD ; FRIDEN J ; LIEBER RL
Acceptable benefits and risks associated with surgically improving arm function in individuals living with cervical spinal cord injury
SPINAL CORD , 2009, Vol. 47, n° 4, p. 334-338

N° doc. : 140457

OSTHERTHUN R ; POST MWM ; VAN ASBECK FW
Characteristics, length of stay and functional outcome of patients with spinal cord injury in dutch and flemish rehabilitation centres
SPINAL CORD , 2009, Vol. 47, n° 4, p. 339-344

N° doc. : 140543

GELIS A ; DUPEYRON A ; LEGROS P ; BENAÏM C
Pressure ulcer risk factors in persons with SCI - acute and rehabilitation stages (part I)
SPINAL CORD , 2009, Vol. 47, n° 2, p. 99-107

N° doc. : 140544

CRAIG A ; TRAN Y ; MIDDLETON J
Psychological morbidity and spinal cord injury
SPINAL CORD , 2009, Vol. 47, n° 2, p. 108-114

N° doc. : 140546

PREVINAIRE JG ; SOLER JM ; EL MASRY W ; DENYS P
Assessment of the sympathetic level of lesion in patients with spinal cord injury
SPINAL CORD , 2009, Vol. 47, n° 2, p. 122-127

N° doc. : 140548

CHRISTENSEN P ; EHLERS L
Cost-effectiveness of transanal irrigation versus conservative bowel management for spinal cord injury patients
SPINAL CORD , 2009, Vol. 47, n° 2, p. 138-143

N° doc. : 140549

FURUSAWA K ; SUGIYAMA H ; TOKUHIRO A
Topical anesthesia blunts the pressor response induced by bowel manipulation in subjects with cervical spinal cord injury
SPINAL CORD , 2009, Vol. 47, n° 2, p. 99-107

N° doc. : 140550

BARKER RN ; KENDALL MD ; AMSTERS DI ;
The relationship between quality of life and disability across the lifespan for people with spinal cord injury
SPINAL CORD , 2009, Vol. 47, n° 2, p. 149-155

N° doc. : 140551

GUIZAR SAHAGUN G ; RODRIGUEZ BALDERAS CA
Lack of neuroprotection with pharmacological pretreatment in a paradigm for anticipated spinal cord lesions
SPINAL CORD , 2009, Vol. 47, n° 2, p. 156-160

N° doc. : 140719

HAISMA J ; POST MW ; VAN DER WOUDE LH ; STAM HJ
Functional independence and health-related functional status following spinal cord injury : a prospective study of the association with physical capacity
J.REHABIL.MED. , 2008, Vol. 40, n° 10, p. 812-818

N° doc. : 140720

HUANG CC ; LIU C ; WENG MC ; CHEN TW ; HUANG MH
Association of C-reactive protein and insulin resistance in patients with chronic spinal cord injury
J.REHABIL.MED. , 2008, Vol. 40, n° 10, p. 819-822

N° doc. : 140745

VAN ALFEN N ; VAN DER WERF SP ; VAN ENGELEN B
Long term pain, fatigue and impairment in neuralgic amyotrophy
ARCH.PHYS.MED.REHABIL. , 2009, Vol. 90, n° 3, p. 435-439

N° doc. : 140756

GELIS A ; FATTAL C ; DUPEYRON A ; PEREZ MARTIN A
Reproducibility of transcutaneous oxygen pressure measurements in persons with spinal cord injury
ARCH.PHYS.MED.REHABIL. , 2009, Vol. 90, n° 3, p. 507-511

N° doc. : 140758

WEAVER FM ; BURNS SP ; EVANS CT ; RAPACKI LM
Provider perspectives on soldiers with new spinal cord injuries returning from Iraq and Afghanistan
ARCH.PHYS.MED.REHABIL. , 2009, Vol. 90, n° 3, p. 517-521

N° doc. : 140785

BOUREZGUI M ; RAFAI M ; EL MOUTAWAKKIL B
Syndrome de la queue de cheval révélant un neuroblastome
REV.NEUROL. (Paris) , 2008, Vol. 164, n° 12, p. 1048-1051

N° doc. : 140788

SIDDALL P
Management of neuropathic pain following spinal cord injury : now and in the future
SPINAL CORD , 2009, Vol. 47, n° 5, p. 352-359

N° doc. : 140789

HAGEN EM ; REKAND T ; GILHUS NE ; GRONNING M
Diagnostic coding accuracy for traumatic spinal cord injuries
SPINAL CORD , 2009, Vol. 47, n° 5, p. 367-371

N° doc. : 140791

BIERING SORENSEN F ; CRAGGS M ; KENNELLY M
International urinary tract imaging basic spinal cord injury data set
SPINAL CORD , 2009, Vol. 47, n° 5, p. 379-383

N° doc. : 140793

CRUZ ALMEIDA Y ; ALAMEDA G ; WIDERSTROM NOGA EG
Differentiation between pain-related interference and interference caused by the functional impairments of spinal cord injury
SPINAL CORD , 2009, Vol. 47, n° 5, p. 390-395

N° doc. : 140794

FLEUREN JF ; VOERMAN GE ; SNOEK GJ ; NENE AV
Perception of lower limb spasticity in patients with spinal cord injury
SPINAL CORD , 2009, Vol. 47, n° 5, p. 396-400

N° doc. : 140795

RIBARIC JANKES K ; COBELJIC R ; SVETEL M ; PESIC B
Vestibular function after spinal cord injury
SPINAL CORD , 2009, Vol. 47, n° 5, p. 401-404

N° doc. : 140796

BIERING SORENSEN T ; HANSEN RB ;
BIERING SORENSEN F
Home aids and personal assistance 10-45 years after spinal cord injury
SPINAL CORD , 2009, Vol. 47, n° 5, p. 405-412

N° doc. : 140798

NYGREN BONNIER M ; WAHMAN K ; LINDHOLM P
Glossopharyngeal pistoning for lung insufflation in patients with cervical spinal cord injury
SPINAL CORD , 2009, Vol. 47, n° 5, p. 418-422

N° doc. : 140799

CALDER KB ; ESTORES IM ; KRASSIOUKOV A
Autonomic dysreflexia and associated acute neurogenic pulmonary edema in a patient with spinal cord injury
SPINAL CORD , 2009, Vol. 47, n° 5, p. 423-425

N° doc. : 141198

BAUCHET L ; LONJON N ; PERRIN F ; GILBERT C ;
stratégies de réparation de la moelle épinière lésée : références et informations
ANN.PHYS.REHABIL.MED. , 2009, Vol. 52, n° 4, p. 330-351

ENCEPHALE

N° doc : 140599

DE BODE S ; FRITZ SL ; WEIR HAYNES K ; MATHERN GW
Constraint induced movement therapy for individuals after cerebral hemispherectomy
PHYS.THER. , 2009, Vol. 89, n° 4, p. 361-369

TROUBLES CIRCULATOIRES CEREBRAUX

N° doc. : 139191

THOMAS SA ; LINCOLN NB
Depression and cognitions after stroke : validation of the stroke cognitions questionnaire revised (SCQR)
DISABIL.REHABIL. , 2008, Vol. 30, n° 23, p. 1779-1785

N° doc. : 139231

LEIBOWITZ N ; LEVY N ; WEINGARTEN S ; GRINBERG Y
Automated measurement of proprioception following stroke
DISABIL.REHABIL. , 2008, Vol. 30, n° 24, p. 1829-1836

N° doc. : 139234

DE WIT L ; PUTMAN K ; BAERT I ; LINCOLN NB ; ANGST F
Anxiety and depression in the first six months after stroke - a longitudinal multicentre study
DISABIL.REHABIL. , 2008, Vol. 30, n° 24, p. 1858-1866

N° doc. : 139289

MARCINIAK C ; KORUTZ AW ; LIN E ; ROTH E ; WELTY L
Examination of selected clinical factors and medication use as risk factors for pneumonia during stroke rehabilitation
AM.J.PHYS.MED.REHABIL. , 2009, Vol. 88, n° 1, p. 30-38

N° doc. : 139453

PASIAN D
Mise en situation professionnelle avec un patient hémiplégique: démystifier le bilan
KINESITHER.REV. , 2009, n° 88, p. 28-30

N° doc. : 139459

TANG A ; CLOSSON V ; MARZOLINI S ; OH P
Cardiac rehabilitation after stroke : need and opportunity
J.CARDIOPULMONARY REHABIL.PREV. , 2009, Vol. 29, n° 2, p. 97-104

N° doc. : 139465

BURGE E ; KUPPER D ; FINCKH A ; RYERSON S
Neutral functional realignment orthosis prevents hand pain in patients with subacute stroke
ARCH.PHYS.MED.REHABIL.,2008,Vol. 89, n° 10, p. 1857-1862

N° doc. : 139471

BERLOWITZ D ; HOENIG H ; COWPER D
Impact of comorbidities on stroke rehabilitation outcomes : does the method matter ?
ARCH.PHYS.MED.REHABIL.,2008, Vol. 89, n° 10, p.1903-1906

N° doc. : 139473

TURK R ; BURRIDGE JH ; DAVIS R ; COSENDAI G
Therapeutic effectiveness of electric stimulation of the upper-limb poststroke using implanted microstimulators
ARCH.PHYS.MED.REHABIL. ,2008, Vol.89, n° 10, p.1913-1922

N° doc. : 139508

HAYES J ; VOGEL B ; REKER D
Factors associated with VHA costs of care for first 12 months after first stroke
J.REHABIL.RES.DEV. , 2008, Vol. 45, n° 9, p. 1375-1384

N° doc. : 139586

WINKENS I ; VAN HEUGTEN C ; FASOTTI L ; WADE DT
Reliability and validity of two new instruments for measuring aspects of mental slowness in the daily lives of stroke patients
NEUROPSYCHOL.REHABIL. , 2009, Vol. 19, n° 1, p. 64-85

N° doc. : 139604

ONUWUGHA E ; WEIR MR
The dual impact of rehabilitation admission and race / ethnicity on discharge against medical advice
NEUROREHABILITATION , 2009, Vol. 24, n° 1, p. 67-74

N° doc. : 139684

CARVALHO C ; WILLEN C ; SUNNERHAGEN KS
Relationship between walking function and one-legged bicycling test in subjects in the later stage post-stroke
J.REHABIL.MED. , 2008, Vol. 40, n° 9, p. 721-726

N° doc. : 139685

ROORDA LD ; GREEN J ; DE KLUIS KRA ; MOLENAAR IW
Excellent cross-cultural validity, intra-test reliability and construct validity of the dutch rivermead mobility index in patients after stroke undergoing rehabilitation
J.REHABIL.MED. , 2008, Vol. 40, n° 9, p. 727-732

N° doc. : 139703

PLOUGHMAN M ; MCCARTHY J ; BOSSE M ; SULLIVAN HJ
Does treadmill exercise improve performance of cognitive or upper-extremity tasks in people with chronic stroke ?
ARCH.PHYS.MED.REHABIL. ,2008, Vol.89, n° 11, p.2041-2047

N° doc. : 139715

IWAMURO BT ; CRUZ EG ; CONNELLY LL ; FISCHER HC
Effect of a gravity-compensating orthosis on reaching after stroke : evaluation of the therapy assistant WREX
ARCH.PHYS.MED.REHABIL., 2008, Vol.89, n° 11, p.2121-2128

N° doc. : 139842

SMITH J ; FORSTER A ; YOUNG J
Cochrane review : information provision for stroke patients and their caregivers
CLIN.REHABIL. , 2009, Vol. 23, n° 3, p. 195-206

N° doc. : 139844

CASADIO M ; GIANNONI P ; MORASSO P ; SANGUINETI V
A proof of concept study for the integration of robot therapy with physiotherapy in the treatment of stroke patients
CLIN.REHABIL. , 2009, Vol. 23, n° 3, p. 217-228

N° doc. : 139888

RASQUIN SMC ; VAN DE SANDE P ; PRAAMSTRA AJ
Cognitive behavioural intervention for depression after stroke
NEUROPSYCHOL.REHABIL. , 2009, Vol. 19, n° 2, p. 208-222

N° doc. : 139937

UCHINO K ; PARY J ; GROTTA J
Acute stroke care
Cambridge : Cambridge University Press, 2007, 212 p.

N° doc. : 140136

JANG SH ; PARK K ; AHN SH ; CHO YW ; BYUN WM ; SON SM ; CHOI J ; KWON YH
Transcallosal fibers from corticospinal tract in patients with cerebral infarct
NEUROREHABILITATION , 2009, Vol. 24, n° 2, p. 159-164

N° doc. : 140290

WARNET S
La prise en charge de l'AVC en phase aiguë
REV.INFIRM. , 2009, n° 151, p. 15-30

N° doc. : 140365

CROW J ; HARMELING VAN DER WEL BC
Hierarchical properties of the motor function sections of the Fugl-Meyer assessment scale for people after stroke
PHYS.THER. , 2008, Vol. 88, n° 12, p. 1554-1567

N° doc. : 140463

KUPTNIRATSAIKUL V ; KOVINDHA A ;
Complication during the rehabilitation period in Thai patients with stroke
AM.J.PHYS.MED.REHABIL. , 2009, Vol. 88, n° 2, p. 92-99

N° doc. : 140464

GREGORY PC ; HAN E
Disparities in postacute stroke rehabilitation disposition to acute inpatient rehabilitation vs. home : findings from the North Carolina hospital discharge database
AM.J.PHYS.MED.REHABIL. , 2009, Vol. 88, n° 2, p. 100-107

N° doc. : 140540

VAN NES IJW ; NIENHUIS B ; LATOUR H ; GEURTS ACH
Posturographic assessment of sitting balance recovery in the subacute phase of stroke
GAIT POSTURE , 2008, Vol. 28, n° 3, p. 507-512

N° doc. : 140676

CHEERAN B ; COHEN L ; DOBKIN B ; FORD G
The future of restorative neurosciences in stroke : driving the translational research pipeline from basic science to rehabilitation of people after stroke
NEUROREHABIL.NEURAL REPAIR , 2009, Vol. 23, n° 2, p. 97-107

N° doc. : 140679

FUJIWARA T ; KASASHIMA Y ; HONAGA K ; MURAOKA Y
Motor improvement and corticospinal modulation induced by hybrid assistive neuromuscular dynamic stimulation (HANDS) therapy in patients with chronic stroke
NEUROREHABIL.NEURAL REPAIR , 2009, Vol. 23, n° 2, p. 125-132

N° doc. : 140682

BRODTMANN A ; PUCE A ; DARBY D ; DONNAN G
Serial functional imaging poststroke reveals visual cortex reorganization
NEUROREHABIL.NEURAL REPAIR , 2009, Vol. 23, n° 2, p. 150-159

N° doc. : 140683

LIN KC ; WU CY ; LIU J ; CHEN YT ; HSU CJ
Constraint induced therapy versus dose-matched control intervention to improve motor ability, basic/extended daily functions and quality of life in stroke
NEUROREHABIL.NEURAL REPAIR , 2009, Vol. 23, n° 2, p. 160-165

N° doc. : 140685

ORRELL AJ ; MASTERS RSW ; EVES FF
Reinvestment and movement disruption following stroke
NEUROREHABIL.NEURAL REPAIR , 2009, Vol. 23, n° 2, p. 177-183

N° doc. : 140686

MANGOLD S ; SCHUSTER C ; KELLER T
Motor training of upper extremity with functional electrical stimulation in early stroke rehabilitation
NEUROREHABIL.NEURAL REPAIR , 2009, Vol. 23, n° 2, p. 184-190

N° doc. : 140689

STEPHENSON J ; LAMONTAGNE A ; DE SERRES SJ
The coordination of upper and lower limb movements during gait in healthy and stroke individuals
GAIT POSTURE , 2009, Vol. 29, n° 1, p. 11-16

N° doc. : 140709

JONKERS I ; DELP S ; PATTEN C
Capacity to increase walking speed is limited by impaired hip and ankle power generation in lower functioning persons post stroke
GAIT POSTURE , 2009, Vol. 29, n° 1, p. 129-137

N° doc. : 140716

ASHFORD S ; SLADE M ; MALAPRADE F
Evaluation of function outcome measures for the hemiparetic upper limb
J.REHABIL.MED. , 2008, Vol. 40, n° 10, p. 787-795

N° doc. : 140722
 KARATEPE A ; GUNAYDIN R ; KAYA T ; TURKMEN G
Comorbidity in patients after stroke : impact on functional outcome
 J.REHABIL.MED. , 2008, Vol. 40, n° 10, p. 831-835

N° doc. : 140723
 BOUFFIOLX E ; ARNOULD C ; THONNARD JL
Statis stroke : a satisfaction measure of activities and participation in the actual environment experienced by patients with chronic stroke
 J.REHABIL.MED. , 2008, Vol. 40, n° 10, p. 836-843

N° doc. : 140724
 HAN DS ; PAN SL ; CHEN SY ; LIE SK ; LIEN IN ; WANG TG
Predictors of long term survival after stroke in Taiwan
 J.REHABIL.MED. , 2008, Vol. 40, n° 10, p. 844-849

N° doc. : 140741
 RIMMER JH ; RAUWORTH A ; WANG EC ; NICOLA TL
A preliminary study to examine the effects of aerobic and therapeutic (nonaerobic) exercise on cardiorespiratory fitness and coronary risk reduction in stroke survivors
 ARCH.PHYS.MED.REHABIL. , 2009, Vol. 90, n° 3, p. 407-412

N° doc. : 140751
 TYSON SF ; ROGERSON L
Assistive walking devices in nonambulant patients undergoing rehabilitation after stroke : the effects on functional mobility, walking impairments and patients' opinion
 ARCH.PHYS.MED.REHABIL. , 2009, Vol. 90, n° 3, p. 475-479

N° doc. : 140752
 GERRITS K ; BELTMAN JM ; KOPPE P ; KONIJNENBELT H
Isometric muscle function of knee extensors and the relation with functional performance in patients with stroke
 ARCH.PHYS.MED.REHABIL. , 2009, Vol. 90, n° 3, p. 480-487

N° doc. : 140753
 MANNS P ; TOMCZAK CR ; JELANI A ; CRESS ME
Use of the continuous scale physical functional performance test in stroke survivors
 ARCH.PHYS.MED.REHABIL. , 2009, Vol. 90, n° 3, p. 488-493

N° doc. : 140754
 WOOD J ; CONNELLY DM ; MALY MR
Holding me back : living with arthritis while recovering from stroke
 ARCH.PHYS.MED.REHABIL. , 2009, Vol. 90, n° 3, p. 494-500

N° doc. : 140755
 CHAE J ; JEDLICKA L
Subacromial corticosteroid injection for poststroke shoulder pain
 ARCH.PHYS.MED.REHABIL. , 2009, Vol. 90, n° 3, p. 501-506

N° doc. : 140780
 KUMAR P ; SWINKELS A
A critical review of shoulder subluxation and its association with other post-stroke complications
 PHYS.THER.REV. , 2009, Vol. 14, n° 1, p. 13-25

N° doc. : 140797
 RICE I ; IMPINK B ; NIYONKURU C ; BONINGER M
Manual wheelchair stroke characteristics during an extended period of propulsion
 SPINAL CORD , 2009, Vol. 47, n° 5, p. 413-417

N° doc. : 140970
 VINCENT S ; PRADAT DIEHL P
Bilan et rééducation en kinésithérapie de patients hémiparétiques gauches avec une négligence spatiale unilatérale associée
 KINESITHER.SCI. , 2009, n° 501, p. 5-18

N° doc. : 141178
 ROUSSEAUX M ; DAVELUY W ; KOZLOWSKI O
Intérêt et efficacité de la sortie précoce et accompagnée des unités neurovasculaires
 ANN.PHYS.REHABIL.MED. , 2009, Vol. 52, n° 3, p. 224-233

N° doc. : 141182
 OUJAMAA L ; RELAVE I ; FROGER J ; MOTTET D
rééducation de la préhension après hémiparésie vasculaire
 ANN.PHYS.REHABIL.MED. , 2009, Vol. 52, n° 3, p. 269-293

TRAUMATISME CRANIEN

N° doc. : 139285
 LEW HL ; GRAY M ; POOL J
Simultaneous measurement of perceptual and motor cortical potentials : implications for assessing information processing in traumatic brain injury
 AM.J.PHYS.MED.REHABIL. , 2009, Vol. 88, n° 1, p. 1-6

N° doc. : 139347
 TAILLEFER C ; PONCET F ; CHEVIGNARD M ; PICQ C
Evaluations "écologiques" et rééducation du syndrome dysexécutif en ergothérapie
 ERGOTHERAPIES , 2009, n° 33, p. 25-43

N° doc. : 139348
 BARD R ; COMBEY A
Toxine botulinique et membre supérieur de l'enfant cérébro-lésé : schémas pathologiques et outils ergothérapeutiques pour l'évaluation du membre supérieur du jeune enfant cérébro-lésé
 ERGOTHERAPIES , 2009, n° 33, p. 45-58

N° doc. : 139400
 COOPER J ; REYNOLDS F ; BATEMAN A
An evaluation of a fatigue management intervention for people with acquired brain injury - an exploratory study
 BR.J.OCCUP.THER. , 2009, Vol. 72, n° 4, p. 174-179

N° doc. : 139415
 ASHMAN T ; CANTOR JB ; GORDON WA ; SACKS A
A comparison of cognitive functioning in older adults with and without traumatic brain injury
 J.HEAD TRAUMA REHABIL. , 2008, Vol. 23, n° 3, p. 139-148

N° doc. : 139416
 BREED S ; SACKS A ; ASHMAN T ; GORDON WA
Cognitive functioning among individuals with traumatic brain injury, Alzheimer's disease and no cognitive impairments
 J.HEAD TRAUMA REHABIL. , 2008, Vol. 23, n° 3, p. 149-157

N° doc. : 139417
 YAP SGM ; CHUA KSG
Rehabilitation outcomes in elderly patients with traumatic brain injury in Singapore
 J.HEAD TRAUMA REHABIL. , 2008, Vol. 23, n° 3, p. 158-163

N° doc. : 139418
 SARMIENTO K ; LANGLOIS JA ; MITCHKO J
Help seniors live better, longer : prevent brain injury - An overview of CDC's education initiative to prevent fall-related TBI among older adults
 J.HEAD TRAUMA REHABIL. , 2008, Vol. 23, n° 3, p. 164-167

N° doc. : 139419
 FELICETTI T
An update on activities of the long-term issues task force
 J.HEAD TRAUMA REHABIL. , 2008, Vol. 23, n° 3, p. 168-170

N° doc. : 139420
 BALLESTEROS J ; GIEMES I ; IBARRA N ; QUEMADA JI
The effectiveness of Donepezil for cognitive rehabilitation after traumatic brain injury
 J.HEAD TRAUMA REHABIL. , 2008, Vol. 23, n° 3, p. 171-180

- N° doc. : 139421*
BUSH S
Ethical cross-training in head trauma rehabilitation
J.HEAD TRAUMA REHABIL. , 2008, Vol. 23, n° 3, p. 181-184
- N° doc. : 139422*
LYNCH WJ
Everyday living assessment in cognitive evaluations
J.HEAD TRAUMA REHABIL. , 2008, Vol. 23, n° 3, p. 185-188
- N° doc. : 139427*
MALLEY D ; COOPER J ; COPE J
Adapting leisure activity for adults with neuropsychological deficits following acquired brain injury
NEUROREHABILITATION , 2008, Vol. 23, n° 4, p. 329-334
- N° doc. : 139469*
PAGULAYAN KF ; HOFFMAN JM ; TEMKIN NR
Functional limitations and depression after traumatic brain injury
ARCH.PHYS.MED.REHABIL.2008, Vol. 89, n° 10, p. 1887-1892
- N° doc. : 139486*
WERTHEIMER J ; HANKS RA ; HASENAU DL
Comparing functional status and community integration in severe penetrating and motor vehicle-related brain injuries
ARCH.PHYS.MED.REHABIL. 2008, Vol. 89, n° 10, p. 1983-1990
- N° doc. : 139584*
EILANDER HJ ; VAN DE WIEL M ; WIJERS M
The reliability and validity of the PALOC-s : a post-acute level of consciousness scale for assessment of young patients with prolonged disturbed consciousness after brain injury
NEUROPSYCHOL.REHABIL. , 2009, Vol. 19, n° 1, p. 1-27
- N° doc. : 139587*
LLOYD J ; RILEY GA ; POWELL T
Errorless learning of novel routes through a virtual tow in people with acquired brain injury
NEUROPSYCHOL.REHABIL. , 2009, Vol. 19, n° 1, p. 98-109
- N° doc. : 139588*
PARE N ; RABIN LA ; FOGEL J ; PEPIN M
Mild traumatic brain injury and its sequelae : characterisation of divided attention deficits
NEUROPSYCHOL.REHABIL. , 2009, Vol. 19, n° 1, p. 110-137
- N° doc. : 139598*
ARANGO LASPRILLA JC ; KETCHUM JM ; GARY K
Race / ethnicity differences in satisfaction with life among persons with traumatic brain injury
NEUROREHABILITATION , 2009, Vol. 24, n° 1, p. 5-14
- N° doc. : 139599*
SANDER AM ; PAPPADIS MR ; DAVIS LC ; CLARK A
Relationship of race / ethnicity and income to community integration following traumatic brain injury : investigation in a non-rehabilitation trauma sample
NEUROREHABILITATION , 2009, Vol. 24, n° 1, p. 15-27
- N° doc. : 139600*
MASCIALINO G ; HIRSHSON C ; EGAN M ; CANTOR J
Objective and subjective assessment of long-term community integration in minority groups following traumatic brain injury
NEUROREHABILITATION , 2009, Vol. 24, n° 1, p. 29-36
- N° doc. : 139680*
TURNER STOKES L
Evidence for the effectiveness of multi-disciplinary rehabilitation following acquired brain injury : a synthesis of two systematic approaches
J.REHABIL.MED. , 2008, Vol. 40, n° 9, p. 691-701
- N° doc. : 139686*
SCHANKE AK ; RIKE PO ; MOLMEN A ; OSTEN P
Driving behaviour after brain injury : a follow-up of accident rate and driving patterns 6-9 years post-injury
J.REHABIL.MED. , 2008, Vol. 40, n° 9, p. 733-736
- N° doc. : 139714*
HANSEN T ; LARSEN K ; ENGBERG AW
The association of functional oral intake and pneumonia in patients with severe traumatic brain injury
ARCH.PHYS.MED.REHABIL.2008, Vol. 89, n° 11, p. 2114-2120
- N° doc. : 139729*
WADE SL ; CHERTKOFF WALZ N ; CAREY JAC
Preliminary efficacy of a web-based family problem solving treatment program for adolescents with traumatic brain injury
J.HEAD TRAUMA REHABIL. , 2008, Vol. 23, n° 6, p. 369-377
- N° doc. : 139731*
MCGRATH N ; DOWDS M ; GOLDSTEIN R
Clinical supervision of a client with traumatic brain injury in a host home placement using video teleconferencing
J.HEAD TRAUMA REHABIL. , 2008, Vol. 23, n° 6, p. 388-393
- N° doc. : 139732*
ZALOSHNIJA E ; MILLER T ; LANGLOIS JA ; SELASSIE AW
Prevalence of long-term disability from traumatic brain injury in the civilian population of the united states, 2005
J.HEAD TRAUMA REHABIL. , 2008, Vol. 23, n° 6, p. 394-400
- N° doc. : 139733*
BRENNER L ; HARWOOD JEF ; HOMAIFAR BY
Psychiatric hospitalization and veterans with traumatic brain injury - a retrospective study
J.HEAD TRAUMA REHABIL. , 2008, Vol. 23, n° 6, p. 401-406
- N° doc. : 139734*
HAXEL BR ; GRANT L ; MACKAY SIM A
Olfactory dysfunction after head injury
J.HEAD TRAUMA REHABIL. , 2008, Vol. 23, n° 6, p. 407-413
- N° doc. : 139735*
PRIGATANO GP
The problem of not developing normally and pediatric neuropsychological rehabilitation : the Mitchell Rosenthal lecture
J.HEAD TRAUMA REHABIL. , 2008, Vol. 23, n° 6, p. 414-422
- N° doc. : 139769*
MARCANTUONO JT ; PRIGATANO GP
A holistic brain injury rehabilitation program for school age children
NEUROREHABILITATION , 2008, Vol. 23, n° 6, p. 457-466
- N° doc. : 139803*
COOK L ; CHAPMAN SB ; LEVIN HS
Self regulation abilities in children with severe traumatic brain injury : a preliminary investigation of naturalistic action
NEUROREHABILITATION , 2008, Vol. 23, n° 6, p. 467-475
- N° doc. : 139806*
GLANG A ; TODIS B ; THOMAS CW ; HOOD D ; BEDELL G
Return to school following childhood TBI : who gets services ?
NEUROREHABILITATION , 2008, Vol. 23, n° 6, p. 477-486
- N° doc. : 139807*
DEPOMPEI R ; GILLETTE Y ; GOETZ E
Practical applications for use of PDAs and smartphones with children and adolescents who have traumatic brain injury
NEUROREHABILITATION , 2008, Vol. 23, n° 6, p. 487-499
- N° doc. : 139815*
TURKSTRA LS ; WILLIAMS H ; TONKS J ; FRAMPTON I
Measuring social cognition in adolescents : implications for students with TBI returning to school
NEUROREHABILITATION , 2008, Vol. 23, n° 6, p. 501-509

N° doc. : 139816

KENNEDY MRT ; KRAUSE M ; TURKSTRA LS
An electronic survey about college experiences after traumatic brain injury
NEUROREHABILITATION , 2008, Vol. 23, n° 6, p. 511-520

N° doc. : 139817

MACLENNAN DL ; MACLENNAN DC
Assessing readiness for post-secondary education after traumatic brain injury using a simulated college experience
NEUROREHABILITATION , 2008, Vol. 23, n° 6, p. 521-528

N° doc. : 139818

PROCTOR A ; ZHANG J
Performance of three racial/ethnic groups on two tests of executive function : clinical implications for traumatic brain injury (TBI)
NEUROREHABILITATION , 2008, Vol. 23, n° 6, p. 529-536

N° doc. : 139886

HART T ; SEIGNOUREL PJ ; SHERER M
A longitudinal study of awareness of deficit after moderate to severe traumatic brain injury
NEUROPSYCHOL.REHABIL. , 2009, Vol. 19, n° 2, p. 161-176

N° doc. : 139887

BOTTARI C ; DASSA C ; RAINVILLE C ; DUTIL E
The factorial validity and internal consistency of the instrumental activities of daily living profile in individuals with a traumatic brain injury
NEUROPSYCHOL.REHABIL. , 2009, Vol. 19, n° 2, p. 177-207

N° doc. : 139921

BELANGER HG ; UOMOTO JM ; VANDERPLOEG RD
The veterans health administration system of care for mild traumatic brain injury : costs, benefits and controversies
J.HEAD TRAUMA REHABIL. , 2009, Vol. 24, n° 1, p. 4-13

N° doc. : 139922

TERRIO H ; BRENNER L ; IVINS B ; CHO JM ; HELMICK K
Traumatic brain injury screening : preliminary findings in a US army brigade combat team
J.HEAD TRAUMA REHABIL. , 2009, Vol. 24, n° 1, p. 14-23

N° doc. : 139923

IVINS B ; KANE R ; SCHWAB KA
Performance on the automated neuropsychological assessment metrics in a nonclinical sample of soldiers screened for mild TBI after returning from Iraq and Afghanistan -J.HEAD TRAUMA REHABIL. , 2009, Vol. 24, n° 1, p. 24-31

N° doc. : 139925

WEICHEL ED ; COLYER MH ; BAUTISTA C ; BOWER KS
Traumatic brain injury associated with combat ocular trauma
J.HEAD TRAUMA REHABIL. , 2009, Vol. 24, n° 1, p. 41-50

N° doc. : 139926

LEW HL ; ROSEN PN ; THOMANDER D ; POOLE JH
The potential utility of driving simulators in the cognitive rehabilitation of combat-returnees with traumatic brain injury
J.HEAD TRAUMA REHABIL. , 2009, Vol. 24, n° 1, p. 51-56

N° doc. : 139927

HAN S ; SUZUKI H ; DRAKE AI ; JAK AJ ; HOUSTON WS
Clinical, cognitive and genetic predictors of change in job status following traumatic brain injury in a military population
J.HEAD TRAUMA REHABIL. , 2009, Vol. 24, n° 1, p. 57-64

N° doc. : 139928

MCALLISTER TW
Polymorphisms in genes modulating the dopamine system : do they influence outcome and response to medication after traumatic brain injury ?
J.HEAD TRAUMA REHABIL. , 2009, Vol. 24, n° 1, p. 65-68

N° doc. : 139929

CULLEN N ; PERERA J
Heterotopic ossification : pharmacologic options
J.HEAD TRAUMA REHABIL. , 2009, Vol. 24, n° 1, p. 69-71

N° doc. : 140137

FONG KNK ; CHAN M ; NG PP ; SERENA SW ; PHILLIPS J
Measuring processing speed after traumatic brain injury in the outpatient clinic
NEUROREHABILITATION , 2009, Vol. 24, n° 2, p. 165-173

N° doc. : 140138

BROWN D ; ROSE D ; LYONS E ; QUALLS C ; PHILLIPS J
Self-generated expressions of residual complaints following brain injury
NEUROREHABILITATION , 2009, Vol. 24, n° 2, p. 175-183

N° doc. : 140213

BIGLER ED ; BROOKS M
Traumatic brain injury and forensic neuropsychology
J.HEAD TRAUMA REHABIL. , 2009, Vol. 24, n° 2, p. 76-87

N° doc. : 140216

FREDERICK R ; BOWDEN SC
Evaluating constructs represented by symptom validity tests in forensic neuropsychological assessment of traumatic brain injury
J.HEAD TRAUMA REHABIL. , 2009, Vol. 24, n° 2, p. 105-122

N° doc. : 140217

BAILEY C ; BARTH JT ; BENDER SD
SLAM on the stand : how the sports-related concussion literature can inform the expert witness
J.HEAD TRAUMA REHABIL. , 2009, Vol. 24, n° 2, p. 123-130

N° doc. : 140218

RUFF R
Best practice guidelines for forensic neuropsychological examinations of patients with traumatic brain injury
J.HEAD TRAUMA REHABIL. , 2009, Vol. 24, n° 2, p. 131-140

N° doc. : 140725

WHELAN GOODINSON R ; PONSFORD J ; SCHONBERG M
Association between psychiatric state and outcome following traumatic brain injury
J.REHABIL.MED. , 2008, Vol. 40, n° 10, p. 850-857

N° doc. : 140742

RELYEA CHEW A ; HOLLINGSWORTH W ; CHAN L
Personal bankruptcy after traumatic brain or spinal cord injury : the role of medical debt
ARCH.PHYS.MED.REHABIL. , 2009, Vol. 90, n° 3, p. 413-419

N° doc. : 140810

WILLIAMS G ; MORRIS ME ; SCHACHE A ; MCCRORY PR
Incidence of gait abnormalities after traumatic brain injury
ARCH.PHYS.MED.REHABIL. , 2009, Vol. 90, n° 4, p. 587-593

N° doc. : 141148

ETCHARRY BOUX F ; TITARD H ; LAMBERT A
Le vieillissement des personnes traumatisées crâniennes
RESURGENCES , 2009, n° 39, p. 6-9

HYDOCEPHALIE LCR

N° doc. : 139683

FEICK D ; SICKMOND J ; METELLUS P ; WILLIAMS M
Sensitivity and predictive value of occupational and physical therapy assessments in the functional evaluation of patients with suspected normal pressure hydrocephalus
J.REHABIL.MED. , 2008, Vol. 40, n° 9, p. 715-720

PARKINSON

N° doc. : 139505

SKIDMORE FM ; MACKMAN CA ; PAV B ; SHULMAN LM
Daily ambulatory activity levels in idiopathic Parkinson disease
J.REHABIL.RES.DEV. , 2008, Vol. 45, n° 9, p. 1343-1348

N° doc. : 139845

MA HI ; HWANG WJ ; LIN KC
The effects of two different auditory stimuli on functional arm movement in persons with Parkinson's disease - a dual task paradigm
CLIN.REHABIL. , 2009, Vol. 23, n° 3, p. 229-237

N° doc. : 140134

PLOWMAN PRINE EK ; OKUN MS ; SAPIENZA C
Perceptual characteristics of Parkinsonian speech : a comparison of the pharmacological effects of levodopa across speech and non-speech motor systems
NEUROREHABILITATION , 2009, Vol. 24, n° 2, p. 131-144

N° doc. : 140283

WULF G ; LANDERS M ; LEWTHWAITE R ; TOLLNER T
External focus instructions reduce postural instability in individuals with Parkinson disease
PHYS.THER. , 2009, Vol. 89, n° 2, p. 162-168

N° doc. : 140530

HACKNEY ME ; EARHART GM
Tai Chi improves balance and mobility in people with Parkinson disease
GAIT POSTURE , 2008, Vol. 28, n° 3, p. 456-460

N° doc. : 140537

DELVAL A ; SALLERON J ; BOURRIEZ JL ; BLEUSE S
Kinematic angular parameters in PD : reliability of joint angle curves and comparison with healthy subjects
GAIT POSTURE , 2008, Vol. 28, n° 3, p. 495-501

N° doc. : 140601

KING LA ; HORAK FB
Delaying mobility disability in people with Parkinson disease using a sensorimotor agility exercise program
PHYS.THER. , 2009, Vol. 89, n° 4, p. 384-393

N° doc. : 140684

HONG M ; PERLMUTTER JS ; EARHART GM
A kinematic and electromyographic analysis of turning in people with Parkinson disease
NEUROREHABIL.NEURAL REPAIR , 2009, Vol. 23, n° 2, p. 166-176

N° doc. : 140974

PERON MAGNAN T
Intérêt de la kinésithérapie pour le patient atteint de la maladie de Parkinson (2)
KINESITHER.SCI. , 2009, n° 501, p. 47-48

AUTRES PATHOLOGIES DE L'ENCEPHALE

N° doc. : 140079

TORRINGTON J
The design of technology and environments to support enjoyable activity for people with dementia
ALTER , 2009, Vol. 3, n° 2, p. 123-137

N° doc. : 128743

SELLAL F ; KRUCZEK E
Maladie d'Alzheimer .2ème ed.
DOIN , 2007, 152 p ;

N° doc. : 139416

BREED S ; SACKS A ; ASHMAN T ; GORDON WA
Cognitive functioning among individuals with traumatic brain injury, Alzheimer's disease and no cognitive impairments
J.HEAD TRAUMA REHABIL. , 2008, Vol. 23, n° 3, p. 149-157

N° doc. : 140521

WITTEWER JE ; WEBSTER KE ; ANDREWS PT ; MENZ HB
Test-retest reliability of spatial and temporal gait parameters of people with Alzheimer's disease
GAIT POSTURE , 2008, Vol. 28, n° 3, p. 392-396

N° doc. : 140733

DARTIGUES JF
La maladie d'Alzheimer
ADSP , 2008, n° 65, p. 13-48

N° doc. : 140784

CHEVIGNARD M ; TAILLEFER C ; PONCET F ; PICQ C
Effet de l'âge sur le fonctionnement exécutif après lésion cérébrale chez l'adulte
REV.NEUROL. (Paris) , 2008, Vol. 164, n° 12, p. 1018-1027

SYSTEME NERVEUX VEGETATIF

N° doc. : 140107

ROSENBEK JC ; JONES H
Dysphagia in movement disorders
Oxford : Plural Publ. , 2009, 265 p

N° doc. : 139956

OH T ; BRUMFIELD K ; HOSKIN TL ; KASPERBAUER JL ;
Dysphagia in inclusion body myositis : clinical features, management and clinical outcome
AM.J.PHYS.MED.REHABIL. , 2008, Vol. 87, n° 11, p. 883-889

N° doc. : 140809

BAGULEY IJ ; NOTT MT ; SLEWA YOUNAN S
Diagnosing dysautonomia after acute traumatic brain injury : evidence for overresponsiveness to afferent stimuli
ARCH.PHYS.MED.REHABIL. , 2009, Vol. 90, n° 4, p. 580-586

TROUBLES SPHINCTERIENS ET GENITAUX

N° doc. : 140248

MIRI I ; BEN SALAH FZ ; RAHALI H ; KOUBAA S ; LEBIB S
Orientation actuelle du traitement de la vessie neurologique de l'enfant. Expérience du service MPRF Kassab - Exemple du spina bidifa
J.READAPT.MED. , 2009, Vol. 29, n° 2, p. 59-64

N° doc. : 139399

BERNARD M
Scélrose en plaques et rééducation vésico-sphinctérienne
KINE ACTUALITE , 2009, n° 1151, p. 2

N° doc. : 139517

RAPIDI CA ; PETROPOULOU K ; GALATA A ; FRAGKAKI M
Neuropathic bladder dysfunction in patients with motor complete and sensory incomplete spinal cord lesion
SPINAL CORD , 2008, Vol. 46, n° 10, p. 673-678

N° doc. : 139695

DUGARDIN F ; PETIT J ; GRISE P
Lexique urologique
Montrouge : Ed. J. Libbey Eurotext , 2009, 79 p.

N° doc. : 140014

VALANCOGNE G
Aspects spécifiques de la rééducation ano-rectale de l'enfant
KINESITHER.SCI. , 2009, n° 499, p. 29-32

N° doc. : 140364
BORELLO FRANCE DF ; DOWNEY PA ; ZYCZYNSKI HM
Contenance and quality of life outcomes 6 months following and intensive pelvic-floor muscle exercise program for female stress urinary incontinence : a randomized trial comparing low- and high-frequency maintenance exercise
PHYS.THER. , 2008, Vol. 88, n° 12, p. 1545-1553

N° doc. : 140407
KROGH K ; PERKASH I ; BIERING SORENSEN F
International bowel function basic spinal cord injury data set
SPINAL CORD , 2009, Vol. 47, n° 3, p. 230-234

N° doc. : 140455
COGRAVE M ; NORTON C ; WILSON BARNETT J
Management of neurogenic bowel dysfunction in the community after spinal cord injury - a postal survey in the United kingdom
SPINAL CORD , 2009, Vol. 47, n° 4, p. 323-333

N° doc. : 140548
CHRISTENSEN P ; EHLERS L
Cost-effectiveness of transanal irrigation versus conservative bowel management for spinal cord injury patients
SPINAL CORD , 2009, Vol. 47, n° 2, p. 138-143

N° doc. : 140549
FURUSAWA K ; SUGIYAMA H ; TOKUHIRO A
Topical anesthesia blunts the pressor response induced by bowel manipulation in subjects with cervical spinal cord injury
SPINAL CORD , 2009, Vol. 47, n° 2, p. 99-107

N° doc. : 140791
BIERING SORENSEN F ; CRAGGS M ; KENNELLY M
International urinary tract imaging basic spinal cord injury data set
SPINAL CORD , 2009, Vol. 47, n° 5, p. 379-383

N° doc. : 141181
DEFFIEUX X ; HUBEAUX K ; FAIVRE E ; RAIBAUT P
Contenance urinaire chez la femme et réflexes périnéaux - nouveaux concepts
ANN.PHYS.REHABIL.MED. , 2009, Vol. 52, n° 3, p. 256-268

NEUROLOGIE INFANTILE

N° doc. : 140284
MCCOY SW ; BOWMAN A ; SMITH BLOCKLEY J
Harris infant neuromotor test : comparison of US and canadian normative data and examination of concurrent validity with the ages and stages questionnaire
PHYS.THER. , 2009, Vol. 89, n° 2, p. 173-180

PATHOLOGIE CONGENITALE ET PERINATALE

N° doc. : 139189
HEMSLEY B ; BALANDIN S ; TOGHER L
"We need to be the centrepiece" : Adults with cerebral palsy and complex communication needs discuss the roles and needs of families carers in hospital
DISABIL.REHABIL. , 2008, Vol. 30, n° 23, p. 1759-1771

N° doc. : 139235
IMMS C
Children with cerebral palsy participate
DISABIL.REHABIL. , 2008, Vol. 30, n° 24, p. 1867-1884

N° doc. : 139338
CASSARDO L ; AMELOTTI M ; BRUNO RS ; CARTELLO R
L'allongement des triceps suraux par bottes successives
MOTRICITE CEREBR. , 2009, Vol. 30, n° 1, p. 1-6

N° doc. : 139339
FRANCOIS M ; GAUTHERON V ; VARLET F
Vécu de la gastrostomie d'alimentation chez l'enfant handicapé cérébral - Enquête auprès de 11 familles
MOTRICITE CEREBR. , 2009, Vol. 30, n° 1, p. 7-14

N° doc. : 139340
FERRARI A ; TARDITI G
Lignes de conduite pour la rééducation de l'enfant atteint d'infirmité motrice cérébrale en Italie
MOTRICITE CEREBR. , 2009, Vol. 30, n° 1, p. 15-19

N° doc. : 139341
RIETMAN M ; ROUAULT N
Le nénuphar : une aide technique pour la facilitation du mouvement en milieu aquatique des enfants atteints de paralysie cérébrale
MOTRICITE CEREBR. , 2009, Vol. 30, n° 1, p. 20-25

N° doc. : 139342
JORIS M ; LIBERT GRITTEN D ; WOS R
Intérêt des manoeuvres de décontraction lors du maniement d'enfant IMC
MOTRICITE CEREBR. , 2009, Vol. 30, n° 1, p. 29-33

N° doc. : 139367
RADELL U ; TILLBERG E ; MATTSSON E ; AMARK P
Postnatal cerebral infection leading to hemiplegic cerebral palsy : functional limitations and disability of 13 children in Sweden
DISABIL.REHABIL. , 2008, Vol. 30, n° 25, p. 1910-1919

N° doc. : 139403
HOULIHAN CM
Walking function, pain and fatigue in adults with cerebral palsy
DEV.MED.CHILD NEUROL. , 2009, Vol. 51, n° 5, p. 338-339

N° doc. : 139404
OPHEIM A ; JAHNSEN R ; OLSSON E ; STANGHELLE JK
Walking function, pain and fatigue in adults with cerebral palsy : a 7-year follow up study
DEV.MED.CHILD NEUROL. , 2009, Vol. 51, n° 5, p. 381-388

N° doc. : 139405
HERGENRODER H ; BLANK R
Subjective well-being and satisfaction with life in adults with spastic cerebral palsy
DEV.MED.CHILD NEUROL. , 2009, Vol. 51, n° 5, p. 389-396

N° doc. : 139490
MOREAU N ; LI L ; GEAGHAN JP ; DAMIANO DL
Fatigue resistance during a voluntary performance task is associated with lower levels of mobility in cerebral palsy
ARCH.PHYS.MED.REHABIL.2008, Vol. 89, n° 10, p. 2011-2016

N° doc. : 139493
JOHNSTON TE ; LAUER RT ; LEE SC
The effects of a shank guide on cycling biomechanics of an adolescent with cerebral palsy - a single case study
ARCH.PHYS.MED.REHABIL.2008, Vol. 89, n° 10, p. 2025-2030

N° doc. : 139645
ROBIN J ; GRAHAM H ; BAKER R ; SELBER P ; SIMPSON P
A classification system for hip disease in cerebral palsy
DEV.MED.CHILD NEUROL. , 2009, Vol. 51, n° 3, p. 183-192

N° doc. : 139646
DAVIS E ; SHELLY A ; WATERS E ; MACKINNON A
Quality of life of adolescents with cerebral palsy : perspectives of adolescents and parents
DEV.MED.CHILD NEUROL. , 2009, Vol. 51, n° 3, p. 193-199

N° doc. : 139647

WALLEN M ; BUNDY A ; PONT K ; ZIVIANI J
Psychometric properties of the pediatric motor activity log used for children with cerebral palsy
DEV.MED.CHILD NEUROL. , 2009, Vol. 51, n° 3, p. 200-208

N° doc. : 139648

ORTIBUS E ; LAGAE L ; CASTEELS I ; DEMAEREL P
Assessment of cerebral visual impairment with the L94 visual perceptual battery : clinical value and correlation with MRI findings
DEV.MED.CHILD NEUROL. , 2009, Vol. 51, n° 3, p. 209-217

N° doc. : 139681

BUFFART L ; VAN DER PLOEG H ; BAUMAN A ; VAN ASBECK FW ; STAM HJ ; ROEBROECK ME
Sports participation in adolescents and young adults with myelomeningocele and its role in total physical activity behaviour and fitness
J.REHABIL.MED. , 2008, Vol. 40, n° 9, p. 702-708

N° doc. : 139713

YANG EJ ; RHA DW ; WOO KIM H ; PARK ES ; BERGEN MP
Comparison of botulinum toxin type A injection and soft tissue surgery to treat hip subluxation in children with cerebral palsy
ARCH.PHYS.MED.REHABIL.2008, Vol. 89, n° 11, p. 2108-2113

N° doc. : 139721

BUFFART L ; VAN DEN BERG EMONS RJ ; BURDORF A
Cardiovascular disease risk factors and the relationships with physical activity, aerobic fitness and body fat in adolescents and young adults with myelomeningocele
ARCH.PHYS.MED.REHABIL.2008, Vol. 89, n° 11, p. 2167-2173

N° doc. : 139970

FASOLI S ; FRAGALA PINKHAM MA ; HUGHES R
Robotic therapy and botulinum toxin type A : a novel intervention approach for cerebral palsy
AM.J.PHYS.MED.REHABIL. 2008, Vol. 87, n° 12, p. 1022-1025

N° doc. : 139971

DICIANNO BE ; KUROWSKI BG ; YANG J ;
Rehabilitation and medical management of the adult with spinal bifida
AM.J.PHYS.MED.REHABIL. 2008, Vol. 87, n° 12, p. 1026-1050

N° doc. : 139974

DOUALLY Y
Infirmité motrice cérébrale - guider la recherche par l'étude des besoins
SOINS PEDIATR.PUERICULTURE , 2009, n° 248, p. 9

N° doc. : 140131

STEARNS GE ; BURTNER P ; KEENAN KM ; QUALLS C
Effects of constraint-induced movement therapy on hand skills and muscle recruitment of children with spastic hemiplegic cerebral palsy
NEUROREHABILITATION , 2009, Vol. 24, n° 2, p. 95-108

N° doc. : 140132

LEE D ; YOU JH ; LEE N ; OH JH ; CHA YJ
Comprehensive hand repetitive intensive strengthening training (CHRIST) - induced morphological changes in muscle size and associated motor improvement in a child with cerebral palsy
NEUROREHABILITATION , 2009, Vol. 24, n° 2, p. 109-117

N° doc. : 140352

GOUGH M
Does botulinum toxin prevent or promote deformity in children with cerebral palsy ?
DEV.MED.CHILD NEUROL. , 2009, Vol. 51, n° 2, p. 89-91

N° doc. : 140353

GOUGH M
Continuous postural management and the prevention of deformity in children with cerebral palsy - an appraisal
DEV.MED.CHILD NEUROL. , 2009, Vol. 51, n° 2, p. 105-110

N° doc. : 140354

DAVIS E ; DAVIES B ; WOLFE R ; RAADSVELD R ; HEINE B
A randomized controlled trial of the impact of therapeutic horse riding on the quality of life, health, and function of children with cerebral palsy
DEV.MED.CHILD NEUROL. , 2009, Vol. 51, n° 2, p. 111-119

N° doc. : 140355

TEDROFF K ; GRANATH F ; FORSSBERG H
Long term effects of botulinum toxin A in children with cerebral palsy
DEV.MED.CHILD NEUROL. , 2009, Vol. 51, n° 2, p. 120-127

N° doc. : 140356

POON DMY ; HUI CHAN CWY
Hyperactive stretch reflexes, co-contraction and muscle weakness in children with cerebral palsy
DEV.MED.CHILD NEUROL. , 2009, Vol. 51, n° 2, p. 128-135

N° doc. : 140517

EEK MN ; BECKUNG E
Walking ability is related to muscle strength in children with cerebral palsy
GAIT POSTURE , 2008, Vol. 28, n° 3, p. 366-371

N° doc. : 140524

STRIFLING KMB ; LU N ; WANG M ; CAO K ; ACKMAN JD
Comparison of upper extremity kinematics in children with spastic diplegic cerebral palsy using anterior and posterior walkers
GAIT POSTURE , 2008, Vol. 28, n° 3, p. 412-419

N° doc. : 140528

MCDOWELL BC ; KERR C ; KELLY C ; SALAZAR J
The validity of an existing gait classification system when applied to a representative population of children with hemiplegia
GAIT POSTURE , 2008, Vol. 28, n° 3, p. 442-447

N° doc. : 140538

GALLI M ; RIGOLDI C ; BRUNNER R ; VIRJI BABUL N
Joint stiffness and gait pattern evaluation in children with Down syndrome
GAIT POSTURE , 2008, Vol. 28, n° 3, p. 502-506

N° doc. : 140598

JOSENBY AL ; JARNLO GB ; GUMMESSON C
Longitudinal construct validity of the GMFM-88 total score and goal total score and the GMFM-66 score in a 5-year follow up study
PHYS.THER. , 2009, Vol. 89, n° 4, p. 342-350

N° doc. : 140699

CARRIERO A ; ZAVATSKY A ; STEBBINS J ; THEOLOGIS T
Determination of gait pattern in children with spastic diplegic cerebral palsy using principal components
GAIT POSTURE , 2009, Vol. 29, n° 1, p. 71-75

N° doc. : 140700

DESAILLY E ; DANIEL Y ; SARDAIN P ; LACOUTURE P
Foot contact event detection using kinematic data in cerebral palsy children and normal adults gait
GAIT POSTURE , 2009, Vol. 29, n° 1, p. 76-80

N° doc. : 140705

FOWLER EG ; GOLDBERG E
The effect of lower extremity selective voluntary motor control on interjoint coordination during gait in children with spastic diplegic cerebral palsy
GAIT POSTURE , 2009, Vol. 29, n° 1, p. 102-107

N° doc. : 140706

ROBERTSON J ; PRADON D ; BENSMAIL D ; FERMANIAN C
Relevance of botulinum toxin injection and nerve block of rectus femoris to kinematic and functional parameters of stiff knee gait in hemiplegic adults
GAIT POSTURE , 2009, Vol. 29, n° 1, p. 108-112

N° doc. : 140721

GILLES C ; ARNOULD C ; THONNARD JL ; LEJEUNE TM
Abiloco-kids : a Rasch built 10-item questionnaire for assessing locomotion ability in children with cerebral palsy
J.REHABIL.MED. , 2008, Vol. 40, n° 10, p. 823-830

N° doc. : 140747

WINGERT JR ; BURTON H ; SINCLAIR RJ ; BRUNSTROM JE
Joint position sense and kinesthesia in cerebral palsy
ARCH.PHYS.MED.REHABIL. , 2009, Vol. 90, n° 3, p. 447-453

N° doc. : 140762

LUKBAN MB ; ROSALES RL ; DRESSLER D
Effectiveness of botulinum toxin A for upper and lower limb spasticity in children with cerebral palsy
J.NEURAL TRANSM. , 2009, Vol. 116, p. 319-331

N° doc. : 140868

REDEKOP S ; ANDRYSEK J ; WRIGHT V
Single-session reliability of discrete gait parameters in ambulatory children with cerebral palsy based on GMFCS level
GAIT POSTURE , 2008, Vol. 28, n° 4, p. 627-633

N° doc. : 140869

MACKEY A ; STOTT NS ; WALT SE
Reliability and validity of an activity monitor (IDEEA) in the determination of temporal spatial gait parameters in individuals with cerebral palsy
GAIT POSTURE , 2008, Vol. 28, n° 4, p. 634-639

N° doc. : 141177

PY AG ; ZEIN ADDEEN G ; PERRIER Y ; CARLIER R
Evaluation de l'efficacité de l'injection de toxine botulique dans les muscles des membres inférieurs chez l'enfant infirme moteur cérébral - Etude prospective préliminaire, intérêt du guidage échographique
ANN.PHYS.REHABIL.MED. , 2009, Vol. 52, n° 3, p. 215-223

N° doc. : 141197

BARD R ; CHALEAT VALAYER E ; COMBEY A ; BLEU PE
Upper limb assessment in children with cerebral palsy : translation and reliability of the french version for the Melbourne unilateral upper limb assessment = **Evaluation du membre supérieur de l'enfant présentant une paralysie cérébrale : traduction et fiabilité de la version française du Melbourne unilateral upper limb assessment (test de Melbourne)**
ANN.PHYS.REHABIL.MED. , 2009, Vol. 52, n° 4, p. 297-310

PATHOLOGIE ACQUISE

N° doc. : 139728

LEIGH JOSIE K ; PETERSON C ; BURANT C ; DROTAR D
Predicting family burden following childhood traumatic brain injury : a cumulative risk approach
J.HEAD TRAUMA REHABIL. , 2008, Vol. 23, n° 6, p. 357-368

N° doc. : 139730

PRIGATANO GP ; GRAY J
Parental perspectives on recovery and social reintegration after pediatric traumatic brain injury
J.HEAD TRAUMA REHABIL. , 2008, Vol. 23, n° 6, p. 378-387

N° doc. : 140819

KIM CT ; HAN J ; KIM H
Pediatric stroke recovery
ARCH.PHYS.MED.REHABIL. , 2009, Vol. 90, n° 4, p. 657-662

EXPLORATION FONCTIONNELLE

N° doc. : 139288

SLACK D ; NELSON L ; PATTERSON D ; BURNS S
The feasibility of hypnotic analgesia in ameliorating pain and anxiety among adults undergoing needle electromyography
AM.J.PHYS.MED.REHABIL. , 2009, Vol. 88, n° 1, p. 21-29

N° doc. : 139592

MAHMOOD NS ; KADAVIGERE R ; RAMESH AK ; RAO VR
Magnetic resonance imaging in acute cervical spinal cord injury : a correlative study on spinal cord changes and 1 month motor recovery
SPINAL CORD , 2008, Vol. 46, n° 12, p. 791-797

N° doc. : 139648

ORTIBUS E ; LAGAE L ; CASTEELS I ; DEMAEREL P
Assessment of cerebral visual impairment with the L94 visual perceptual battery : clinical value and correlation with MRI findings
DEV.MED.CHILD NEUROL. , 2009, Vol. 51, n° 3, p. 209-217

N° doc. : 140684

HONG M ; PERLMUTTER JS ; EARHART GM
A kinematic and electromyographic analysis of turning in people with Parkinson disease
NEUROREHABIL.NEURAL REPAIR , 2009, Vol. 23, n° 2, p. 166-176

N° doc. : 140786

SOUPLET JC ; LEBRUN C ; CHANALET S ; AYACHE N
Revue des approches de segmentation des lésions de sclérose en plaques dans les séquences conventionnelles IRM
REV.NEUROL. (Paris) , 2009, Vol. 165, n° 1, p. 7-14

N° doc. : 140790

DE ARRUDA SERRA GASPAR MI ; CLIQUET JR A
Relationship between median nerve somatosensory evoked potentials and spinal cord injury levels in patients with quadriplegia
SPINAL CORD , 2009, Vol. 47, n° 5, p. 372-378

N° doc. : 140822

MATTHYS K ; SMITS M ; VAN DER GEEST J
Mirror induced visual illusion of hand movements : a functional magnetic resonance imaging study
ARCH.PHYS.MED.REHABIL. , 2009, Vol. 90, n° 4, p. 675-681

RACHIS

N° doc. : 140792

DAVE BR ; NANDA A ; ANANDJIWALA JV
Transpedicular percutaneous biopsy of vertebral body lesions
SPINAL CORD , 2009, Vol. 47, n° 5, p. 384-389

N° doc. : 140946

CHANTEPIE A ; PEROT JF
Techniques myotensives rachidiennes
Paris : Maloine , 2009, 90 p.

DEVIATIONS VERTEBRALES

N° doc. : 139492

WERNER B ; SKALSKY AJ ; MCDONALD CM ; HAN J
Convexity of scoliosis related to handedness in identical twin boys with Duchenne's muscular dystrophy - a case report
ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 10, p. 2021-2024

N° doc. : 139691

DE SEZE MP ; CREUZE A ; DE SEZE M ; MAZEAUX JM
An orthosis and physiotherapy programme for camptocormia
J.REHABIL.MED. , 2008, Vol. 40, n° 9, p. 761-765

N° doc. : 140794

FLEUREN JF ; VOERMAN GE ; SNOEK GJ ; NENE AV
Perception of lower limb spasticity in patients with spinal cord injury
SPINAL CORD , 2009, Vol. 47, n° 5, p. 396-400

RACHIS CERVICAL

N° doc. : 140093

NGAN JMW ; CHOW DHK ; HOLMES AD ; POPE MH ; LAI A
In-vitro kinematic testing of porcine cervical spine : a rotational manipulation model
PROSTH.ORTHOT.INT. , 2009, Vol. 33, n° 1, p. 89-98

N° doc. : 139371

BALTOV P ; COTE J ; TRUCHON M ; FELDMAN D
Psychosocial and socio-demographic factors associated with outcomes for patients undergoing rehabilitation for chronic whiplash associated disorders - a pilot study
DISABIL.REHABIL. , 2008, Vol. 30, n° 25, p. 1947-1955

N° doc. : 139958

RODRIQUEZ AA ; BURNS SP
Assessment of chronic neck pain and a brief trial of cervical strengthening
AM.J.PHYS.MED.REHABIL. , 2008, Vol. 87, n° 11, p. 903-909

N° doc. : 140020

BENDAYA S ; GOUSSARD JC
Le rachis cervical vieillissant
New York : Springer , 2009, 175 p

N° doc. : 140821

SILVA AG ; PUNT TD ; SHARPLES P ; VILAS BOAS IA
Head posture and neck pain of chronic nontraumatic origin : a comparison between patients and pain free persons
ARCH.PHYS.MED.REHABIL. , 2009, Vol. 90, n° 4, p. 669-675

RACHIS LOMBAIRE ET CHARNIERE LOMBO-SACREE

N° doc. : 139335

MOALLA S ; BEN ACHOUR S ; MIRI I ; GHORBEL S
Etude du profil musculaire chez la femme ménopausée lombalgique chronique
RACHIS , 2009, Vol. 5, n° 1, p. 21-27

N° doc. : 139350

BOUGUERRA A ; NOE A
Evaluation de la satisfaction de patients lombalgiques relative à l'information donnée par le médecin
J.READAPT.MED. , 2009, Vol. 29, n° 1, p. 3-19

N° doc. : 139434

MCKINLEY W ; GRAHAM RS ; LEE K ; DINICOLA A
Cervical and lumbar spinal stenosis associated with myelopathy and cauda equina syndrome
TOP.SPINAL CORD INJ.REHABIL. , 2008, Vol. 14, n° 2, p. 10-18

N° doc. : 139511

GOMBATTO SP ; KLAESNER JW ; NORTON B ; MINOR SD
Validity and reliability of a system to measure passive tissue characteristics of the lumbar region during trunk lateral bending in people with and people without low back pain
J.REHABIL.RES.DEV. , 2008, Vol. 45, n° 9, p. 1415-1430

N° doc. : 139512

SUNG PS ; ZURCHER U ; KAUFMAN M
Gender differences in spectral and entropic measures of erector spinae muscle fatigue
J.REHABIL.RES.DEV. , 2008, Vol. 45, n° 9, p. 1431-1440

N° doc. : 139846

SERTPOYRAZ F ; EYIGOR S ; KARAPOLAT H ; CAPACI K
Comparison of isokinetic exercise versus standard exercise training in patients with chronic low back pain
CLIN.REHABIL. , 2009, Vol. 23, n° 3, p. 238-247

N° doc. : 140338

LONG A ; MAY S ; FUNG T
Specific directional exercises for patients with low back pain
PHYSIOTHER.CANADA , 2008, Vol. 60, n° 4, p. 307-317

N° doc. : 140360

COPELAND JM ; TAYLOR WJ ; DEAN SG
Factors influencing the use of outcome measures for patients with low back pain - a survey of new Zealand physical therapists
PHYS.THER. , 2008, Vol. 88, n° 12, p. 1492-1505

N° doc. : 140414

LAFOND D ; DIMMOCK M ; CHAMPAGNE A
Intrasession reliability and influence of breathing during clinical assessment of lumbar spine postural control
PHYSIOTHER.THEORY PRACT , 2009, Vol. 25, n° 3, p. 218-227

N° doc. : 140465

MORGENROTH DC ; SHAKIR A ; ORENDURFF MS
Low back pain in transfemoral amputees : is there a correlation with static or dynamic leg-length discrepancy ?
AM.J.PHYS.MED.REHABIL. , 2009, Vol. 88, n° 2, p. 108-113

N° doc. : 140471

VRABLE A ; SHERMAN AL
Elite male adolescent gymnast who achieved union of a persistent bilateral pars defect
AM.J.PHYS.MED.REHABIL. , 2009, Vol. 88, n° 2, p. 156-160

N° doc. : 140519

ROZUMALSKI A ; SCHWARTZ MH ; WERVEY R
The in vivo three-dimensional motion of the human lumbar spine during gait
GAIT POSTURE , 2008, Vol. 28, n° 3, p. 378-384

N° doc. : 140539

ROZUMALSKI A ; SCHWARTZ MH ; WERVEY R
The in vivo three-dimensional motion of the human lumbar spine during gait
GAIT POSTURE , 2008, Vol. 28, n° 3, p. 378-384

N° doc. : 140726

PAATELMA M ; KILPIKOSKI S ; SIMONEN R ; HEINONEN A
Orthopaedic manual therapy, McKenzie method or advice only for low back pain in working adults
J.REHABIL.MED. , 2008, Vol. 40, n° 10, p. 858-863

N° doc. : 140727

BJORCK VAN DIJKEN C ; FJELMAN WIKLUND A
Low back pain, lifestyle factors and physical activity : a population based study
J.REHABIL.MED. , 2008, Vol. 40, n° 10, p. 864-869

N° doc. : 140804

SLATER MA ; WEICKGENANT AL ; GREENBERG MA
Preventing progression to chronicity in first onset, subacute low back pain - an exploratory study
ARCH.PHYS.MED.REHABIL. , 2009, Vol. 90, n° 4, p. 545-552

N° doc. : 140872

BRUMAGNE S ; JANSSENS L ; JANSSENS E ; GODDYN L
Altered postural control in anticipation of postural instability in persons with recurrent low back pain
GAIT POSTURE , 2008, Vol. 28, n° 4, p. 657-662

ORTHOPEDIE

N° doc. : 140315

JOUBE JL ; BOLLINI G ; LAUNAY F ; GLARD Y ;
Cartilage de croissance et croissance en orthopédie
ENCYCL.MED.CHIR.APPAREIL LOCOM. ,
2009, FASC. 14009 A10, 16 p

APPAREIL LOCOMOTEUR OS CARTILAGE ARTICULATIONS

N° doc. : 139723

PIENIMAKI TT ; TAKALO RJ ; AHONEN AK ; KARPPINEN JI
Three phase bone scintigraphy in chronic epicondylitis
ARCH.PHYS.MED.REHABIL., 2008, Vol. 89, n° 11, p. 2180-2184

TRAUMATOLOGIE

N° doc. : 139470

VICTORSON D ; ENDERS CK ; BURNETT KF
The injury distress index : development and validation
ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 10, p.1893-1902

N° doc. : 140362

BELL A ; CAVORSI J
Noncontact ultrasound therapy for adjunctive treatment of nonhealing wounds - retrospective analysis
PHYS.THER. , 2008, Vol. 88, n° 12, p. 1517-1524

PATHOLOGIE OSTEOARTICULAIRE

N° doc. : 139370

PITT VJ ; O'CONNOR D ; GREEN S
Referral of people with osteoarthritis to self-management programmes : barriers and enablers identified by general practitioners
DISABIL.REHABIL. , 2008, Vol. 30, n° 25, p. 1938-1946

N° doc. : 139689

SILVA AC ; JONES A ; SILVA P ; NATOUR J
Effectiveness of a night-time hand positioning splint in rheumatoid arthritis
J.REHABIL.MED. , 2008, Vol. 40, n° 9, p. 749-754

N° doc. : 140012

ROLLIN J
Alimentation acide et tendinites ... vers la fin d'un mythe ?
KINESITHER.SCI. , 2009, n° 499, p. 13-19

N° doc. : 140337

ARNOLD CM ; BUSCH A ; SCHACHTER C ; HARRISON EL
A randomized clinical trial of aquatic versus land exercise to improve balance, function and quality of life in older women with osteoporosis
PHYSIOTHER.CANADA , 2008, Vol. 60, n° 4, p. 296-306

N° doc. : 140361

SCHMITT L ; FITZGERALD GK ; REISMAN AS
Instability, laxity and physical function in patients with medial knee osteoarthritis
PHYS.THER. , 2008, Vol. 88, n° 12, p. 1506-1516

N° doc. : 140588

CHEVALIER X
Physiopathologie de l'arthrose
ENCYCL.MED.CHIR.APPAREIL LOCOM. ,
2008, FASC. 14003 C10, 10 p

N° doc. : 140590

MAZIERES B
Traitement médical de l'arthrose
ENCYCL.MED.CHIR.APPAREIL LOCOM. ,
2008, FASC. 14003 C40, 12 p

N° doc. : 140746

STRUYF PA ; VAN HEUGTEN CM ; HITTERS MW
The prevalence of osteoarthritis of the intact hip and knee among traumatic leg amputees
ARCH.PHYS.MED.REHABIL. , 2009, Vol. 90, n° 3, p. 440-446

N° doc. : 140754

WOOD J ; CONNELLY DM ; MALY MR
Holding me back : living with arthritis while recovering from stroke
ARCH.PHYS.MED.REHABIL. , 2009, Vol. 90, n° 3, p. 494-500

N° doc. : 140971

BENOIST M
Généralités sur l'arthrose
KINESITHER.SCI. , 2009, n° 501, p. 19-23

TRAITEMENT / L'APPAREIL LOCOMOTEUR

N° doc. : 139929

CULLEN N ; PERERA J
Heterotopic ossification : pharmacologic options
J.HEAD TRAUMA REHABIL. , 2009, Vol. 24, n° 1, p. 69-71

MEMBRE SUPERIEUR

CEINTURE SCAPULAIRE

N° doc. : 139356

BOUILLET B ; MOREEL P ; DESCAMPS S
Prise en charge des fractures récentes de la clavicule
J.TRAUMATOL.SPORT , 2009, Vol. 26, n° 1, p. 24-31

N° doc. : 139491

AKGUN K ; AKTAS I ; TERZI Y
Winged scapula caused by a dorsal scapular nerve lesion - a case report
ARCH.PHYS.MED.REHABIL., 2008, Vol. 89, n° 10, p.2017-2020

N° doc. : 140708

VAN ANDEL C ; VAN HUTTEN K ; EVERSDIJK M ; VEEGER D ; HARLAAR J
Recording scapular motion using an acromion marker cluster
GAIT POSTURE , 2009, Vol. 29, n° 1, p. 123-128

EPAULE

N° doc. : 139326

TOURE S ; BANA A ; KONE SA ; KONE SE ; COULIBALY A
La technique de Didier Patte dans les luxations récidivantes de l'épaule
SCI.SPORTS , 2009, Vol. 24, n° 2, p. 97-101

N° doc. : 139357

EDOUARD P ; FAYOLLE MINON I ; CALMELS P
Instabilité d'épaule et isocinétisme : apport de l'isocinétisme dans une situation clinique complexe
J.TRAUMATOL.SPORT , 2009, Vol. 26, n° 1, p. 48-53

N° doc. : 139452

CORDESSE G
Naissance d'une recommandation de la Haute Autorité de Santé (HAS) : Critères de suivi en rééducation et d'orientation en ambulatoire ou en SSR après chirurgie des ruptures de coiffe et arthroplasties d'épaule
KINESITHER.REV. , 2009, n° 88, p. 22-27

N° doc. : 139707

NASH MS ; KOPPENS D ; VAN HAAREN M ; SHERMAN AL
Power assisted wheels ease energy costs and perceptual responses to wheelchair propulsion in persons with shoulder pain and spinal cord injury
ARCH.PHYS.MED.REHABIL. 2008, Vol. 89, n° 11, p.2080-2085

N° doc. : 139725
CANAVAN PK ; CAHALIN L
Integrated physical therapy intervention for a person with pectus excavatum and bilateral shoulder pain
ARCH.PHYS.MED.REHABIL., 2008, Vol. 89, n° 11, p.2195-2204

N° doc. : 140013
PIRET Q
Intérêt du renforcement des rotateurs latéraux dans la présentation des atteintes dégénératives du tendon du long biceps
KINESITHER.SCI. , 2009, n° 499, p. 21-28

N° doc. : 140036
DELECOLLE P
Exercices en balnéothérapie
KINE ACTUALITE , 2009, n° 1155, p. 48-52

N° doc. : 140037
DEVILLERS J
Épaule traumatique : quelle épidémiologie ? quelles lésions ?
KINE ACTUALITE , 2009, n° 1154, p. 18-21

N° doc. : 140066
MARC T ; GAUDIN T ; TEISSIER J
Rééducation après réparation de la coiffe des rotateurs - facteurs influençant le résultat fonctionnel à 2 ans
KINESITHER.REV. , 2009, n° 89, p. 36-44

N° doc. : 140252
RIFKIN D ; MARC T
Examen clinique de l'épaule conflictuelle : éléments de prévention
KINESITHER.SCI. , 2009, n° 500, p. 11-13

N° doc. : 140271
LEWIS JS ; SANDFORD F
Rotator cuff tendinopathy : is there a role for polyunsaturated fatty acids and antioxidants ?
J.HAND THER. , 2009, Vol. 22, n° 1, p. 49-56

N° doc. : 140397
CASTOLDI F ; LOLLINO N ; CARANZANO F ; ASSOM M
Importance of neurological evaluation before reverse shoulder arthroplasty in patients with previous poliomyelitis
PROSTH.ORTHOT.INT. , 2009, Vol. 33, n° 2, p. 167-172

N° doc. : 140408
UCHIKAWA K ; TOIKAWA H ; LIU M
Subscapularis motor point block for spastic shoulders in patients with cervical cord injury
SPINAL CORD , 2009, Vol. 47, n° 3, p. 249-251

N° doc. : 140597
MURAKI T ; AOKI M ; IZUMI T ; FUJII M ; HIDAHA E
Lengthening of the pectoralis minor muscle during passive shoulder motions and stretching techniques : a cadaveric biomechanical study
PHYS.THER. , 2009, Vol. 89, n° 4, p. 333-341

N° doc. : 140755
CHAE J ; JEDLICKA L
Subacromial corticosteroid injection for poststroke shoulder pain
ARCH.PHYS.MED.REHABIL. , 2009, Vol. 90, n° 3, p. 501-506

N° doc. : 140780
KUMAR P ; SWINKELS A
A critical review of shoulder subluxation and its association with other post-stroke complications
PHYS.THER.REV. , 2009, Vol. 14, n° 1, p. 13-25

N° doc. : 140782
THOMAS AJ
Exercise intervention in the critical care unit - what is the evidence ?
PHYS.THER.REV. , 2009, Vol. 14, n° 1, p. 50-59

N° doc. : 140828
Le resurfaçage de l'épaule - Shoulder resurfacing / sous la dir.de P.MANSAT
Montpellier : Sauramps Medical , 2009, 87 p.

BRAS

N° doc. : 139472
DAVIS R ; SPARROW O ; COSENDI G ; BURRIDGE JH
Poststroke upper-limb rehabilitation using 5 to 7 inserted microstimulators : implant procedure, safety and efficacy for restoration of function
ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 10, p.1907-1912

N° doc. : 139489
HUNTER S ; CROME P ; SIM J ; POMEROY VM
Effects of mobilization and tactile stimulation on recovery of the hemiplegic upper limb : a series of replicated single-system studies
ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 10, p.2003-2010

N° doc. : 139494
MILLER M ; WONG W ; WU J ; CAVENETT S ; DANIELS L
Upper-arm anthropometry : an alternative indicator of nutritional health to body mass index in unilateral lower-extremity amputees ?
ARCH.PHYS.MED.REHABIL., 2008, Vol. 89, n° 10, p 2031-2033

N° doc. : 140862
COLEY B ; JOLLES BM ; FARRON A ; AMINIAN K
Arm position during daily activity
GAIT POSTURE , 2008, Vol. 28, n° 4, p. 581-587

N° doc. : 141182
OUJAMAA L ; RELAVE I ; FROGER J ; MOTTET D
Rehabilitation of arm function after stroke = rééducation de la préhension après hémiplégie vasculaire
ANN.PHYS.REHABIL.MED. , 2009, Vol. 52, n° 3, p. 269-293

COUDE

N° doc. : 140269
CHINCHALKAR SJ ; PEARCE J ; ATHWAL GS
Static progressive versus three-point elbow extension splinting - a mathematical analysis
J.HAND THER. , 2009, Vol. 22, n° 1, p. 37-43

AVANT-BRAS

N° doc. : 139457
SUK M ; HANSON B ; NORVELL DC ; HELFET DL
Musculoskeletal outcomes measures and instruments : selection and assessment upper extremity (vol. 1) 2nd ed.
Stuttgart : G.Thieme , 2009, 388 p ;

N° doc. : 139585
HARDING P ; RIDDOCH MJ
Functional electrical stimulation (FES) of the upper limb alleviates unilateral neglect
NEUROPSYCHOL.REHABIL. , 2009, Vol. 19, n° 1, p. 41-63

N° doc. : 139961
FASOLI S ; FRAGALA PINKHAM MA ; HUGHES M
Upper limb robotic therapy for children with hemiplegia
AM.J.PHYS.MED.REHABIL. , 2008, Vol. 87, n° 11, p. 929-936

N° doc. : 140329
HERZBERG G ; IZEM Y ; AL SAATI M ; ATZORI M ;
Choix thérapeutiques pour le traitement des fractures du radius distal
LETTRE MED.PHYS.READAPT. , 2009, Vol. 25, n° 1, p. 25-31

N° doc. : 140402
KLOOSTERMAN MGM ; SNOEK GJ ; JANNINK MJA
Systematic review of the effects of exercise therapy on the upper extremity of patients with spinal cord injury
SPINAL CORD , 2009, Vol. 47, n° 3, p. 196-203

N° doc. : 141197
BARD R ; CHALEAT VALAYER E ; COMBEY A ; BLEU PE
Evaluation du membre supérieur de l'enfant présentant une paralysie cérébrale : traduction et fiabilité de la version française du Melbourne unilateral upper limb assessment (test de Melbourne)
ANN.PHYS.REHABIL.MED. , 2009, Vol. 52, n° 4, p. 297-310

POIGNET-CARPE

N° doc. : 139328
ALTSCHULER E ; HU J
Mirror therapy in a patient with a fractured wrist and no active wrist extension
SCAND.J.PLAST.RECONSTR.HAND SURG. , 2008, Vol. 42, p. 110-111

N° doc. : 140327
LAULAN J ; HERARD J ; BACLE G
Epidémiologie, physiopathologie et classification des traumatismes du poignet
LETTRE MED.PHYS.READAPT. , 2009, Vol. 25, n° 1, p. 4-8

N° doc. : 140330
MARTINACHE X
Traitement des fractures récentes du scaphoïde carpien
LETTRE MED.PHYS.READAPT. , 2009, Vol. 25, n° 1, p. 32-38

N° doc. : 140504
La chirurgie ligamentaire du carpe avant l'arthrose
/sous la dir.de E. CAMUS. ; L. VAN OVERSTRAETEN
Montpellier : Sauramps Medical , 2009, 245 p

N° doc. : 140803
KRISCHAK GD ; KRASTEVA A ; SCHNEIDER F ; GULKIN D
Physiotherapy after volar plating of wrist fractures is effective using a home exercise program
ARCH.PHYS.MED.REHABIL. , 2009, Vol. 90, n° 4, p. 537-544

MAIN-DOIGTS

N° doc. : 139368
CARLSSON I ; CEDERLUND R ; HOGLUND P
Hand injuries and cold sensitivity : reliability and validity of cold sensitivity questionnaires
DISABIL.REHABIL. , 2008, Vol. 30, n° 25, p. 1920-1928

N° doc. : 139671
MAITLAND ME ; EPSTEIN M
Analysis of finger position during two- and three-fingered grasp : possible implications for terminal device design
J.PROSTHET.ORTHOT. , 2009, Vol. 21, n° 2, p. 102-105

N° doc. : 139727
SZTURM T ; PETERS J ; OTTO C ; KAPADIA N ; DESAI A
Task specific rehabilitation of finger-hand function using interactive computer gaming
ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 11, p. 2213-2217

N° doc. : 140265
ROGERS MW ; WILDER FV
Exercise and hand osteoarthritis symptomatology
J.HAND THER. , 2009, Vol. 22, n° 1, p. 3-9

N° doc. : 140266
KANE E ; COVERDALE J
Clinical commentary in response to : exercise and hand osteoarthritis symptomatology
J.HAND THER. , 2009, Vol. 22, n° 1, p. 19-20

N° doc. : 140267
ENGSTRAND C ; BOREN L ; LIEDBERG GM
Evaluation of activity limitation and digital extension in Dupuytren's contracture three months after fasciectomy and hand therapy interventions
J.HAND THER. , 2009, Vol. 22, n° 1, p. 21-27

N° doc. : 140268
HAMMOND ERA ; SHAY BL ; SZTURM T
Objective evaluation of fine motor manipulation - a new clinical tool
J.HAND THER. , 2009, Vol. 22, n° 1, p. 28-36

N° doc. : 140270
CHEN M ; TSUBOTA S ; AOKI M
Gliding distance of the extensor pollicis longus tendon with respect to wrist positioning : observation in the hands of healthy volunteers using high-resolution ultrasonography
J.HAND THER. , 2009, Vol. 22, n° 1, p. 44-48

N° doc. : 140273
MANCUSO T ; POOLE JL
The effect of paraffin and exercise on hand function in persons with scleroderma
J.HAND THER. , 2009, Vol. 22, n° 1, p. 71-78

N° doc. : 140275
SUDHAGAR G ; LE BLANC M
A thermoplastic thumb splint after amputation of the thumb
J.HAND THER. , 2009, Vol. 22, n° 1, p. 88-91

N° doc. : 140805
STENEKES MW ; GEERTZEN J ; NICOLAI JPA ; DE JONG B
Effects of motor imagery on hand function during immobilization after flexor tendon repair
ARCH.PHYS.MED.REHABIL. , 2009, Vol. 90, n° 4, p. 553-559

N° doc. : 140835
Poignet et main
/sous la dir. de DRAPE JL ; BLUM A. ; CYTEVAL C. ; PHAM T. ; DAUTEL G. ; BOUTRY N. ; GODEFROY D.
Montpellier : Sauramps Medical , 2009, 508 p.

MEMBRE INFERIEUR

N° doc. : 140074
Les déformations des membres inférieurs - de la consultation à l'acte opératoire sous la dir.de JOURNEAU P ; LASCOMBES P
Montpellier : Sauramps Medical , 2009, 166 p.

N° doc. : 139458
SUK M ; HANSON B ; NORVELL DC ; HELFET DL
Musculoskeletal outcomes measures and instruments : Lower extremity (vol. 2) 2nd ed.
Stuttgart : G.Thieme , 2009, 425 p ;

N° doc. : 140591
CATON J ; CHOTEL F ; CHATELAIN P
Inégalité de longueur des membres inférieurs : cause, diagnostic, prévision et traitement
ENCYCL.MED.CHIR.APPAREIL LOCOM. , 2008, FASC. 15330 A10, 24 p

N° doc. : 140779
SCHILTZ JP ; PENINOU G ; PINEAU JC
Effets sur les périmètres des membres inférieurs, du repos allongé et d'une séance de traitement par pression digitale doigts écartés (PDDE)
KINESITHER.REV. , 2009, n° 90, p. 48-53

N° doc. : 140881
HUDSON D
A comparison of ultrasound to goniometric and inclinometer measurements of torsion in the tibia and femur
GAIT POSTURE , 2008, Vol. 28, n° 4, p. 708-710

BASSIN SACRUM

N° doc. : 139704
BOROWSKY CD ; FAGEN G
Source of sacroiliac pain : insights gained from a study comparing standard intra-articular injection with a technique combining intra- and peri-articular injection
ARCH.PHYS.MED.REHABIL. ,2008, Vol. 89, n° 11, p.2048-2056

N° doc. : 140541
PRUSHANSKY T ; EZRA N ; KURSE N ; MAN L
Reproducibility of sagittal pelvic tilt measurements in normal subjects using digital inclinometry
GAIT POSTURE , 2008, Vol. 28, n° 3, p. 513-516

HANCHE

N° doc. : 139645
ROBIN J ; GRAHAM H ; BAKER R ; SELBER P ; SIMPSON P
A classification system for hip disease in cerebral palsy
DEV.MED.CHILD NEUROL. , 2009, Vol. 51, n° 3, p. 183-192

N° doc. : 139713
YANG EJ ; RHA DW ; WOO KIM H ; PARK ES ; BERGEN MP
Comparison of botulinum toxin type A injection and soft tissue surgery to treat hip subluxation in children with cerebral palsy
ARCH.PHYS.MED.REHABIL. ,2008, Vol. 89, n° 11, p 2108-2113

N° doc. : 139716
HART DL ; WANG Y ; STRATFORD PW
A computerized adaptive test for patients with hip impairments produced valid and responsive measures of functional
ARCH.PHYS.MED.REHABIL. ,2008,Vol. 89, n° 11, p. 2129-2139

N° doc. : 139718
LATHAM NK ; MEHTA V ; NGUYEN A ; JETTE AM
Performance based or self-report measures of physical function : which should be used in clinical trials of hip fracture patients ?
ARCH.PHYS.MED.REHABIL.,2008, Vol. 89, n° 11, p. 2146-2155

N° doc. : 140064
DIRAND GONZALEZ A
Prothèse totale de hanche de première intention : comprendre les consignes postopératoires
KINESITHER.REV. , 2009, n° 89, p. 24-28

N° doc. : 140366
CROW J ; GELFAND B ; SU EP
Use of joint mobilization in a patient with severely restricted hip motion following bilateral hip resurfacing arthroplasty
PHYS.THER. , 2008, Vol. 88, n° 12, p. 1591-1600

N° doc. : 140467
DI MONACO M ; VALLERO F ; DI MONACO R ; TAPPERO R
Serum levels of insulin-like growth factor-I are positively associated with functional outcome after hip fracture in elderly women
AM.J.PHYS.MED.REHABIL. , 2009, Vol. 88, n° 2, p. 119-125

N° doc. : 140738
GILL SD ; MCBURNEY H ; SCHULZ DL
Land based versus pool-based exercise for people awaiting joint replacement surgery of the hip or knee
ARCH.PHYS.MED.REHABIL. , 2009, Vol. 90, n° 3, p. 388-394

N° doc. : 140814
TALKOWSKI JB ; LENZE EJ ; MUNIN M ; HARRISON C
Patient participation and physical activity during rehabilitation and future functional outcomes in patients after hip fracture
ARCH.PHYS.MED.REHABIL. , 2009, Vol. 90, n° 4, p. 618-622

N° doc. : 140973
GUIET P
Kinésithérapie 'pré-écrite' - approche originale : la hanche
KINESITHER.SCI. , 2009, n° 501, p. 31-45

CUISSE

N° doc. : 140261
CHANUSSOT JC
Rupture bilatérale des tendons quadricipitaux
KINESITHER.SCI. , 2009, n° 500, p. 59-61

TIBIA-PERONE

N° doc. : 139338
CASSARDO L ; AMELOTTI M ; BRUNO RS ; CARTELLO R
L'allongement des triceps suraux par bottes successives
MOTRICITE CEREBR. , 2009, Vol. 30, n° 1, p. 1-6

N° doc. : 139355
PUIG PL ; TROUVE P ; SAVALLI L ; LABOUTE E
Les accidents des muscles ischiojambiers - un comportement très excentrique
J.TRAUMATOL.SPORT , 2009, Vol. 26, n° 1, p. 18-23

N° doc. : 139521
XIONG GX ; ZHANG J ; HONG Y ; GUAN Y ; GUAN H
Motor unit number estimation of the tibialis anterior muscle in spinal cord injury
SPINAL CORD , 2008, Vol. 46, n° 10, p. 696-702

N° doc. : 139964
MAYSON DJ ; KIELY DK ; LAROSE S ; BEAN JF
Leg strength or velocity of movement : which is more influential on the balance of mobility limited elders ?
AM.J.PHYS.MED.REHABIL. , 2008, Vol. 87, n° 12, p. 969-976

N° doc. : 140281
GRANT BEUTLER M ; PALISANO RJ ; MILLER DP
Gastrocnemius - soleus muscle tendon unit changes over the first 12 weeks of adjusted age in infants born preterm
PHYS.THER. , 2009, Vol. 89, n° 2, p. 136-148

N° doc. : 140694
PETERS A ; SANGEUX M ; MORRIS ME ; BAKER R
Determination of the optimal locations of surface-mounted markers on the tibial segment
GAIT POSTURE , 2009, Vol. 29, n° 1, p. 42-48

CHEVILLE

N° doc. : 139354
KAUX JF ; CRIELAARD JM
Cheville et pied douloureux de l'enfant sportif
J.TRAUMATOL.SPORT , 2009, Vol. 26, n° 1, p. 12-17

N° doc. : 139487
SEFTON J ; HICKS LITTLE CA ; HUBBARD TJ
Segmental spinal reflex adaptations associated with chronic ankle instability
ARCH.PHYS.MED.REHABIL. , 2008,Vol. 89, n° 10, p.1991-1995

N° doc. : 140542
VUILLERME N ; BOISGONTIER M
Muscle fatigue degrades force sense at the ankle joint
GAIT POSTURE , 2008, Vol. 28, n° 3, p. 521-524

N° doc. : 140761
DEVILLERS J
La prothèse totale de cheville en 2009
KINE ACTUALITE , 2009, n° 1158, p. 18-21

N° doc. : 140763
GOSELE KOPPENBURG A
Phasenadaptierte Rehabilitation von Verletzungen des Kapsel-Bandapparates
ORTHOP. TECHNIK , 2009, Vol. 60, n° 1, p. 20-21

PIED

N° doc. : 139319
JOURNOT C
Soins et prévention du pied diabétique - le point sur la convention
SOINS , 2009, SUPPL. 734, S13-S15

N° doc. : 139448
MCPOIL TG ; VICENZINO B ; CORNWALL MW ; COLLINS N
Reliability and normative values for the foot mobility magnitude : a composite measure of vertical and medial lateral mobility of the midfoot
J.FOOT ANKLE RES. , 2009, Vol. 2, n° 6, p. 1-12

N° doc. : 139495
VUILLERME N ; BERTRAND R ; PINSULT N
Postural effects of the scaled display of visual foot center of pressure feedback under different somatosensory conditions at the foot and the ankle
ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 10, p. 2034-2036

N° doc. : 140034
EVEN N
Prévenir les lésions chroniques des pieds chez le patient diabétique
AIDE SOIGNANTE , 2009, n° 107, p. 20-21

N° doc. : 140523
CHUCKPAIWONG B ; NUNLEY JA ; MALL NA ; QUEEN RM
The effect of foot type on in-shoe plantar pressure during walking and running
GAIT POSTURE , 2008, Vol. 28, n° 3, p. 405-411

N° doc. : 140525
CATALFAMO P ; MOSER D ; GHOUSSAYNI S ; EWINS D
Detection of gait events using an F-scan in-shoe pressure measurement system
GAIT POSTURE , 2008, Vol. 28, n° 3, p. 420-426

N° doc. : 140527
WOLF P ; STACOFF A ; LIU A ; NESTER C ; ARNDT A
Functional units of the human foot
GAIT POSTURE , 2008, Vol. 28, n° 3, p. 434-441

N° doc. : 140728
BARICICH A ; CARDA S ; BERTONI M ; MADERNA L
A single-blinded, randomized pilot study of botulinum toxin type A combined with non-pharmacological treatment for spastic foot
J.REHABIL.MED. , 2008, Vol. 40, n° 10, p. 870-872

N° doc. : 140731
BLEYENHEUFT C ; DETREMBLEUR C ; DELTOMBE T
Quantitative assessment of anaesthetic nerve block and neurotomy in spastic equinus foot
J.REHABIL.MED. , 2008, Vol. 40, n° 10, p. 879-881

N° doc. : 140854
RAMANATHAN AK ; JOHN M ; ARNOLD G ; COCHRANE L
The effects of off-the-shelf in-shoe heel inserts on forefoot plantar pressure
GAIT POSTURE , 2008, Vol. 28, n° 4, p. 533-537

N° doc. : 140856
CROSBIE J ; BURNS J ; OUVRIER RA
Pressure characteristics in painful pes cavus feet resulting from Charcot-Marie-Tooth disease
GAIT POSTURE , 2008, Vol. 28, n° 4, p. 545-551

N° doc. : 140861
TURNER DE ; WOODBURN J
Characterising the clinical and biomechanical features of severely deformed feet in rheumatoid arthritis
GAIT POSTURE , 2008, Vol. 28, n° 4, p. 574-580

N° doc. : 140879
BISIAUX M ; MORETTO P
The effects of fatigue on plantar pressure distribution in walking
GAIT POSTURE , 2008, Vol. 28, n° 4, p. 693-698

N° doc. : 139327
SCHAUER T ; NEGARD NO ; NAHRSTAEDT H ; RAISCH J
Regelung von Peroneus-Stimulatoren zur Kompensation von Fussheberschwäche nach Schlaganfall
ORTHOP. TECHNIK , 2009, Vol. 60, n° 2, p. 78-83

EQUILIBRE-MARCHE

EQUILIBRATION

N° doc. : 139194
LEE F ; MACKENZIE L ; JAMES C
Perceptions of older people living in the community about their fear of falling
DISABIL.REHABIL. , 2008, Vol. 30, n° 23, p. 1803-1811

N° doc. : 139477
FILIATRAULT J ; GAUVIN L ; RICHARD L ; ROBITAILLE Y
Impact of a multifaceted community-based falls prevention program on balance-related psychologic factors
ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 10, p. 1948-1957

N° doc. : 139495
VUILLERME N ; BERTRAND R ; PINSULT N
Postural effects of the scaled display of visual foot center of pressure feedback under different somatosensory conditions at the foot and the ankle
ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 10, p. 2034-2036

N° doc. : 139513
HIJMANS JM ; GEERTZEN J ; ZIJLSTRA W ; HOF AL
Effects of vibrating insoles on standing balance in diabetic neuropathy
J.REHABIL.RES.DEV. , 2008, Vol. 45, n° 9, p. 1441-1450

N° doc. : 139719
BLENNERHASSETT JM ; JAYALATH VM
The four square step test in a feasible and valid clinical test of dynamic standing balance for use in ambulant people poststroke
ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 11, p. 2156-2161

N° doc. : 140283
WULF G ; LANDERS M ; LEWTHWAITE R ; TOLLNER T
External focus instructions reduce postural instability in individuals with Parkinson disease
PHYS.THER. , 2009, Vol. 89, n° 2, p. 162-168

N° doc. : 140313

MILLER E ; WIGHTMAN E ; RUMBOLT K ; MCCONNELL S
Management of fall-related injuries in the elderly : a retrospective chart review of patients presenting to emergency department of a community-based teaching hospital
PHYSIOTHER.CANADA , 2009, Vol. 61, n° 1, p. 26-37

N° doc. : 140321

DAROWSKI A
Falls
Oxford : Oxford University Press , 2008, 190 p.

N° doc. : 140342

ARNOLD CM ; SRAN MM ; HARRISON EL
Exercise for fall risk reduction in community-dwelling older adults
PHYSIOTHER.CANADA , 2008, Vol. 60, n° 4, p. 358-372

N° doc. : 140520

O'CONNOR K ; LOUGHLIN PJ ; REDFERN MS ; SPARTO PJ
Postural adaptations to repeated optic flow stimulation in older adults
GAIT POSTURE , 2008, Vol. 28, n° 3, p. 385-391

N° doc. : 140531

TROY KL ; DONOVAN SJ ; MARONE JR ; BAREITHER ML
Modifiable performance domain risk-factors associated with slip related falls
GAIT POSTURE , 2008, Vol. 28, n° 3, p. 461-465

N° doc. : 140534

IHARA H ; TAKAYAMA M ; FUKUMOTO T
Postural control capability of ACL deficient knee after sudden tilting
GAIT POSTURE , 2008, Vol. 28, n° 3, p. 478-482

N° doc. : 140540

VAN NES IJW ; NIENHUIS B ; LATOUR H ; GEURTS ACH
Posturographic assessment of sitting balance recovery in the subacute phase of stroke
GAIT POSTURE , 2008, Vol. 28, n° 3, p. 507-512

N° doc. : 140592

MCGINNIS PQ ; HACK LM ; NIXON CAVE K
Factors that influence the clinical decision making of physical therapists in choosing a balance assessment approach
PHYS.THER. , 2009, Vol. 89, n° 3, p. 233-247

N° doc. : 140596

SHUMWAY COOK A ; CIOL MA ; HOFFMAN J
Falls in the medicare population : incidence, associated factors and impact on health care
PHYS.THER. , 2009, Vol. 89, n° 4, p. 324-332

N° doc. : 140687

MYKLEBUST JB ; LOVETT EG ; MYKLEBUST BM
Two dimensional coherence for measurement of asymmetry in postural steadiness
GAIT POSTURE , 2009, Vol. 29, n° 1, p. 1-5

N° doc. : 140691

QU X ; NUSSBAUM MA
Effects of external loads on balance control during upright stance : experimental results and model-based predictions
GAIT POSTURE , 2009, Vol. 29, n° 1, p. 23-30

N° doc. : 140702

AKRAM SB ; FRANK JS
Cognitive demands of postural control during continuous rotational perturbations of the support surface
GAIT POSTURE , 2009, Vol. 29, n° 1, p. 86-90

N° doc. : 140704

YIOU E ; HEUGAS AM ; MEZAOUR M ; LE BOZEC S
Effect of lower limb muscle fatigue induced by high level isometric contractions on postural maintenance and postural adjustments associated with bilateral forward reach task
GAIT POSTURE , 2009, Vol. 29, n° 1, p. 97-101

N° doc. : 140737

SILSUPADOL P ; SHUMWAY COOK A ; LUGADE V
Effects of single-task versus dual task training on balance performance in older adults
ARCH.PHYS.MED.REHABIL. , 2009, Vol. 90, n° 3, p. 381-387

N° doc. : 140748

LEWIS N ; BRISMEE JM ; JAMES R ; SIZER PS ; SAWYER SF
The effect of stretching on muscle responses and postural sway responses during computerized dynamic posturography in women and men
ARCH.PHYS.MED.REHABIL. , 2009, Vol. 90, n° 3, p. 454-462

N° doc. : 140812

WIDENER G ; ALLEN D ; GIBSON HORN C
Balance based torso weighting may enhance balance in persons with multiple sclerosis : preliminary evidence
ARCH.PHYS.MED.REHABIL. , 2009, Vol. 90, n° 4, p. 602-609

N° doc. : 140855

LI X ; ARUIN AS
Anticipatory postural adjustments in conditions of simulated reduced gravity
GAIT POSTURE , 2008, Vol. 28, n° 4, p. 538-544

N° doc. : 140857

USHIO M ; MUROFUSHI T ; CHIHARA Y ; IWASAKI S ;
Testing of vibratory thresholds as a clinical examination for patients with unsteadiness due to somatosensory disorders
GAIT POSTURE , 2008, Vol. 28, n° 4, p. 552-558

N° doc. : 140867

CAPPA P ; PATANE F ; ROSSI S ; PETRARCA M
Effect of changing visual condition and frequency of horizontal oscillations on postural balance of standing healthy subjects
GAIT POSTURE , 2008, Vol. 28, n° 4, p. 615-626

N° doc. : 140871

PATEL M ; FRANSSON PA ; LUSH D ; GOMEZ S
The effects of foam surface properties on postural stability assessment while standing
GAIT POSTURE , 2008, Vol. 28, n° 4, p. 649-656

N° doc. : 140872

BRUMAGNE S ; JANSSENS L ; JANSSENS E ; GODDYN L
Altered postural control in anticipation of postural instability in persons with recurrent low back pain
GAIT POSTURE , 2008, Vol. 28, n° 4, p. 657-662

N° doc. : 140874

PEREIRA H ; FOLLY DE CAMPOS ; BANNWART SANTOS M
Influence of knee position on the postural stability index registered by the Biodex stability system
GAIT POSTURE , 2008, Vol. 28, n° 4, p. 668-672

N° doc. : 140880

QUAGLIARELLA L ; SASANELLI N ; BELGIOVINE G
An interactive fall and loss of consciousness detector system
GAIT POSTURE , 2008, Vol. 28, n° 4, p. 699-702

N° doc. : 140882

VIILLERME N ; PINSAULT N ; FLEURY A ; CHENU O
Effectiveness of an electro-tactile vestibular substitution system in improving upright postural control in unilateral vestibular defective patients
GAIT POSTURE , 2008, Vol. 28, n° 4, p. 711-715

N° doc. : 140964
JACOBSON GP ; SHEPARD NT
Balance function assessment and management
Oxford : Plural Publ. , 2008, 649 p.

MARCHE

N° doc. : 140089
LEUNG AKL ; WONG A ; WONG E ; HUTCHINS SW
The physiological cost index of walking with an isometric reciprocating gait orthosis among patients with T12 - L1 spinal cord injury
PROSTH.ORTHOT.INT. , 2009, Vol. 33, n° 1, p. 61-68

N° doc. : 140092
GHOSEIRI K ; FOROGH B ; SANJARI MA ; BAVI A
The effect of a vibratory lumbar orthosis on walking velocity in patients with Parkinson's disease
PROSTH.ORTHOT.INT. , 2009, Vol. 33, n° 1, p. 82-88

N° doc. : 139287
LAUFER Y ; HAUSDORFF JM ; RING H
Effects of a foot drop neuroprosthesis on functional abilities, social participation and gait velocity
AM.J.PHYS.MED.REHABIL. , 2009, Vol. 88, n° 1, p. 14-20

N° doc. : 139378
AZULAY JP ; CANTINIAUX S ; VACHEROT F
Locomotion : physiologie, méthodes d'analyse et classification des principaux troubles
ENCYCL.MED.CHR.NEUROL. , 2009, FASC. 17005 D10, 10 p

N° doc. : 139403
HOULIHAN CM
Walking function, pain and fatigue in adults with cerebral palsy
DEV.MED.CHILD NEUROL. , 2009, Vol. 51, n° 5, p. 338-339

N° doc. : 139404
OPHEIM A ; JAHNSEN R ; OLSSON E ; STANGHELLE JK
Walking function, pain and fatigue in adults with cerebral palsy : a 7-year follow up study
DEV.MED.CHILD NEUROL. , 2009, Vol. 51, n° 5, p. 381-388

N° doc. : 139484
MENANT JC ; PERRY SD ; STEELE J ; MENZ HB
Effects of shoe characteristics on dynamic stability when walking on even and uneven surfaces in young and older people
ARCH.PHYS.MED.REHABIL., 2008, Vol. 89, n° 10, p.1970-1976

N° doc. : 139502
DILLON MP ; BARKER TM ; PETTET G
Effect of inaccuracies in anthropometric data and linked-segment inverse dynamic modeling on kinetics of gait in persons with partial foot amputation
J.REHABIL.RES.DEV. , 2008, Vol. 45, n° 9, p. 1303-1316

N° doc. : 139503
DILLON MP ; BARKER TM
Comparison of gait of persons with partial foot amputation wearing prosthesis to matched control group : observational study
J.REHABIL.RES.DEV. , 2008, Vol. 45, n° 9, p. 1317-1334

N° doc. : 139504
HOUDIJK H ; APPELMAN FM ; VAN VELZEN JM
Validity of Dynaport gait / monitor for assessment of spatiotemporal parameters in amputee gait
J.REHABIL.RES.DEV. , 2008, Vol. 45, n° 9, p. 1335-1342

N° doc. : 139684
CARVALHO C ; WILLEN C ; SUNNERHAGEN KS
Relationship between walking function and one-legged bicycling test in subjects in the later stage post-stroke
J.REHABIL.MED. , 2008, Vol. 40, n° 9, p. 721-726

N° doc. : 139891
TURTON AJ ; DEWAR SJ ; LIEVESLEY A ; O'LEARY K
Walking and wheelchair navigation in patients with left visual neglect
NEUROPSYCHOL.REHABIL. , 2009, Vol. 19, n° 2, p. 274-290

N° doc. : 139960
DESHPANDE N ; FERRUCCI L ; METTER J
Association of lower limb cutaneous sensitivity with gait speed in the elderly : the health ABC study
AM.J.PHYS.MED.REHABIL. , 2008, Vol. 87, n° 11, p. 921-928

N° doc. : 140016
VAILLANT J
Le test de marche de 6 minutes est-il utilisable pour les patients souffrant de pathologies ostéo-articulaires ?
KINESITHER.SCI. , 2009, n° 499, p. 55-56

N° doc. : 140038
CHOW DHK ; HOLMES AD ; LEE CK ; SIN SW
Conséquences de l'alignement de la prothèse sur la symétrie de la marche sur les sujets présentant une amputation transtibiale unilatérale
J.ORTHOP. , 2009, n° 31, p. 1409-1418

N° doc. : 140140
YOU JH ; SHETTY A ; JONES T ; SHIELDS K ; BELAY Y
Effects of dual-task cognitive gait intervention on memory and gait dynamics in older adults with a history of falls
NEUROREHABILITATION , 2009, Vol. 24, n° 2, p. 193-198

N° doc. : 140394
BARNETT C ; VANICEK N ; POLMAN R ; HANCOCK A
Kinematic gait adaptations in unilateral transtibial amputees during rehabilitation
PROSTH.ORTHOT.INT. , 2009, Vol. 33, n° 2, p. 135-147

N° doc. : 140395
AGRAWAL V ; GAILEY R ; O'TOOLE C ; GAUNAURD I
Symmetry in external work (SEW) : a novel method of quantifying gait differences between prosthetic feet
PROSTH.ORTHOT.INT. , 2009, Vol. 33, n° 2, p. 148-156

N° doc. : 140515
SCHWARTZ MH ; ROZUMALSKI A
The gait deviation index : a new comprehensive index of gait pathology
GAIT POSTURE , 2008, Vol. 28, n° 3, p. 351-357

N° doc. : 140516
SCHEYS L ; VAN CAMPENHOUT A ; SPAEPEN A
Personalized MR-based musculoskeletal models compared to rescaled generic models in the presence of increased femoral anteversion : effect on hip moment arm lengths
GAIT POSTURE , 2008, Vol. 28, n° 3, p. 358-365

N° doc. : 140517
EEK MN ; BECKUNG E
Walking ability is related to muscle strength in children with cerebral palsy
GAIT POSTURE , 2008, Vol. 28, n° 3, p. 366-371

N° doc. : 140518
STEWART C ; POSTANS N ; SCHWARTZ MH
An investigation of the action of the hamstring muscles during standing in crouch using functional electrical stimulation (FES)
GAIT POSTURE , 2008, Vol. 28, n° 3, p. 372-377

N° doc. : 140519

ROZUMALSKI A ; SCHWARTZ MH ; WERVEY R
The in vivo three-dimensional motion of the human lumbar spine during gait
GAIT POSTURE , 2008, Vol. 28, n° 3, p. 378-384

N° doc. : 140521

WITTWER JE ; WEBSTER KE ; ANDREWS PT ; MENZ HB
Test-retest reliability of spatial and temporal gait parameters of people with Alzheimer's disease
GAIT POSTURE , 2008, Vol. 28, n° 3, p. 392-396

N° doc. : 140523

CHUCKPAIWONG B ; NUNLEY JA ; MALL NA ; QUEEN RM
The effect of foot type on in-shoe plantar pressure during walking and running
GAIT POSTURE , 2008, Vol. 28, n° 3, p. 405-411

N° doc. : 140524

STRIFLING KMB ; LU N ; WANG M ; CAO K ; ACKMAN JD
Comparison of upper extremity kinematics in children with spastic diplegic cerebral palsy using anterior and posterior walkers
GAIT POSTURE , 2008, Vol. 28, n° 3, p. 412-419

N° doc. : 140525

CATALFAMO P ; MOSER D ; GHOUSSAYNI S ; EWINS D
Detection of gait events using an F-scan in-shoe pressure measurement system
GAIT POSTURE , 2008, Vol. 28, n° 3, p. 420-426

N° doc. : 140526

VANDERPOOL MT ; COLLINS S ; KUO AD
Ankle fixation need not increase the energetic cost of human walking
GAIT POSTURE , 2008, Vol. 28, n° 3, p. 427-433

N° doc. : 140528

MCDOWELL BC ; KERR C ; KELLY C ; SALAZAR J
The validity of an existing gait classification system when applied to a representative population of children with hemiplegia
GAIT POSTURE , 2008, Vol. 28, n° 3, p. 442-447

N° doc. : 140529

SMITH BA ; ULRICH BD
Early onset of stabilizing strategies for gait and obstacles : older adults with Down syndrome
GAIT POSTURE , 2008, Vol. 28, n° 3, p. 448-455

N° doc. : 140532

SCHRAGER MA ; KELLY VE ; PRICE R ; FERRUCCI L
The effects of age on medio-lateral stability during normal and narrow base walking
GAIT POSTURE , 2008, Vol. 28, n° 3, p. 466-471

N° doc. : 140533

ZURCHER AW ; WOLTERBEEK N ; HARLAAR J ; POLL R
Knee rotation during a weightbearing activity : influence of turning
GAIT POSTURE , 2008, Vol. 28, n° 3, p. 472-477

N° doc. : 140535

MCMULKIN ML ; MACWILLIAMS BA
Intersite variations of the Gillette gait index
GAIT POSTURE , 2008, Vol. 28, n° 3, p. 483-487

N° doc. : 140536

CEDRARO A ; CAPPELLO A ; CHIARI L
A portable system for in-situ re-calibration of force platforms - theoretical validation
GAIT POSTURE , 2008, Vol. 28, n° 3, p. 488-494

N° doc. : 140539

ROZUMALSKI A ; SCHWARTZ MH ; WERVEY R
The in vivo three-dimensional motion of the human lumbar spine during gait
GAIT POSTURE , 2008, Vol. 28, n° 3, p. 378-384

N° doc. : 140677

SNOOK EM ; MOTL RW
Effect of exercise training on walking mobility in multiple sclerosis : a meta analysis
NEUROREHABIL.NEURAL REPAIR , 2009, Vol. 23, n° 2, p. 108-116

N° doc. : 140678

VAN HEDEL HJA ; DIETZ V
Walking during daily life can be validly and responsively assessed in subjects with a spinal cord injury
NEUROREHABIL.NEURAL REPAIR , 2009, Vol. 23, n° 2, p. 117-124

N° doc. : 140681

BLICHER JU ; NIELSEN JF
Cortical and spinal excitability changes after robotic gait training in healthy participants
NEUROREHABIL.NEURAL REPAIR , 2009, Vol. 23, n° 2, p. 143-149

N° doc. : 140688

MALCOLM P ; SEGERS V ; VAN CAEKENBERGE I
Experimental study of the influence of the m.tibialis anterior on the walk-to-run transition by means of a powered ankle-foot exoskeleton
GAIT POSTURE , 2009, Vol. 29, n° 1, p. 6-10

N° doc. : 140692

MUNIZ AMS ; NADAL MJ
Application of principal component analysis in vertical ground reaction force to discriminate normal and abnormal gait
GAIT POSTURE , 2009, Vol. 29, n° 1, p. 31-35

N° doc. : 140693

D'ANGELO MG ; BERTI M ; PICCININI M ; ROMEI M
Gait pattern in Duchenne muscular dystrophy
GAIT POSTURE , 2009, Vol. 29, n° 1, p. 36-41

N° doc. : 140695

SINGH T ; KOH M
Effects of backpack load position on spatiotemporal parameters and trunk forward lean
GAIT POSTURE , 2009, Vol. 29, n° 1, p. 49-53

N° doc. : 140696

DE SMET K ; SEGERS V ; LENOIR M ; DE CLERCQ D
Spatiotemporal characteristics of spontaneous overground walk-to-run transition
GAIT POSTURE , 2009, Vol. 29, n° 1, p. 54-58

N° doc. : 140697

COLLINS S ; ADAMCZYK PG ; FERRIS DP ; KUO AD
A simple method for calibrating force plates and force treadmills using an instrumented pole
GAIT POSTURE , 2009, Vol. 29, n° 1, p. 59-64

N° doc. : 140698

CRABTREE CA ; HIGGINSON J
Modeling neuromuscular effects of ankle foot orthoses (AFOs) in computer simulations of gait
GAIT POSTURE , 2009, Vol. 29, n° 1, p. 65-70

N° doc. : 140699

CARRIERO A ; ZAVATSKY A ; STEBBINS J ; THEOLOGIS T
Determination of gait pattern in children with spastic diplegic cerebral palsy using principal components
GAIT POSTURE , 2009, Vol. 29, n° 1, p. 71-75

N° doc. : 140700

DESAILLY E ; DANIEL Y ; SARDAIN P ; LACOUTURE P
Foot contact event detection using kinematic data in cerebral palsy children and normal adults gait
GAIT POSTURE , 2009, Vol. 29, n° 1, p. 76-80

N° doc. : 140701

HILLMAN SJ ; STANSFIELD BW ; RICHARDSON A
Development of temporal and distance parameters of gait in normal children
GAIT POSTURE , 2009, Vol. 29, n° 1, p. 81-85

N° doc. : 140703

LEVINGER P ; LAI DTH ; BEGG RK ; WEBSTER KE
The application of support vector machines for detecting recovery from knee replacement surgery using spatio-temporal gait parameters
GAIT POSTURE , 2009, Vol. 29, n° 1, p. 91-96

N° doc. : 140706

ROBERTSON J ; PRADON D ; BENSMAIL D ; FERMANIAN C
Relevance of botulinum toxin injection and nerve block of rectus femoris to kinematic and functional parameters of stiff knee gait in hemiplegic adults
GAIT POSTURE , 2009, Vol. 29, n° 1, p. 108-112

N° doc. : 140707

THIGPEN MT ; CAURAUGH J ; CREEL G ; DAY K ; FLYNN S
Adaptation of postural responses during different standing perturbation conditions in individuals with incomplete spinal cord injury
GAIT POSTURE , 2009, Vol. 29, n° 1, p. 113-118

N° doc. : 140709

JONKERS I ; DELP S ; PATTEN C
Capacity to increase walking speed is limited by impaired hip and ankle power generation in lower functioning persons post stroke
GAIT POSTURE , 2009, Vol. 29, n° 1, p. 129-137

N° doc. : 140710

GIVON U ; ZEILIG G ; ACHIRON A
Gait analysis in multiple sclerosis : characterization of temporal spatial parameters using GAITrite functional ambulation system
GAIT POSTURE , 2009, Vol. 29, n° 1, p. 138-142

N° doc. : 140711

XU X ; HSIANG SM ; MIRKA G
The effects of a suspended-load backpack on gait
GAIT POSTURE , 2009, Vol. 29, n° 1, p. 151-153

N° doc. : 140721

GILLES C ; ARNOULD C ; THONNARD JL ; LEJEUNE TM
Abiloco-kids : a Rasch built 10-item questionnaire for assessing locomotion ability in children with cerebral palsy
J.REHABIL.MED. , 2008, Vol. 40, n° 10, p. 823-830

N° doc. : 140729

BURRIDGE JH ; HAUGLAND M ; LARSEN B
Patients' perceptions of the benefits and problems of using the actigait implanted drop-foot stimulator
J.REHABIL.MED. , 2008, Vol. 40, n° 10, p. 873-875

N° doc. : 140749

NANTEL J ; TERMOZ N ; VENDITTOLI PA ; LAVIGNE M
Gait patterns after total hip arthroplasty and surface replacement arthroplasty
ARCH.PHYS.MED.REHABIL. , 2009, Vol. 90, n° 3, p. 463-469

N° doc. : 140750

LARK SD ; PASUPULETI S
Validity of a functional dynamic walking test for the elderly
ARCH.PHYS.MED.REHABIL. , 2009, Vol. 90, n° 3, p. 470-474

N° doc. : 140751

TYSON SF ; ROGERSON L
Assistive walking devices in nonambulant patients undergoing rehabilitation after stroke : the effects on functional mobility, walking impairments and patients' opinion
ARCH.PHYS.MED.REHABIL. , 2009, Vol. 90, n° 3, p. 475-479

N° doc. : 140759

GINANNESCHI F ; FILIPPOU G ; MILANI P ; BIASELLA A
Ulnar nerve compression neuropathy at Guyon's canal caused by crutch walking
ARCH.PHYS.MED.REHABIL. , 2009, Vol. 90, n° 3, p. 522-524

N° doc. : 140810

WILLIAMS G ; MORRIS ME ; SCHACHE A ; MCCRORY PR
Incidence of gait abnormalities after traumatic brain injury
ARCH.PHYS.MED.REHABIL. , 2009, Vol. 90, n° 4, p. 587-593

N° doc. : 140858

MOLLOY M ; SALAZAR TORRES JJ ; KERR C
The effects of industry standard averaging and filtering techniques in kinematic gait analysis
GAIT POSTURE , 2008, Vol. 28, n° 4, p. 559-562

N° doc. : 140859

SPARROW WA ; BEGG RK ; PARKER S
Variability in the foot-ground clearance and step timing of young and older men during single-task and dual-task treadmill walking
GAIT POSTURE , 2008, Vol. 28, n° 4, p. 563-567

N° doc. : 139857

MUELLER MJ ; ZOU D ; BOHNERT KL ; TUTTLE LJ
Plantar stresses on the neuropathic foot during barefoot walking
PHYS.THER. , 2008, Vol. 88, n° 11, p. 1375-1384

N° doc. : 140860

PARIJAT P ; LOCKHART TE
Effects of quadriceps fatigue on the biomechanics of gait and slip propensity
GAIT POSTURE , 2008, Vol. 28, n° 4, p. 568-573

N° doc. : 140863

PICERNO P ; CERREATTI A ; CAPPOZZO A
Joint kinematics estimate using wearable inertial and magnetic sensing modules
GAIT POSTURE , 2008, Vol. 28, n° 4, p. 588-595

N° doc. : 140864

CINELLI ME ; PATLA AE
Locomotor avoidance behaviours during a visually guided task involving an approaching object
GAIT POSTURE , 2008, Vol. 28, n° 4, p. 596-601

N° doc. : 140865

SILVERMAN AK ; FEY NP ; PORTILLO A ; WALDEN JG
Compensatory mechanisms in below knee amputee gait in response to increasing steady-state walking speeds
GAIT POSTURE , 2008, Vol. 28, n° 4, p. 602-609

N° doc. : 140868

REDEKOP S ; ANDRYSEK J ; WRIGHT V
Single-session reliability of discrete gait parameters in ambulatory children with cerebral palsy based on GMFCS level
GAIT POSTURE , 2008, Vol. 28, n° 4, p. 627-633

N° doc. : 140869

MACKAY A ; STOTT NS ; WALT SE
Reliability and validity of an activity monitor (IDEEA) in the determination of temporal spatial gait parameters in individuals with cerebral palsy
GAIT POSTURE , 2008, Vol. 28, n° 4, p. 634-639

N° doc. : 140870

SCHWEYS L ; SPAEPEN A ; SUETENS P ; JONKERS I
Calculated moment arm and muscle-tendon lengths during gait differ substantially using MR based versus rescaled generic lower limb musculoskeletal models
GAIT POSTURE , 2008, Vol. 28, n° 4, p. 640-648

N° doc. : 140873

FUSCO N ; CRETUAL A
Instantaneous treadmill speed determination using subject's kinematic data
GAIT POSTURE , 2008, Vol. 28, n° 4, p. 663-667

N° doc. : 140876

MACWILLIAMS BA
A comparison of four functional methods to determine centers and axes of rotations
GAIT POSTURE , 2008, Vol. 28, n° 4, p. 673-679

N° doc. : 140877

ALLET L ; ARMAND S ; DE BIE RA ; GOLAY A ; MONNIN D
Reliability of diabetic patients' gait parameters in a challenging environment
GAIT POSTURE , 2008, Vol. 28, n° 4, p. 680-686

N° doc. : 140878

HARATO K ; NAGURA T ; MATSUMOTO H ; OTANI T
A gait analysis of simulated knee flexion contracture to elucidate knee-spine syndrome
GAIT POSTURE , 2008, Vol. 28, n° 4, p. 687-692

N° doc. : 140879

BISIAUX M ; MORETTO P
The effects of fatigue on plantar pressure distribution in walking
GAIT POSTURE , 2008, Vol. 28, n° 4, p. 693-698

ANALYSE DU MOUVEMENT

N° doc. : 140357

ZAMPIERI C ; DI FABIO R
Balance and eye movement training to improve gait in people with progressive supranuclear palsy - quasi randomized clinical trial
PHYS.THER. , 2008, Vol. 88, n° 12, p. 1460-1473

N° doc. : 140358

TALKOWSKI JB ; BRACH JS ; STUDENSKI S ; NEWMAN AB
Impact of health perception, balance perception, fall history, balance performance and gait speed on walking activity in older adults
PHYS.THER. , 2008, Vol. 88, n° 12, p. 1474-1481

N° doc. : 140689

STEPHENSON J ; LAMONTAGNE A ; DE SERRES SJ
The coordination of upper and lower limb movements during gait in healthy and stroke individuals
GAIT POSTURE , 2009, Vol. 29, n° 1, p. 11-16

AMPUTATION APPAREILLAGE

N° doc. : 140087

VAN DER SLUIS CK ; HARTMAN PP ; SCHOPPEN T
Job adjustments, job satisfaction and health experience in upper and lower limb amputees
PROSTH.ORTHOT.INT. , 2009, Vol. 33, n° 1, p. 41-51

N° doc. : 140392

KOHLER F ; CIEZA A ; STUCKI G ; GEERTZEN J
Developing core sets for persons following amputation based on the international classification of functioning, disability and health as a way to specify functioning
PROSTH.ORTHOT.INT. , 2009, Vol. 33, n° 2, p. 117-129

N° doc. : 140736

WEGENER ST ; MACKENZIE EJ ; EPHRAIM P ; EHDE D
Self management improves outcomes in persons with limb loss
ARCH.PHYS.MED.REHABIL. , 2009, Vol. 90, n° 3, p. 373-380

N° doc. : 140824

SHAPIRO LT ; HUANG ME
Inpatient rehabilitation of survivors of purpura fulminans with multiple limb amputations
ARCH.PHYS.MED.REHABIL. , 2009, Vol. 90, n° 4, p. 696-700

AMPUTATION DU MEMBRE SUPERIEUR

N° doc. : 139377

GLAUDO S ; SCHWARZER A ; MAIER C
Spiegeltherapie
ORTHOP.TECHNIK , 2009, Vol. 60, n° 3, p. 171-176

AMPUTATION DU MEMBRE INFERIEUR

N° doc. : 140086

BHANGU S ; DEVLIN M ; PAULEY T
Outcomes of individuals with transfemoral and contralateral transtibial amputation due to dysvascular etiologies
PROSTH.ORTHOT.INT. , 2009, Vol. 33, n° 1, p. 33-40

N° doc. : 140091

GEERTZEN J ; JUTTE P ; ROMPEN C ; SALVANS M
Calcanectomy - an alternative amputation ?
PROSTH.ORTHOT.INT. , 2009, Vol. 33, n° 1, p. 78-81

N° doc. : 140085

YURTTAS Y ; KURKLU M ; DEMIRALP B ; ATESALP AS
A novel technique for transtibial amputation in chronic occlusive arterial disease : modified Burgess procedure
PROSTH.ORTHOT.INT. , 2009, Vol. 33, n° 1, p. 25-32

N° doc. : 140088

TEN DUIS K ; BOSMANS JC ; VOESTEN HGJ ; GEERTZEN J
Knee disarticulation : survival, wound healing and ambulation
PROSTH.ORTHOT.INT. , 2009, Vol. 33, n° 1, p. 52-60

N° doc. : 139466

STINEMAN MG ; KWONG PL ; KURICHI JE
The effectiveness of inpatient rehabilitation in the acute postoperative phase of care after transtibial or transfemoral amputation : study of an integrated health care delivery system
ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 10, p. 1863-1872

N° doc. : 139494

MILLER M ; WONG W ; WU J ; CAVENETT S ; DANIELS L
Upper-arm anthropometry : an alternative indicator of nutritional health to body mass index in unilateral lower-extremity amputees ?
ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 10, p. 2031-2033

N° doc. : 139502

DILLON MP ; BARKER TM ; PETTET G
Effect of inaccuracies in anthropometric data and linked-segment inverse dynamic modeling on kinetics of gait in persons with partial foot amputation
J.REHABIL.RES.DEV. , 2008, Vol. 45, n° 9, p. 1303-1316

N° doc. : 139503

DILLON MP ; BARKER TM
Comparison of gait of persons with partial foot amputation wearing prosthesis to matched control group : observational study
J.REHABIL.RES.DEV. , 2008, Vol. 45, n° 9, p. 1317-1334

N° doc. : 139574

BLUMENTRITT S ; SCHMALZ T ; JARASCH R
The safety of C-leg : biomechanical tests
J.PROSTHET.ORTHOT. , 2009, Vol. 21, n° 1, p. 2-15

N° doc. : 139575

SILVER THORN MB ; GLAISTER CL
Functional stability of transfemoral amputee gait using the 3R80 and total knee 2000 prosthetic knee units
J.PROSTHET.ORTHOT. , 2009, Vol. 21, n° 1, p. 18-31

N° doc. : 139576

BERRY D ; OLSON MD ; LARNTZ K
Perceived stability, function and satisfaction among transfemoral amputees using microprocessor and nonmicroprocessor controlled prosthetic knees
J.PROSTHET.ORTHOT. , 2009, Vol. 21, n° 1, p. 32-42

N° doc. : 139580

DIONNE CP ; ERTL WJ ; DAY J
Rehabilitation for those with transtibial osteomyoplastic amputation
J.PROSTHET.ORTHOT. , 2009, Vol. 21, n° 1, p. 64-70

N° doc. : 139848

SINGH R ; RIPLEY D ; PENTLAND B ; TODD L ; HUNTER J
Depression and anxiety symptoms after lower limb amputation : the rise and fall
CLIN.REHABIL. , 2009, Vol. 23, n° 3, p. 281-286

N° doc. : 140039

IZARD P ; ADDE JN ; BRUNEL P ; EVENOT D
L'emboiture : MAS - l'expérience de nos patients...
J.ORTHOP. , 2009, n° 31, p. 1398-1401

N° doc. : 140333

PIQUEMAL M ; SAUTREUIL P ; THOUMIE P ; BENDAYA S
Amputation, névrome douloureux, de Qi et évolution du signal bioélectrique
LETTRE MED.PHYS.READAPT. , 2009, Vol. 25, n° 1, p. 55-59

N° doc. : 140465

MORGENROTH DC ; SHAKIR A ; ORENDURFF MS
Low back pain in transfemoral amputees : is there a correlation with static or dynamic leg-length discrepancy ?
AM.J.PHYS.MED.REHABIL. , 2009, Vol. 88, n° 2, p. 108-113

N° doc. : 140466

INGHAM SJM ; CHAMLIAN TR ; DE SOUZA JM
Transitory myocardial ischemia in patients with vascular lower limb amputation : relationship with long term atherothrombotic events
AM.J.PHYS.MED.REHABIL. , 2009, Vol. 88, n° 2, p. 114-118

N° doc. : 140746

STRUYF PA ; VAN HEUGTEN CM ; HITTERS MW
The prevalence of osteoarthritis of the intact hip and knee among traumatic leg amputees
ARCH.PHYS.MED.REHABIL. , 2009, Vol. 90, n° 3, p. 440-446

N° doc. : 140813

VANROSS ER ; JOHNSON S ; ABBOTT CA
Effects of early mobilization on unhealed dysvascular transtibial amputation stumps
ARCH.PHYS.MED.REHABIL. , 2009, Vol. 90, n° 4, p. 610-617

N° doc. : 140817

ZIDAROV D ; SWAINE B ; GAUTHIER GAGNON C
Quality of life of persons with lower limb amputation during rehabilitation and at 3-month follow up
ARCH.PHYS.MED.REHABIL. , 2009, Vol. 90, n° 4, p. 635-645

N° doc. : 140865

SILVERMAN AK ; FEY NP ; PORTILLO A ; WALDEN JG
Compensatory mechanisms in below knee amputee gait in response to increasing steady-state walking speeds
GAIT POSTURE , 2008, Vol. 28, n° 4, p. 602-609

APPAREILLAGE

N° doc. : 140090

BOSMANS J ; GEERTZEN J ; DIJKSTRA PU
Consumer satisfaction with the services of prosthetics and orthotics facilities
PROSTH.ORTHOT.INT. , 2009, Vol. 33, n° 1, p. 69-77

PROTHESE

N° doc. : 139672

OHNISHI K
Experiment on comparative validation of the destabilizing factors in surface myoelectric interface for prosthetic control
J.PROSTHET.ORTHOT. , 2009, Vol. 21, n° 2, p. 106-109

N° doc. : 140396

SCHAFFALITZKI E ; MHURCHADHA SN ; GALLAGHER P
Identifying the values and preferences of prosthetic users : a case study series using the reportery grid technique
PROSTH.ORTHOT.INT. , 2009, Vol. 33, n° 2, p. 107-116

ORTHESE

N° doc. : 140082

WU Y ; CASANOVA H ; REISINGER KD ; SMITH KW
CIR casting system for making transtibial sockets
PROSTH.ORTHOT.INT. , 2009, Vol. 33, n° 1, p. 1-9

N° doc. : 140083

WESSLING M ; AACH M ; HARDES J ; JANSSEN E
Improvement of the soft socket after rotationplasty : a single case study
PROSTH.ORTHOT.INT. , 2009, Vol. 33, n° 1, p. 10-16

N° doc. : 139375

MIDDELDORF S
Wertigkeit der Technischen Orthopädie im Rahmen multimodal-interdisziplinärer Schmerztherapieprogramme
ORTHOP.TECHNIK , 2009, Vol. 60, n° 3, p. 160-165

N° doc. : 139579

GRIGSBY K
Cranial remolding Helmet treatment of plagiocephaly : comparison of results and treatment length in younger versus older infant populations
J.PROSTHET.ORTHOT. , 2009, Vol. 21, n° 1, p. 55-63

N° doc. : 139715

IWAMURO BT ; CRUZ EG ; CONNELLY LL ; FISCHER HC
Effect of a gravity-compensating orthosis on reaching after stroke : evaluation of the therapy assistant WREX
ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 11, p.2121-2128

N° doc. : 140391

BUTLER RJ ; BARRIOS JA ; ROYER T ; DAVIS IS
Effect of laterally wedged foot orthoses on rearfoot and hip mechanics in patients with medial knee osteoarthritis
PROSTH.ORTHOT.INT. , 2009, Vol. 33, n° 2, p. 107-116

N° doc. : 140398

SATO T ; YAMAJI T ; INOSE H ; SATO E ; YOSHIKAWA A
Extended application of WISH type S-form hip brace for patients with bilateral painful hip osteoarthritis
PROSTH.ORTHOT.INT. , 2009, Vol. 33, n° 2, p. 173-178

N° doc. : 140825

BALDASSIN V ; GOMES CR ; BERALDO PS
Effectiveness of prefabricated and customized foot orthoses made from low-cost foam for noncomplicated plantar fasciitis
ARCH.PHYS.MED.REHABIL. , 2009, Vol. 90, n° 4, p. 701-706

APPAREILLAGE DU MEMBRE SUPERIEUR

N° doc. : 139465
BURGE E ; KUPPER D ; FINCKH A ; RYERSON S
Neutral functional realignment orthosis prevents hand pain in patients with subacute stroke
ARCH.PHYS.MED.REHABIL., 2008, Vol. 89, n° 10, p.1857-1862

N° doc. : 139667
BERTELS T ; SCHMALZ T ; LUDWIGS E
Objectifying the functional advantages of prosthetic wrist flexion
J.PROSTHET.ORTHOT., 2009, Vol. 21, n° 2, p. 74-78

N° doc. : 139668
TRONCOSSI M ; GRUPPIONI E ; CHIOSSI M
A novel electromechanical shoulder articulation for upper limb prostheses : from the design to the first clinical application
J.PROSTHET.ORTHOT., 2009, Vol. 21, n° 2, p. 79-90

N° doc. : 139669
GAISER IN ; PYLATIUK C ; SCHULZ S ; KARGOV A
The FLUIDHAND III : a multifunctional prosthetic hand
J.PROSTHET.ORTHOT., 2009, Vol. 21, n° 2, p. 91-96

N° doc. : 139670
PLETTENBURG DH
The WILMER passive hand prosthesis for toddlers
J.PROSTHET.ORTHOT., 2009, Vol. 21, n° 2, p. 97-99

N° doc. : 139673
VAN DIJK KOOT CA ; VAN DER HAM I ; BUFFART L
Current experiences with the prosthetic upper extremity functional index in follow-up of children with upper limb reduction deficiency
J.PROSTHET.ORTHOT., 2009, Vol. 21, n° 2, p. 110-114

N° doc. : 139674
HILL W ; STAVDAHL O ; HERMANSSON L
Functional outcomes in the WHO-ICF model : establishment of the upper limb prosthetic outcome measures group
J.PROSTHET.ORTHOT., 2009, Vol. 21, n° 2, p. 115-119

N° doc. : 139705
MILLER LA ; LIPSCHUTZ R ; STUBBLEFIELD KA
Control of a six degree of freedom prosthetic arm after targeted muscle reinnervation surgery
ARCH.PHYS.MED.REHABIL., 2008, Vol. 89, n° 11, p.2057-2065

N° doc. : 140264
MC GRATH M ; BONUTTI P ; MARKER D
Static progressive splinting for restoration of rotational motion of the forearm
J.HAND THER., 2009, Vol. 22, n° 1, p. 3-9

N° doc. : 140274
DEWEY WS ; RICHARD RL ; HEDMAN T
Opposition splint for partial thumb amputation : a case study measuring disability before and after splint use
J.HAND THER., 2009, Vol. 22, n° 1, p. 79-87

N° doc. : 140399
CAREY S ; DUBEY R ; BAUER GS ; HIGHSMITH MJ
Kinematic comparison of myoelectric and body powered prostheses while performing common activities
PROSTH.ORTHOT.INT., 2009, Vol. 33, n° 2, p. 179-186

N° doc. : 140764
VULKERT O
Haftschafftechnik in passiver und in Myo-Arm-Prothetik (= Liner socket technique in passive and myo arm prosthetics)
ORTHOP.TECHNIK, 2009, Vol. 60, n° 1, p. 34-36

APPAREILLAGE DU MEMBRE INFERIEUR

N° doc. : 139372
GRUNDEI H ; VON STEIN T ; SCHULTE BOKHOLT D
Die Endo-Exo-Femurprothese. Update eines Versorgungskonzeptes zur Rehabilitation von Oberschenkelamputierten
ORTHOP.TECHNIK, 2009, Vol. 60, n° 3, p. 143-149

N° doc. : 139373
MUNCH T ; HOLLA H ; KOSNER A
Ein habituelle und thermische Abdeckung am Beispiel der Osseointegration
ORTHOP.TECHNIK, 2009, Vol. 60, n° 3, p. 150-152

N° doc. : 139374
JAHNKE S ; BERGANDE S
Moderne Schaftgestaltung im virtuellen Gipsraum
ORTHOP.TECHNIK, 2009, Vol. 60, n° 3, p. 154-159

N° doc. : 139376
KNARR Y
Neue Chancen für die Orthopädie-Technik-Kompetenzausweitung mit der Indikation Phantomschmerzen
ORTHOP.TECHNIK, 2009, Vol. 60, n° 3, p. 166-170

N° doc. : 139574
BLUMENTRITT S ; SCHMALZ T ; JARASCH R
The safety of C-leg : biomechanical tests
J.PROSTHET.ORTHOT., 2009, Vol. 21, n° 1, p. 2-15

N° doc. : 139575
SILVER THORN MB ; GLAISTER CL
Functional stability of transfemoral amputee gait using the 3R80 and total knee 2000 prosthetic knee units
J.PROSTHET.ORTHOT., 2009, Vol. 21, n° 1, p. 18-31

N° doc. : 139577
HIGHSMITH MJ ; KAHLE JT ; FOX JL ; SHAW KL
Decreased heart rate in a geriatric client after physical therapy intervention and accommodation with the C-leg
J.PROSTHET.ORTHOT., 2009, Vol. 21, n° 1, p. 43-47

N° doc. : 139578
HANSEN AH ; CHILDRESS DS
Effects of shoe heel height on the roll-over shapes of prosthetic ankle-foot systems : implications for heel-height-adjustable components
J.PROSTHET.ORTHOT., 2009, Vol. 21, n° 1, p. 48-54

N° doc. : 139581
LAUBE W ; KANNENBERG A
Zur Wirkung einer Knieorthese während Sprungbelastungen bei Patienten fünf Jahre nach Kreuzbandplastik
ORTHOP.TECHNIK, 2009, Vol. 60, n° 4, p. 216-225

N° doc. : 139583
MUNCH T ; HOLLA H
Oberschenkel-Kompressions-strumpf bei Fixateur externe : ein widerspruch ?
ORTHOP.TECHNIK, 2009, Vol. 60, n° 4, p. 256-257

N° doc. : 140038
CHOW DHK ; HOLMES AD ; LEE CK ; SIN SW
Conséquences de l'alignement de la prothèse sur la symétrie de la marche sur les sujets présentant une amputation transtibiale unilatérale
J.ORTHOP., 2009, n° 31, p. 1409-1418

N° doc. : 140039
IZARD P ; ADDE JN ; BRUNEL P ; EVENOT D
L'emboiture : MAS - l'expérience de nos patients...
J.ORTHOP., 2009, n° 31, p. 1398-1401

N° doc. : 140260

VAILLANT J

Prothèse du membre inférieur : recommandations de la British Chartered Society (1)

KINESITHER.SCI. , 2009, n° 500, p. 57-58

N° doc. : 140393

THANH NH ; POETSMA PA ; JENSEN JS

Preliminary experiences with the CIR casting system for transtibial prosthetic sockets

PROSTH.ORTHOT.INT. , 2009, Vol. 33, n° 2, p. 130-134

N° doc. : 140698

CRABTREE CA ; HIGGINSON J

Modeling neuromuscular effects of ankle foot orthoses (AFOs) in computer simulations of gait

GAIT POSTURE , 2009, Vol. 29, n° 1, p. 65-70

N° doc. : 140830

VERSLUYS R ; BEYL P ; VAN DAMME M ; DESOMER A

Prosthetic feet : state of the art review and the importance of mimicking human ankle foot biomechanics

DISABIL.REHABIL.ASSIST.TECHNOL. ,

2009, Vol. 4, n° 2, p. 65-75

N° doc. : 140976

VAILLANT J

Prothèse du membre inférieur : recommandations de la British Chartered Society (2)

KINESITHER.SCI. , 2009, n° 501, p. 51-53

N° doc. : 139897

NASH MS ; MENDEZ A

Nonfasting lipemia and inflammation as cardiovascular disease risks after SCI

TOP.SPINAL CORD INJ.REHABIL.,2009, Vol. 14, n° 3, p. 15-31

N° doc. : 139898

DYSON HUDSON T ; NASH MS

Guideline-driven assessment of cardiovascular disease and related risks after spinal cord injury

TOP.SPINAL CORD INJ.REHABIL.,2009, Vol. 14, n° 3, p. 32-45

N° doc. : 139900

FEASEL S ; GROAH SL

The impact of diet on cardiovascular disease risk in individuals with spinal cord injury

TOP.SPINAL CORD INJ.REHABIL.,2009, Vol. 14, n° 3, p. 58-68

N° doc. : 139901

COWAN RE ; MALONE LA ; NASH MS

Exercise is medicine™ : exercise prescription after SCI to manage cardiovascular disease risk factors

TOP.SPINAL CORD INJ.REHABIL.,2009, Vol. 14, n° 3, p. 69-83

N° doc. : 139902

GROAH SL ; SPUNGEN MI ; BAUMAN WA

Cardiovascular disease in individuals with spinal cord injury : toward best practice

TOP.SPINAL CORD INJ.REHABIL.,2009, Vol. 14, n° 3, p. 84-98

N° doc. : 140466

INGHAM SJM ; CHAMLIAN TR ; DE SOUZA JM

Transitory myocardial ischemia in patients with vascular lower limb amputation : relationship with long term atherothrombotic events

AM.J.PHYS.MED.REHABIL. , 2009, Vol. 88, n° 2, p. 114-118

APPAREIL CARDIO VASCULAIRE

PATHOLOGIE CARDIAQUE

N° doc. : 139323

PELLEGRIN M ; MAZZOLAI L ; BERTHELOT A

Dysfonction endothéliale et risque cardiovasculaire. L'exercice protège la fonction endothéliale et prévient la maladie cardiovasculaire

SCI.SPORTS , 2009, Vol. 24, n° 2, p. 63-73

N° doc. : 139456

CHERMONT S ; QUINTAO MMP ; MESQUITA ET

Noninvasive ventilation with continuous positive airway pressure acutely improves 6-minute walk distance in chronic heart failure

J.CARDIOPULMONARY REHABIL.PREV. ,

2009, Vol. 29, n° 1, p. 44-48

N° doc. : 139693

ZHENG H ; LUO M ; SHEN Y ; MA Y ; KANG W

Effects of 6 months exercise training on ventricular remodelling and autonomic tone in patients with acute myocardial infarction and percutaneous coronary intervention

J.REHABIL.MED. , 2008, Vol. 40, n° 9, p. 776-779

N° doc. : 139843

MANDIC S ; TYMCHAK W ; DAUB B ; QUINNEY HA

Effects of aerobic or aerobic and resistance training on cardiorespiratory and skeletal muscle function in heart failure

CLIN.REHABIL. , 2009, Vol. 23, n° 3, p. 207-216

N° doc. : 139896

MYERS J

Cardiovascular disease after SCI : prevalence, instigators and risk clusters

TOP.SPINAL CORD INJ.REHABIL. , 2009, Vol. 14, n° 3, p. 1-14

REEDUCATION CARDIAQUE

N° doc. : 139190

HOLAHAN CK ; HOLAHAN CJ ; SUZUKI R

Purposiveness, physical activity, and perceived health in cardiac patients

DISABIL.REHABIL. , 2008, Vol. 30, n° 23, p. 1772-1778

N° doc. : 139320

RICHTER C

Coeur, exercice, prévention : quel programme de réentraînement ?

KINE ACTUALITE , 2009, n° 1149, p. 12-15

N° doc. : 139362

COHEN SOLAL A ; CARRE F

Guide pratique des épreuves d'effort cardiorespiratoires

Issy les Moulineaux:Elsevier Masson , 2009, 175 p.

N° doc. : 139459

TANG A ; CLOSSON V ; MARZOLINI S ; OH P ; MCILROY W

Cardiac rehabilitation after stroke : need and opportunity

J.CARDIOPULMONARY REHABIL.PREV. ,

2009, Vol. 29, n° 2, p. 97-104

N° doc. : 139461

BUTLER L ; FURBER S ; PHONGSAVAN P ; MARK A

Effects of a pedometer-based intervention on physical activity levels after cardiac rehabilitation

J.CARDIOPULMONARY REHABIL.PREV. ,

2009, Vol. 29, n° 2, p. 105-114

N° doc. : 139571

LAUER T ; HEISS C ; BALZER J ; KEYMEL S

Resting microvascular resistance and conduit artery tone : relevance to endothelium dependent flow-mediated dilation

EUR.J.CARDIOVASC.PREV.REHABIL. ,

2008, Vol. 15, n° 6, p. 677-682

N° doc. : 139572
EGGER E ; SCHMID JP ; SCHMID RW ; SANER H
Depression and anxiety symptoms affect change in exercise capacity during cardiac rehabilitation
EUR.J.CARDIOVASC.PREV.REHABIL. ,
2008, Vol. 15, n° 6, p. 704-708

N° doc. : 139573
BINDER RK ; WONISCH M ; CORRA U ; COHEN SOLAL A
Methodological approach to the first and second lactate threshold in incremental cardiopulmonary exercise testing
EUR.J.CARDIOVASC.PREV.REHABIL. ,
2008, Vol. 15, n° 6, p. 726-734

VAISSEAUX

PATHOLOGIE VASCULAIRE

N° doc. : 139582
HEMPEL K
Das Lymphödem erfolgreich therapieren
ORTHOP.TECHNIK , 2009, Vol. 60, n° 4, p. 246-255

N° doc. : 139702
FERRANDEZ JC ; THEYS S ; BOUCHET JY
Rééducation des troubles circulatoires de retour
ENCYCL.MED.CHIR.KINESITHER. ,
2009, FASC. 26560 A10, 10 p

N° doc. : 139963
DANIELSON K ; ODDERSON IR
Botulinum toxin type A improves blood flow in vascular thoracic outlet syndrome
AM.J.PHYS.MED.REHABIL. , 2008, Vol. 87, n° 11, p. 956-959

N° doc. : 140410
JONSSON C ; JOHANSSON K
Pole walking for patients with breast cancer-related arm lymphedema
PHYSIOTHER.THEORY PRACT. ,
2009, Vol. 25, n° 3, p. 165-173

PATHOLOGIE METABOLIQUE

N° doc. : 139352
VIENNE M ; RICHEZ DZIRI C ; BEN SALAH FZ
Forrest Morton Bird - quand l'aviation mène à la rééducation respiratoire
J.READAPT.MED. , 2009, Vol. 29, n° 1, p. 25-34

N° doc. : 139712
REJESKI WJ ; IP EH ; MARSH AP ; ZHANG Q ; MILLER ME
Obesity influences transitional states of disability in older adults with knee pain
ARCH.PHYS.MED.REHABIL., 2008, Vol. 89, n° 11, p. 2102-2107

N° doc. : 139849
DESHPANDE A ; HARRIS HAYES M ; SCHOOTMAN M
Epidemiology of diabetes and diabetes-related complications
PHYS.THER. , 2008, Vol. 88, n° 11, p. 1254-1264

N° doc. : 139850
TURCOTTE LP ; FISHER JS
Skeletal muscle insulin resistance : roles of fatty acid metabolism and exercise
PHYS.THER. , 2008, Vol. 88, n° 11, p. 1279-1296

N° doc. : 139851
GULVE EA
Exercise and glycemic control in diabetes : benefits, challenges and adjustments to pharmacotherapy
PHYS.THER. , 2008, Vol. 88, n° 11, p. 1297-1321

N° doc. : 139852
CADE WT
Diabetes-related microvascular and macrovascular diseases in the physical therapy setting
PHYS.THER. , 2008, Vol. 88, n° 11, p. 1322-1335

N° doc. : 139853
HILTON TN ; TUTTLE LJ ; BOHNERT KL ; MUELLER MJ
Excessive adipose tissue infiltration in skeletal muscle in individuals with obesity, diabetes mellitus and peripheral neuropathy : association with performance and function
PHYS.THER. , 2008, Vol. 88, n° 11, p. 1336-1344

N° doc. : 139854
MARCUS RL ; SMITH S ; MORRELL G ; ADDISON O
Comparison of combined aerobic and high-force eccentric resistance exercise with aerobic exercise only for people with type 2 diabetes mellitus
PHYS.THER. , 2008, Vol. 88, n° 11, p. 1345-1354

N° doc. : 139855
CHEN CN ; CHUANG LM ; WU YT
Clinical measures of physical fitness predict insulin resistance in people at risk for diabetes
PHYS.THER. , 2008, Vol. 88, n° 11, p. 1355-1364

N° doc. : 139856
BRACH JS ; TALKOWSKI JB ; STROTMAYER ES ;
Diabetes mellitus and gait dysfunction : possible explanatory factors
PHYS.THER. , 2008, Vol. 88, n° 11, p. 1365-1374

N° doc. : 139858
LEMASTER JW ; MUELLER MJ ; REIBER GE ; MEHR DR
Effect of weight bearing activity on foot ulcer incidence in people with diabetic peripheral neuropathy : feet first randomized controlled trial
PHYS.THER. , 2008, Vol. 88, n° 11, p. 1385-1398

N° doc. : 139859
SINACORE DR ; HASTINGS MK ; BOHNERT KL
Inflammatory osteolysis in diabetic neuropathic (Charcot) arthropathies of the foot
PHYS.THER. , 2008, Vol. 88, n° 11, p. 1399-1407

N° doc. : 139860
KIRKNESS CS ; MARCUS RL ; LASTAYO PC ; ASCHE CV
Diabetes and associated risk factors in patients referred for physical therapy in a national primary care electronic medical record database
PHYS.THER. , 2008, Vol. 88, n° 11, p. 1408-1416

N° doc. : 139861
COHN R
Economic realities associated with diabetes care : opportunities to expand delivery of physical therapist services to a vulnerable population
PHYS.THER. , 2008, Vol. 88, n° 11, p. 1417-1424

N° doc. : 139862
DESHPANDE A ; DODSON EA ; GORMAN I
Physical activity and diabetes : opportunities for prevention through policy
PHYS.THER. , 2008, Vol. 88, n° 11, p. 1425-1435

N° doc. : 140034
EVEN N
Prévenir les lésions chroniques des pieds chez le patient diabétique
AIDE SOIGNANTE , 2009, n° 107, p. 20-21

N° doc. : 140462
KHURANA S ; BAMER AM ; TURNER AP ; WADHWANI R
The prevalence of overweight and obesity in veterans with multiple sclerosis
AM.J.PHYS.MED.REHABIL. , 2009, Vol. 88, n° 2, p. 83-91

N° doc. : 140877

ALLET L ; ARMAND S ; DE BIE RA ; GOLAY A ; MONNIN D
Reliability of diabetic patients' gait parameters in a challenging environment
GAIT POSTURE , 2008, Vol. 28, n° 4, p. 680-686

POUMON

N° doc. : 139527

HIRSCHFELD S ; EXNER G ; LUUKKAALA T ; BAER G
Mechanical ventilation or phrenic nerve stimulation for treatment of spinal cord injury-induced respiratory insufficiency
SPINAL CORD , 2008, Vol. 46, n° 11, p. 738-742

N° doc. : 140593

CHATHAM K ; GELDER CM ; LINES TA ; CAHALIN L
Suspected statin-induced respiratory muscle myopathy during long term inspiratory muscle training in a patient with diaphragmatic paralysis
PHYS.THER. , 2009, Vol. 89, n° 3, p. 257-266

N° doc. : 139289

MARCINIAK C ; KORUTZ AW ; LIN E ; ROTH E ; WELTY L
Examination of selected clinical factors and medication use as risk factors for pneumonia during stroke rehabilitation
AM.J.PHYS.MED.REHABIL. , 2009, Vol. 88, n° 1, p. 30-38

N° doc. : 139290

VILARO J ; RABINOVICH R ; GONZALEZ DESUSO JM
Clinical assessment of peripheral muscle function in patients with chronic obstructive pulmonary disease
AM.J.PHYS.MED.REHABIL. , 2009, Vol. 88, n° 1, p. 1-6

N° doc. : 139460

MADOR MJ ; KRAWZA M ; ALHAJHUSIAN A ; KHAN A
Interval training versus continuous training in patients with chronic obstructive pulmonary disease
J.CARDIOPULMONARY REHABIL.PREV. , 2009, Vol. 29, n° 2, p. 126-132

N° doc. : 140739

RIZZI M ; GRASSI M ; PECIS M ; ANDREOLI A
A specific home care program improves the survival of patients with chronic obstructive pulmonary disease receiving long term oxygen therapy
ARCH.PHYS.MED.REHABIL. , 2009, Vol. 90, n° 3, p. 395-401

N° doc. : 140799

CALDER KB ; ESTORES IM ; KRASSIOUKOV A
Autonomic dysreflexia and associated acute neurogenic pulmonary edema in a patient with spinal cord injury
SPINAL CORD , 2009, Vol. 47, n° 5, p. 423-425

SANTE ET READAPTATION

ORGANISATION DE LA READAPTATION

N° doc. : 140246

WIROTIUS JM
La médecine physique et de réadaptation : un monde professionnel en pointillés, et demain ?
J.READAPT.MED. , 2009, Vol. 29, n° 2, p. 49-50

N° doc. : 139351

MEMIN B ; BONNAMOUR A
Le projet de sortie - aspects conceptuels
J.READAPT.MED. , 2009, Vol. 29, n° 1, p. 20-24

N° doc. : 139706

MALLINSON TR ; MANHEIM LM ; ALMAGOR O
Trends in the supply of inpatient rehabilitation facilities services : 1996 to 2004
ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 11, p. 2066-2079

N° doc. : 139962

WINSTEIN C ; PATE P ; GE T ; ERVIN C ; BAURLEY J
The physical therapy clinical research network (PTClinResNet) : methods, efficacy and benefits of a rehabilitation research network
AM.J.PHYS.MED.REHABIL. , 2008, Vol. 87, n° 11, p. 937-950

N° doc. : 139968

KIM SS ; PARK BK
Patient-perceived communication styles of physicians in rehabilitation : the effect on patient satisfaction and compliance in Korea
AM.J.PHYS.MED.REHABIL. , 2008, Vol. 87, n° 12, p. 998-1005

N° doc. : 140249

CHAMBON X
Le contrat de soins : une démarche originale de soins par objectifs pour les patients hémiplegiques
J.READAPT.MED. , 2009, Vol. 29, n° 2, p. 71-76

N° doc. : 140404

ALLEN D ; MULCAHEY MJ ; HALEY SM ; DEVIVO MJ
Motor scores on the functional independence measure after pediatric spinal cord injury
SPINAL CORD , 2009, Vol. 47, n° 3, p. 213-217

N° doc. : 140595

GILCHRIST L ; GALANTINO ML ; WAMPLER M
A framework for assessment in oncology rehabilitation
PHYS.THER. , 2009, Vol. 89, n° 3, p. 286-307

N° doc. : 140718

MUSSENER U ; FESTIN K ; UPMARK M
Positive experiences of encounters with healthcare and social insurance professionals among people on long term sick leave
J.REHABIL.MED. , 2008, Vol. 40, n° 10, p. 805-811

N° doc. : 140719

HAISMA J ; POST MW ; VAN DER WOUDE LH ; STAM HJ
Functional independence and health-related functional status following spinal cord injury : a prospective study of the association with physical capacity
J.REHABIL.MED. , 2008, Vol. 40, n° 10, p. 812-818

N° doc. : 140806

NGUYEN OGHALAI TU ; OTTENBACHER KJ ; KUO YF
Disparities in utilization of outpatient rehabilitative care following hip fracture hospitalization with respect to race and ethnicity
ARCH.PHYS.MED.REHABIL. , 2009, Vol. 90, n° 4, p. 560-563

N° doc. : 140820

MORRIS DM ; TAUB E ; MACRINA DM ; COOK EW
A method for standardizing procedures in rehabilitation : use in the extremity constraint induced therapy evaluation multisite randomized controlled trial
ARCH.PHYS.MED.REHABIL. , 2009, Vol. 90, n° 4, p. 663-668

QUALITE DE VIE

N° doc. : 140084

TEKIN L ; SAFAZ Y ; GOKTEPE AS ; YAZZYCYODLU K
Comparison of quality of life and functionality in patients with traumatic unilateral below knee amputation and salvage surgery
PROSTH.ORTHOT.INT. , 2009, Vol. 33, n° 1, p. 17-24

N° doc. : 139369

SILVEMARK AJ ; KALLMEN H ; PORTALA K
Life satisfaction in patients with long-term non-malignant pain : relation to demographic factors and pain intensity
DISABIL.REHABIL. , 2008, Vol. 30, n° 25, p. 1929-1937

N° doc. : 139405

HERGENRODER H ; BLANK R
Subjective well-being and satisfaction with life in adults with spastic cerebral palsy
DEV.MED.CHILD NEUROL. , 2009, Vol. 51, n° 5, p. 389-396

N° doc. : 139602

KRAUSE JS ; SALADIN LK ; ADKINS RH
Disparities in subjective well-being, participation and health after spinal cord injury - a 6 year longitudinal study
NEUROREHABILITATION , 2009, Vol. 24, n° 1, p. 47-56

N° doc. : 139432

FENECH A ; BAKER M
Casual leisure and the sensory diet - A concept for improving quality of life in neuropalliative conditions
NEUROREHABILITATION , 2008, Vol. 23, n° 4, p. 369-376

N° doc. : 139519

BERGMARK BA ; WINOGRAD C ; KOOPMAN C
Residence and quality of life determinants for adults with tetraplegia of traumatic spinal cord injury etiology
SPINAL CORD , 2008, Vol. 46, n° 10, p. 684-689

N° doc. : 139522

LIDAL IB ; VEENSTRA M ; HJELTNES N
Health related quality of life in persons with long standing spinal cord injury
SPINAL CORD , 2008, Vol. 46, n° 11, p. 710-715

N° doc. : 139646

DAVIS E ; SHELLY A ; WATERS E ; MACKINNON A
Quality of life of adolescents with cerebral palsy : perspectives of adolescents and parents
DEV.MED.CHILD NEUROL. , 2009, Vol. 51, n° 3, p. 193-199

N° doc. : 140337

ARNOLD CM ; BUSCH A ; SCHACHTER C ; HARRISON EL
A randomized clinical trial of aquatic versus land exercise to improve balance, function and quality of life in older women with osteoporosis
PHYSIOTHER.CANADA , 2008, Vol. 60, n° 4, p. 296-306

N° doc. : 140354

DAVIS E ; DAVIES B ; WOLFE R ; RAADSVELD R ; HEINE B
A randomized controlled trial of the impact of therapeutic horse riding on the quality of life, health, and function of children with cerebral palsy
DEV.MED.CHILD NEUROL. , 2009, Vol. 51, n° 2, p. 111-119

N° doc. : 140409

BASSETT RL ; GINIS KAM
More than looking good : impact on quality of life moderates the relationship between functional body image and physical activity in men with SCI
SPINAL CORD , 2009, Vol. 47, n° 3, p. 252-256

N° doc. : 140450

LANNEM AM ; SORENSEN M ; FROSLIE KF ; HJELTNES N
Incomplete spinal cord injury, exercise and life satisfaction
SPINAL CORD , 2009, Vol. 47, n° 4, p. 295-300

N° doc. : 140550

BARKER RN ; KENDALL MD ; AMSTERS DI
The relationship between quality of life and disability across the lifespan for people with spinal cord injury
SPINAL CORD , 2009, Vol. 47, n° 2, p. 149-155

N° doc. : 140683

LIN KC ; WU CY ; LIU J ; CHEN YT ; HSU CJ
Constraint induced therapy versus dose-matched control intervention to improve motor ability, basic/extended daily functions and quality of life in stroke
NEUROREHABIL.NEURAL REPAIR , 2009, Vol. 23, n° 2, p. 160-165

N° doc. : 140743

TURNER AP ; KIVLAHAN DR ; HASELKORN JK
Exercise and quality of life among people with multiple sclerosis : looking beyond physical functioning to mental health and participation in life
ARCH.PHYS.MED.REHABIL. , 2009, Vol. 90, n° 3, p. 420-428

N° doc. : 140817

ZIDAROV D ; SWAINE B ; GAUTHIER GAGNON C
Quality of life of persons with lower limb amputation during rehabilitation and at 3-month follow up
ARCH.PHYS.MED.REHABIL. , 2009, Vol. 90, n° 4, p. 635-645

PERSONNEL DE MPR

N° doc. : 139968

KIM SS ; PARK BK
Patient-perceived communication styles of physicians in rehabilitation : the effect on patient satisfaction and compliance in Korea
AM.J.PHYS.MED.REHABIL. , 2008, Vol. 87, n° 12, p. 998-1005

N° doc. : 140280

JETTE DU ; HALBERT J ; IVERSON C ; MICELI E ; SHAH P
Use of standardized outcome measures in physical therapist practice : perceptions and applications
PHYS.THER. , 2009, Vol. 89, n° 2, p. 125-135

N° doc. : 140336

CUSICK A ; LANNIN N
On becoming a practitioner researcher in remote northern Australia : personal commitment and resources compensate for structural deterrents to research
DISABIL.REHABIL. , 2008, Vol. 30, n° 26, p. 1984-1998

N° doc. : 140715

DELISA JA
Aspects of training important to future physical and rehabilitation medicine physicians and our specialty training
J.REHABIL.MED. , 2008, Vol. 40, n° 10, p. 785-786

HANDICAP

N° doc. : 140078

CALLEN B ; DOMENECH M ; LOPEZ D ; TIRADO F
Telecare research : (cosmo)politicizing methodology
ALTER , 2009, Vol. 3, n° 2, p. 110-122

N° doc. : 140080

ROBERTS C ; MORT M
Reshaping what counts as care : older people, work and new technologies
ALTER , 2009, Vol. 3, n° 2, p. 138-158

N° doc. : 140081

POLS J ; MOSER I
Cold technologies versus warm care ? on affective and social relations with and through care technologies
ALTER , 2009, Vol. 3, n° 2, p. 159-178

N° doc. : 139195

VAN DER SCHAAF M ; DETTLING DS ; BEELEN A ; LUCAS C ; DONGELMANS DA ; NOLLET F
Poor functional status immediately after discharge from an intensive care unit
DISABIL.REHABIL. , 2008, Vol. 30, n° 23, p. 1812-1818

N° doc. : 139236
SPANJER J ; KROL B ; BROUWER S ; GROOTHOFF JW
Inter-rater reliability in disability assessment based on a semi-structured interview report
DISABIL.REHABIL. , 2008, Vol. 30, n° 24, p. 1885-1890

N° doc. : 139329
DEBERTRAND N
Pour une amélioration du parcours de soins des personnes handicapées
SOINS , 2009, n° 734, p. 14-15

N° doc. : 139363
SIMON D ; TRAYNARD PY ; BOURDILLON F
Education thérapeutique : prévention et maladies chroniques
Issy les Moulineaux:Elsevier Masson , 2009, 305 p

N° doc. : 139468
MORGAN R ; BYRNE M ; HUGHES RB ; PETERSEN NJ
Do secondary conditions explain the relationship between depression and health care cost in women with physical disabilities ?
ARCH.PHYS.MED.REHABIL., 2008, Vol. 9, n° 10, p 1880-1886

N° doc. : 139496
PELLISSIER J ; PELLAS F ; BENAÏM C ; FATTAL C
Principales échelles d'évaluation en médecine physique et réadaptation . 2ème ed.
Boulogne Billancourt : Ipsen Pharma , 2008, 201 p.

N° doc. : 139975
CAPUANO A
Le handicap congénital est-il appelé à disparaître ?
SOINS PEDIATR.PUERICULTURE , 2009, n° 248, p. 11

N° doc. : 140021
CHABROL B
Intérêt d'un diagnostic précoce du handicap
REEDUC.ORTHOPHON. , 2009, n° 237, p. 19-24

N° doc. : 140033
HAMONET C
Traumatisme cérébral, sexualité et vie amoureuse
READAPTATION , 2009, n° 559, p. 19-22

N° doc. : 140287
HAMONET C
L'animal acteur de la réadaptation dans la conception moderne 'situationniste' du handicap
ANAE , 2008, n° 98, p. 128-130

N° doc. : 140349
HOLM S ; SCHONBERGER M ; POULSEN I ; CAETANO C
Patients' and relatives' experience of difficulties following severe traumatic brain injury : the sub-acute stage
NEUROPSYCHOL.REHABIL. , 2009, Vol. 19, n° 3, p. 444-460

N° doc. : 140363
GRINDLEY EJ ; ZIZZI SJ ; NASYPANY AM
Use of protection motivation theory, affect and barriers to understand and predict adherence to outpatient rehabilitation
PHYS.THER. , 2008, Vol. 88, n° 12, p. 1529-1540

SCOLARITE ET HANDICAP

N° doc. : 139322
Scolarisation des enfants handicapés : les règles de coopération entre l'Education nationale et les établissements médico-sociaux...
ACTUAL.SOC.HEBDO. , 2009, n° 2604, p. 5-7

N° doc. : 139806
GLANG A ; TODIS B ; THOMAS CW ; HOOD D ; BEDELL G
Return to school following childhood TBI : who gets services ?
NEUROREHABILITATION , 2008, Vol. 23, n° 6, p. 477-486

N° doc. : 139815
TURKSTRA LS ; WILLIAMS H ; TONKS J ; FRAMPTON I
Measuring social cognition in adolescents : implications for students with TBI returning to school
NEUROREHABILITATION , 2008, Vol. 23, n° 6, p. 501-509

N° doc. : 139816
KENNEDY MRT ; KRAUSE M ; TURKSTRA LS
An electronic survey about college experiences after traumatic brain injury
NEUROREHABILITATION , 2008, Vol. 23, n° 6, p. 511-520

N° doc. : 139817
MACLENNAN DL ; MACLENNAN DC
Assessing readiness for post-secondary education after traumatic brain injury using a simulated college experience
NEUROREHABILITATION , 2008, Vol. 23, n° 6, p. 521-528

TRAVAIL ET HANDICAP

N° doc. : 140087
VAN DER SLUIS CK ; HARTMAN PP ; SCHOPPEN T
Job adjustments, job satisfaction and health experience in upper and lower limb amputees
PROSTH.ORTHOT.INT. , 2009, Vol. 33, n° 1, p. 41-51

N° doc. : 139291
VAN VELZEN JM ; DE GROOT S ; POST MWM
Return to work after spinal cord injury : is it related to wheelchair capacity at discharge from clinical rehabilitation ?
AM.J.PHYS.MED.REHABIL. , 2009, Vol. 88, n° 1, p. 47-56

N° doc. : 140011
LAFON S ; QUENTIN S
Au sujet des troubles musculo-squelettiques en entreprise
KINESITHER.SCI. , 2009, n° 499, p. 5-12

N° doc. : 140335
BENJAMIN K ; PRANSKY G ; SAVAGEAU JA
Factors associated with retirement-related job lock in older workers with recent occupational injury
DISABIL.REHABIL. , 2008, Vol. 30, n° 26, p. 1976-1983

N° doc. : 140717
KUOPPALA J ; LAMMINPAA A
Rehabilitation and work ability : a systematic literature review
J.REHABIL.MED. , 2008, Vol. 40, n° 10, p. 796-804

N° doc. : 140744
STREIBELT M ; BLUME C ; THREN K ; RENEMAN MF
Value of functional capacity evaluation information in a clinical setting for predicting return to work
ARCH.PHYS.MED.REHABIL. , 2009, Vol. 90, n° 3, p. 429-438

N° doc. : 139601
ARANGO LASPRILLA JC ; KETCHUM JM ; STEVENS LF
Ethnicity / racial differences in employment outcomes following spinal cord injury
NEUROREHABILITATION , 2009, Vol. 24, n° 1, p. 37-46

LOISIRS VACANCES /HANDICAP

N° doc. : 139423
CREEK J
Creative leisure opportunities
NEUROREHABILITATION , 2008, Vol. 23, n° 4, p. 299-304

N° doc. : 139424
MAGEE WL ; BOWEN C
Using music in leisure to enhance social relationships with patients with complex disabilities
NEUROREHABILITATION , 2008, Vol. 23, n° 4, p. 305-311

N° doc. : 139425
BLACKER D ; BROADHURST L ; TEIXEIRA L
The role of occupational therapy in leisure adaptation with complex neurological disability
NEUROREHABILITATION , 2008, Vol. 23, n° 4, p. 313-319

N° doc. : 139426
KLEIBER DA ; REEL HA ; HUTCHINSON S
When distress gives way to possibility : the relevance of leisure in adjustment to disability
NEUROREHABILITATION , 2008, Vol. 23, n° 4, p. 321-328

N° doc. : 139427
MALLEY D ; COOPER J ; COPE J
Adapting leisure activity for adults with neuropsychological deficits following acquired brain injury
NEUROREHABILITATION , 2008, Vol. 23, n° 4, p. 329-334

N° doc. : 139428
STEBBINS RA
Right leisure : serious, casual or project-based ?
NEUROREHABILITATION , 2008, Vol. 23, n° 4, p. 335-341

N° doc. : 139429
BACHE J ; DERWENT G
Access to computer-based leisure for individuals with profound disabilities
NEUROREHABILITATION , 2008, Vol. 23, n° 4, p. 343-350

N° doc. : 139430
STONIER CL
Tailoring leisure to suit a wider audience through creative event planning with a multi-sensory approach
NEUROREHABILITATION , 2008, Vol. 23, n° 4, p. 351-359

N° doc. : 139431
COLLIER L ; TRUMAN J
Exploring the multi-sensory environment as a leisure resource for people with complex neurological disabilities
NEUROREHABILITATION , 2008, Vol. 23, n° 4, p. 361-367

N° doc. : 139432
FENECH A ; BAKER M
Casual leisure and the sensory diet - A concept for improving quality of life in neuropalliative conditions
NEUROREHABILITATION , 2008, Vol. 23, n° 4, p. 369-376

N° doc. : 140741
RIMMER JH ; RAUWORTH A ; WANG EC ; NICOLA TL
A preliminary study to examine the effects of aerobic and therapeutic (nonaerobic) exercise on cardiorespiratory fitness and coronary risk reduction in stroke survivors
ARCH.PHYS.MED.REHABIL. , 2009, Vol. 90, n° 3, p. 407-412

LEGISLATION DU HANDICAP

N° doc. : 140390
Guide Néret - Droit des personnes handicapées 2009
RUEIL MALMAISON : GROUPE LIAISONS , 2009, 366 p

SPORT

N° doc. : 139306
DUGDILL L ; CRONE D ; MURPHY R
Physical activity and health promotion : evidence-based approach to practice
CHICHESTER : WILEY BLACKWELL , 2009, 263 p

N° doc. : 139681
BUFFART L ; VAN DER PLOEG H ; BAUMAN A ;
Sports participation in adolescents and young adults with myelomeningocele and its role in total physical activity behaviour and fitness
J.REHABIL.MED. , 2008, Vol. 40, n° 9, p. 702-708

N° doc. : 139726
ENDLEMAN I ; CRITCHLEY D
Transversus abdominis and obliquus internus activity during pilates exercises : measurement with ultrasound scanning
ARCH.PHYS.MED.REHABIL. , 2008, Vol.89, n° 11, p.2205-2212

N° doc. : 140530
HACKNEY ME ; EARHART GM
Tai Chi improves balance and mobility in people with Parkinson disease
GAIT POSTURE , 2008, Vol. 28, n° 3, p. 456-460

SPORT ET HANDICAP

N° doc. : 140411
DEBUSE D ; GIBB C ; CHANDLER C
Effects of hippotherapy on people with cerebral palsy from the users' perspective - a qualitative study
PHYSIOTHER.THEORY PRACT ,2009, Vol. 25, n° 3, p. 174-192

MEDECINE DU SPORT

N° doc. : 139354
KAUX JF ; CRIELAARD JM
Cheville et pied douloureux de l'enfant sportif
J.TRAUMATOL.SPORT , 2009, Vol. 26, n° 1, p. 12-17

N° doc. : 139355
PUIG PL ; TROUVE P ; SAVALLI L ; LABOUTE E
Les accidents des muscles ischiojambiers - un comportement très excentrique
J.TRAUMATOL.SPORT , 2009, Vol. 26, n° 1, p. 18-23

N° doc. : 139356
BOUILLET B ; MOREEL P ; DESCAMPS S
Prise en charge des fractures récentes de la clavicule
J.TRAUMATOL.SPORT , 2009, Vol. 26, n° 1, p. 24-31

N° doc. : 139957
TOPOL GA ; REEVES KD
Regenerative injection of elite athletes with career-altering chronic groin pain who fail conservative treatment
AM.J.PHYS.MED.REHABIL. , 2008, Vol. 87, n° 11, p. 890-902

N° doc. : 140012
ROLLIN J
Alimentation acide et tendinites ... vers la fin d'un mythe ?
KINESITHER.SCI. , 2009, n° 499, p. 13-19

N° doc. : 140257
NOBLET S
Etude morphologique du complexe lombo-pelvien du sportif dans le plan sagittal
KINESITHER.SCI. , 2009, n° 500, p. 39-46

N° doc. : 140740
STANDAERT CJ ; HERRING SA
Expert opinion and controversies in musculoskeletal and sports medicine : stingers
ARCH.PHYS.MED.REHABIL. , 2009, Vol. 90, n° 3, p. 402-406

N° doc. : 141180
GUILLODO Y ; SARAUX A
Prise en charge thérapeutique des lésions musculaires du sportif (de la blessure du terrain à la reprise du sport)
ANN.PHYS.REHABIL.MED. , 2009, Vol. 52, n° 3, p. 246-255

KINESITHERAPIE

N° doc. : 139361
YLINEN J
Etirements musculaires en thérapie manuelle : théorie et pratique
Issy les Moulineaux:Elsevier Masson , 2009, 285 p.

- N° doc. : 139455*
RAYMOND M ; FONDANESCHE C
Kinésithérapie et hémophilie
KINESITHER.REV. , 2009, n° 88, p. 41-45
- N° doc. : 139467*
CASTILLO RC ; MACKENZIE EJ ; ARCHER KR ; BOSSE M
Evidence of beneficial effect of physical therapy after lower-extremity trauma
ARCH.PHYS.MED.REHABIL ,2008, Vol. 89, n° 10, p.1873-1879
- N° doc. : 139700*
GEDDA M ; GUILLEZ P
Ergothérapie et kinésithérapie : des complémentarités en évolution
ENCYCL.MED.CHIR.KINESITHER. ,2009, FASC. 26006 A10, 13 p
- N° doc. : 139701*
GHOSSOUB P ; DUFOUR X ; BARETTE G ; MONTIGNY JP
Mobilisations spécifiques
ENCYCL.MED.CHIR.KINESITHER. ,2009, FASC. 26071 A10, 20 p
- N° doc. : 140065*
ESTRADE JL
Statistiques appliquées à la kinésithérapie - intervalles de confiance avec Excel-R
KINESITHER.REV. , 2009, n° 89, p. 29-35
- N° doc. : 140259*
PERON MAGNAN T
Intérêt de la kinésithérapie pour le patient atteint de la maladie de Parkinson (I)
KINESITHER.SCI. , 2009, n° 500, p. 52-54
- N° doc. : 140279*
BENECIUK JM ; BISHOP MD ; GEORGE SZ
Clinical prediction rules for physical therapy interventions : a systematic review
PHYS.THER. , 2009, Vol. 89, n° 2, p. 114-124
- N° doc. : 140282*
LANDRY M ; RICKETTS TC ; FRAHER E ; VERRIER MC
Physical therapy health human resource ratios - a comparative analysis of the United states and Canada
PHYS.THER. , 2009, Vol. 89, n° 2, p. 149-161
- N° doc. : 140334*
WILES R ; DEMAINE S ; ROBISON J ; KILEFF J
Exercise on prescription schemes for stroke patients post-discharge from physiotherapy
DISABIL.REHABIL. , 2008, Vol. 30, n° 26, p. 1966-1975
- N° doc. : 140412*
RINDFLESC AB
A grounded-theory investigation of patient education in physical therapy practice
PHYSIOTHER.THEORY PRACT. , 2009, Vol. 25, n° 3, p. 193-202
- N° doc. : 140594*
HARBOURNE RT ; STERGIOU N
Movement variability and the use of nonlinear tools : principles to guide physical therapist practice
PHYS.THER. , 2009, Vol. 89, n° 3, p. 267-285
- N° doc. : 140600*
SIENGSUKON CF ; BOYD LA
Does sleep promote motor learning ? implications for physical rehabilitation
PHYS.THER. , 2009, Vol. 89, n° 4, p. 370-383
- N° doc. : 140726*
PAATELMA M ; KILPIKOSKI S ; SIMONEN R ; HEINONEN A
Orthopaedic manual therapy, McKenzie method or advice only for low back pain in working adults
J.REHABIL.MED. , 2008, Vol. 40, n° 10, p. 858-863
- N° doc. : 140779*
SCHILTZ JP ; PENINO G ; PINEAU JC
Effets sur les périmètres des membres inférieurs, du repos allongé et d'une séance de traitement par pression digitale doigts écartés (PDDE)
KINESITHER.REV. , 2009, n° 90, p. 48-53
- N° doc. : 140781*
ARMIJO OLIVO S ; WARREN S ; MAGEE D
Intention to treat analysis, compliance, drop-outs and how to deal with missing data in clinical research
PHYS.THER.REV. , 2009, Vol. 14, n° 1, p. 36-49
- N° doc. : 140782*
THOMAS AJ
Exercise intervention in the critical care unit - what is the evidence ?
PHYS.THER.REV. , 2009, Vol. 14, n° 1, p. 50-59
- N° doc. : 140807*
SZECSI J ; SCHILLER M ; STRAUBE A ; GERLING D
A comparison of functional electrical and magnetic stimulation for propelled cycling of paretic patients
ARCH.PHYS.MED.REHABIL. , 2009, Vol. 90, n° 4, p. 564-570
- N° doc. : 140808*
MASSIE C ; MALCOLM M ; GREENE D ; THAUT M
The effects of constraint induced therapy on kinematic outcomes and compensatory movement patterns : an exploratory study
ARCH.PHYS.MED.REHABIL. , 2009, Vol. 90, n° 4, p. 571-579
- N° doc. : 140970*
VINCENT S ; PRADAT DIEHL P
Bilan et rééducation en kinésithérapie de patients hémiplégiques gauches avec une négligence spatiale unilatérale associée
KINESITHER.SCI. , 2009, n° 501, p. 5-18
- N° doc. : 140972*
DE CHAVIGNY D
Paralysie faciale : petit guide
KINESITHER.SCI. , 2009, n° 501, p. 24-30
- N° doc. : 140973*
GUIET P
Kinésithérapie 'pré-écrite' - approche originale : la hanche
KINESITHER.SCI. , 2009, n° 501, p. 31-45
- N° doc. : 140974*
PERON MAGNAN T
Intérêt de la kinésithérapie pour le patient atteint de la maladie de Parkinson (2)
KINESITHER.SCI. , 2009, n° 501, p. 47-48

KINESITHERAPIE RENFORCEMENT MUSCULAIRE

- N° doc. : 139325*
JIDOVTSSEFF B ; QUIEVRE J ; HANON C ; CRIELAARD JM
Les profils musculaires inertiels permettent une définition plus précise des charges d'entraînement
SCI.SPORTS , 2009, Vol. 24, n° 2, p. 91-96
- N° doc. : 139357*
EDOUARD P ; FAYOLLE MINON I ; CALMELS P
Instabilité d'épaule et isocinétisme : apport de l'isocinétisme dans une situation clinique complexe
J.TRAUMATOL.SPORT , 2009, Vol. 26, n° 1, p. 48-53
- N° doc. : 140013*
PIRET Q
Intérêt du renforcement des rotateurs latéraux dans la présentation des atteintes dégénératives du tendon du long biceps
KINESITHER.SCI. , 2009, n° 499, p. 21-28

N° doc. : 140067

AUBRY JF ; PETREL K ; ROSE E

Evaluation et renforcement musculaire isocinétique en neurologie centrale

KINESITHER.REV. , 2009, n° 89, p. 45-50

N° doc. : 140253

MARTINON S ; PERREY S

Le travail musculaire excentrique : intérêts, indications et modalités pratiques en cabinet de kinésithérapie - applications à la gymnastique

KINESITHER.SCI. , 2009, n° 500, p. 15-24

N° doc. : 140469

DESCHENES MR ; MCCOY RW ; DAVIS J ; MCGINN M

The efficacy of prehabilitative conditioning : ameliorating unloading induced declines in the muscle function of humans

AM.J.PHYS.MED.REHABIL. , 2009, Vol. 88, n° 2, p. 136-144

KINESITHERAPIE MOBILISATION ARTICULAIRE

N° doc. : 140288

DEVILLERS J

Kinésithérapie analytique - la thérapie manuelle selon

Raymond Sohier

KINE ACTUALITE , 2009, n° 1157, p. 20-23

N° doc. : 140413

MARICAR N ; SHACKLADY C ; MCLOUGHLIN L

Effect of maitland mobilization and exercises for the treatment of shoulder adhesive capsulitis - a single case design

PHYSIOTHER.THEORY PRACT.,2009, Vol. 25, n° 3, p. 203-217

N° doc. : 140597

MURAKI T ; AOKI M ; IZUMI T ; FUJII M ; HIDAKA E

Lengthening of the pectoralis minor muscle during passive shoulder motions and stretching techniques : a cadaveric biomechanical study

PHYS.THER. , 2009, Vol. 89, n° 4, p. 333-341

N° doc. : 140748

LEWIS N ; BRISMEE JM ; JAMES R ; SIZER PS ; SAWYER SF

The effect of stretching on muscle responses and postural sway responses during computerized dynamic posturography in women and men

ARCH.PHYS.MED.REHABIL. , 2009, Vol. 90, n° 3, p. 454-462

KINESITHERAPIE REEDUCATION NEUROMUSCULAIRE

N° doc. : 139585

HARDING P ; RIDDOCH MJ

Functional electrical stimulation (FES) of the upper limb alleviates unilateral neglect

NEUROPSYCHOL.REHABIL. , 2009, Vol. 19, n° 1, p. 41-63

N° doc. : 140285

WARD AR

Electrical stimulation using kilohertz-frequency alternating current

PHYS.THER. , 2009, Vol. 89, n° 2, p. 181-190

N° doc. : 140468

LIMA SC ; CAIERAO QM ; PEVIANI S ; RUSSO TL

Muscle and nerve responses after different intervals of electrical stimulation sessions on denervated rat muscle

AM.J.PHYS.MED.REHABIL. , 2009, Vol. 88, n° 2, p. 126-135

N° doc. : 140518

STEWART C ; POSTANS N ; SCHWARTZ MH

An investigation of the action of the hamstring muscles during standing in crouch using functional electrical stimulation (FES)

GAIT POSTURE , 2008, Vol. 28, n° 3, p. 372-377

N° doc. : 140680

THOMPSON A ; HELM ESTABROOKS N ; CHONG SL

Spinal reflexes in ankle flexor and extensor muscles after chronic central nervous system lesions and functional electrical stimulation

NEUROREHABIL.NEURAL REPAIR ,

2009, Vol. 23, n° 2, p. 133-142

N° doc. : 140686

MANGOLD S ; SCHUSTER C ; KELLER T

Motor training of upper extremity with functional electrical stimulation in early stroke rehabilitation

NEUROREHABIL.NEURAL REPAIR ,

2009, Vol. 23, n° 2, p. 184-190

N° doc. : 140775

La rééducation neuromusculaire permet d'optimiser le résultat fonctionnel après une reconstruction du ligament croisé antérieur sous arthroscopie

KINESITHER.REV. , 2009, n° 90, p. 19-20

PHYSIOTHERAPIE

N° doc. : 139341

RIETMAN M ; ROUAULT N

Le nénuphar : une aide technique pour la facilitation du mouvement en milieu aquatique des enfants atteints de paralysie cérébrale

MOTRICITE CEREBR. , 2009, Vol. 30, n° 1, p. 20-25

N° doc. : 140036

DELECOLLE P

Exercices en balnéothérapie

KINE ACTUALITE , 2009, n° 1155, p. 48-52

N° doc. : 140272

STANTON D ; LAZARO R ; MACDERMID JC

A systematic review of the effectiveness of contrast baths

J.HAND THER. , 2009, Vol. 22, n° 1, p. 57-70

N° doc. : 140339

CLEATHER JM

Physiothérapie - leardership et possibilités

PHYSIOTHER.CANADA , 2008, Vol. 60, n° 4, p. 329-340

N° doc. : 140340

LI S ; SILVA YR

Investigation of the frequency and force of chest vibration performed by physiotherapists

PHYSIOTHER.CANADA , 2008, Vol. 60, n° 4, p. 341-348

N° doc. : 140341

MERCER E ; MACKAY LYONS M ; CONWAY N

Perceptions of outpatients regarding the attire of physiotherapists

PHYSIOTHER.CANADA , 2008, Vol. 60, n° 4, p. 349-357

ERGOTHERAPIE

N° doc. : 139196

SCHNEIDER J

Supported employment practice in the UK : evidence about an emerging occupational group

DISABIL.REHABIL. , 2008, Vol. 30, n° 23, p. 1819-1828

N° doc. : 139346

SORITA E

Apports et spécificités de l'ergothérapie dans l'intervention auprès de personnes présentant des troubles cognitifs

ERGOTHERAPIES , 2009, n° 33, p. 5-23

N° doc. : 139347

TAILLEFER C ; PONCET F ; CHEVIGNARD M ; PICQ C

Evaluations "écologiques" et rééducation du syndrome dysexécutif en ergothérapie

ERGOTHERAPIES , 2009, n° 33, p. 25-43

N° doc. : 139348

BARD R ; COMBEY A

Toxine botulinique et membre supérieur de l'enfant cérébro-lésé : schémas pathologiques et outils ergothérapeutiques pour l'évaluation du membre supérieur du jeune enfant cérébro-lésé
ERGOTHERAPIES , 2009, n° 33, p. 45-58

N° doc. : 139391

KIELHOFNER G ; FORSYTH K ; KRAMER J ; IYENGER A
Developing the occupational self assessment : the use of Rasch analysis to assure internal validity, sensitivity and reliability
BR.J.OCCUP.THER. , 2009, Vol. 72, n° 3, p. 94-104

N° doc. : 139392

CREEK J

Occupational therapy defined as a complex intervention : a 5-year review
BR.J.OCCUP.THER. , 2009, Vol. 72, n° 3, p. 105-115

N° doc. : 139393

CHARD G ; FAULKNER T ; CHUGG A

Exploring occupation and its meaning among homeless men
BR.J.OCCUP.THER. , 2009, Vol. 72, n° 3, p. 116-124

N° doc. : 139394

ELLIOTT C ; NEWTON J

Occupational therapy in chronic liver disease : a gap in service delivery
BR.J.OCCUP.THER. , 2009, Vol. 72, n° 3, p. 133-136

N° doc. : 139400

COOPER J ; REYNOLDS F ; BATEMAN A

An evaluation of a fatigue management intervention for people with acquired brain injury - an exploratory study
BR.J.OCCUP.THER. , 2009, Vol. 72, n° 4, p. 174-179

N° doc. : 139422

LYNCH WJ

Everyday living assessment in cognitive evaluations
J.HEAD TRAUMA REHABIL. , 2008, Vol. 23, n° 3, p. 185-188

N° doc. : 139425

BLACKER D ; BROADHURST L ; TEIXEIRA L

The role of occupational therapy in leisure adaptation with complex neurological disability
NEUROREHABILITATION , 2008, Vol. 23, n° 4, p. 313-319

N° doc. : 139505

SKIDMORE FM ; MACKMAN CA ; PAV B ; SHULMAN LM

Daily ambulatory activity levels in idiopathic Parkinson disease
J.REHABIL.RES.DEV. , 2008, Vol. 45, n° 9, p. 1343-1348

N° doc. : 139586

WINKENS I ; VAN HEUGTEN C ; FASOTTI L ; WADE DT
Reliability and validity of two new instruments for measuring aspects of mental slowness in the daily lives of stroke patients
NEUROPSYCHOL.REHABIL. , 2009, Vol. 19, n° 1, p. 64-85

N° doc. : 139887

BOTTARI C ; DASSA C ; RAINVILLE C ; DUTIL E

The factorial validity and internal consistency of the instrumental activities of daily living profile in individuals with a traumatic brain injury
NEUROPSYCHOL.REHABIL. , 2009, Vol. 19, n° 2, p. 177-207

AIDES TECHNIQUES

N° doc. : 140247

KHOMIAKOFF R ; CZTERNASTY G ; VANDROMME L
L'acceptation des aides techniques robotisées par la personne en situation de handicap moteur : une approche psychologique
J.READAPT.MED. , 2009, Vol. 29, n° 2, p. 51-58

N° doc. : 139509

WANG Y ; BYERS KL ; VELOZO CA

Rasch analysis of minimum data set mandated in skilled nursing facilities
J.REHABIL.RES.DEV. , 2008, Vol. 45, n° 9, p. 1385-1400

N° doc. : 139692

BRANDT A ; LOFQVIST C ; JONSDOTTIR I ; SUND T

Towards an instrument targeting mobility-related participation : nordic cross-national reliability
J.REHABIL.MED. , 2008, Vol. 40, n° 9, p. 766-772

N° doc. : 140833

HUANG IC ; SUGDEN D ; BEVERIDGE S

Children's perceptions of their use of assistive devices in home and school settings
DISABIL.REHABIL.ASSIST.TECHNOL. , 2009, Vol. 4, n° 2, p. 95-105

N° doc. : 140834

CHIANG HY ; JACOBS K

Effect of computer-based instruction on students' self perception and functional task performance
DISABIL.REHABIL.ASSIST.TECHNOL. , 2009, Vol. 4, n° 2, p. 106-118

FAUTEUIL ROULANT

N° doc. : 139293

MACDONALD B ; KIRBY RL ; SMITH C ; MACLEOD DA

Sitting pressure in the tilted position : manual tilt-in-space wheelchair vs. manual wheelchair with a new rear antitip device
AM.J.PHYS.MED.REHABIL. , 2009, Vol. 88, n° 1, p. 61-65

N° doc. : 139478

LAFFONT I ; GUILLON B ; FERMANIAN C ; POUILLOT S

Evaluation of a stair climbing power wheelchair in 25 people with tetraplegia
ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 10, p.1958-1964

N° doc. : 139488

HURD WJ ; MORROW MM ; KAUFMAN KR ; AN KN

Biomechanics evaluation of upper-extremity symmetry during manual wheelchair propulsion over varied terrain
ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 10, p.1996-2002

N° doc. : 139498

LIU HY ; COOPER RA ; PEARLMAN J ; COOPER R

Evaluation of titanium ultralight manual wheelchairs using ANSI / RESNA standards
J.REHABIL.RES.DEV. , 2008, Vol. 45, n° 9, p. 1251-1268

N° doc. : 139499

VORRINK SNW ; VAN DER WOUDE LHV ; MESSEBERG A

Comparaison of wheelchair wheels in terms of vibration and spasticity in people with spinal cord injury
J.REHABIL.RES.DEV. , 2008, Vol. 45, n° 9, p. 1269-1280

N° doc. : 139591

ABEL T ; PLATEN P ; VEGA SR ; STRUDER HK

Energy expenditure in ball games for wheelchair users
SPINAL CORD , 2008, Vol. 46, n° 12, p. 785-790

N° doc. : 139707

NASH MS ; KOPPENS D ; VAN HAAREN M ; SHERMAN AL

Power assisted wheels ease energy costs and perceptual responses to wheelchair propulsion in persons with shoulder pain and spinal cord injury
ARCH.PHYS.MED.REHABIL. , 2008, Vol.89, n° 11, p.2080-2085

N° doc. : 139500

RENTSCHLER AJ ; SIMPSON R ; COOPER RA

Clinical evaluation of Guido robotic walker
J.REHABIL.RES.DEV. , 2008, Vol. 45, n° 9, p. 1281-1294

N° doc. : 139708
BROSE SW ; BONINGER ML ; FULLERTON B ; MCCANN T
Shoulder ultrasound abnormalities, physical examination findings and pain in manual wheelchair users with spinal cord injury
ARCH.PHYS.MED.REHABIL.,2008,Vol. 89, n° 11, p. 2086-2093

N° doc. : 139891
TURTON AJ ; DEWAR SJ ; LIEVESLEY A ; O'LEARY K
Walking and wheelchair navigation in patients with left visual neglect
NEUROPSYCHOL.REHABIL. , 2009, Vol. 19, n° 2, p. 274-290

N° doc. : 139965
COOPER RA ; TOLERICO M ; KAMINSKI BA ; SPAETH D
Quantifying wheelchair activity of children
AM.J.PHYS.MED.REHABIL. , 2008, Vol. 87, n° 12, p. 977-983

N° doc. : 139966
HURD WJ ; MORROW MM ; KAUFMAN KR ; AN KN
Influence of varying level terrain on wheelchair propulsion biomechanics
AM.J.PHYS.MED.REHABIL. , 2008, Vol. 87, n° 12, p. 984-991

N° doc. : 140797
RICE I ; IMPINK B ; NIYONKURU C ; BONINGER M
Manual wheelchair stroke characteristics during an extended period of propulsion
SPINAL CORD , 2009, Vol. 47, n° 5, p. 413-417

N° doc. : 140831
NILAY EVCIL A
Wheelchair accessibility to public buildings in Istanbul
DISABIL.REHABIL.ASSIST.TECHNOL. , 2009, Vol. 4, n° 2, p. 76-85

N° doc. : 140832
DEGROOT KK ; HOLLINGSWORTH HH ; MORGAN KA
The influence of verbal training and visual feedback on manual wheelchair propulsion
DISABIL.REHABIL.ASSIST.TECHNOL. , 2009, Vol. 4, n° 2, p. 86-94

ORTHOPHONIE

N° doc. : 139365
CROUAIL A
Rééduquer dyscalculie et dyspraxie : méthode pratique pour l'enseignement des mathématiques
Issy les Moulineaux:Elsevier Masson , 2008, 170 p

N° doc. : 140212
MONTANO JJ ; SPITZER JB
Adult audiologic rehabilitation
OXFORD : PLURAL PUBL. , 2009, 490 p

N° doc. : 140322
BISHOP DVM
Les causes des troubles spécifiques du langage chez l'enfant
ANAE , 2008, n° 99, p. 196-201

N° doc. : 140323
MAILLART C ; ORBAN A
Le bilan langagier de l'enfant dysphasique : aspects théoriques et cliniques
ANAE , 2008, n° 99, p. 211-220

N° doc. : 140325
DUSSART T
Le langage en devenir de l'enfant dysphasique : entre l'oral et l'écrit
ANAE , 2008, n° 99, p. 240-244

N° doc. : 140326
REGAERT C ; THOMAS N
La guidance parentale logopédique : une expérience clinique
ANAE , 2008, n° 99, p. 245-249

ACUPUNCTURE

N° doc. : 140073
TERRAL C
Douleur et acupuncture - de la recherche à la clinique
MONTPELLIER : SAURAMPS MEDICAL , 2009, 305 p

MUSICOTHERAPIE

N° doc. : 139550
VIOSSAT M
Relation mère-enfant en musicothérapie
J.PSYCHOL. , 2009, n° 267, p. 55-61

HEMOPHILIE

N° doc. : 139454
GUEROIS C
L'éducation thérapeutique du patient hémophile
KINESITHER.REV. , 2009, n° 88, p. 37-40

N° doc. : 139455
RAYMOND M ; FONDANESCHE C
Kinésithérapie et hémophilie
KINESITHER.REV. , 2009, n° 88, p. 41-45

OSTEOPATHIE

N° doc. : 140946
CHANTEPIE A ; PEROT JF
Techniques myotensives rachidiennes
PARIS : MALOINE , 2009, 90 p

GERONTOLOGIE

N° doc. : 139193
ROUCH I ; THOMAS ANTERION C ; DAUPHINOT V
Cognitive complaints, neuropsychological performance and affective disorders in elderly community residents
DISABIL.REHABIL. , 2008, Vol. 30, n° 23, p. 1794-1802

N° doc. : 139194
LEE F ; MACKENZIE L ; JAMES C
Perceptions of older people living in the community about their fear of falling
DISABIL.REHABIL. , 2008, Vol. 30, n° 23, p. 1803-1811

N° doc. : 140077
BAILEY C ; SHEEHAN C
Technology, older persons' perspectives and the anthropological ethnographic lens
ALTER , 2009, Vol. 3, n° 2, p. 96-109

N° doc. : 140078
CALLEN B ; DOMENECH M ; LOPEZ D ; TIRADO F
Telecare research : (cosmo)politicizing methodology
ALTER , 2009, Vol. 3, n° 2, p. 110-122

N° doc. : 140080
ROBERTS C ; MORT M
Reshaping what counts as care : older people, work and new technologies
ALTER , 2009, Vol. 3, n° 2, p. 138-158

N° doc. : 128743

SELLAL F ; KRUCZEK E
Maladie d'Alzheimer . 2ème ed.
Doin , 2007, 152 p ;

N° doc. : 129747

MOULIAS R ; MOULIAS S
Abord clinique du malade âgé
Springer Verlag France , 2007, 177 p.

N° doc. : 139233

FINLAYSON M ; CHO C
A descriptive profile of caregivers of older adults with MS and the assistance they provide
DISABIL.REHABIL. , 2008, Vol. 30, n° 24, p. 1848-1857

N° doc. : 139324

POORTMANS JR ; CARPENTIER YA
Sarcopénie, vieillissement et exercice
SCL.SPORTS , 2009, Vol. 24, n° 2, p. 74-78

N° doc. : 139330

DE SAINT LEGER AS ; MOIZIARD AS ; MEAUME S
Les plaies de la personne âgée ou très âgée
SOINS , 2009, n° 734, p. 21-26

N° doc. : 139415

ASHMAN T ; CANTOR JB ; GORDON WA ; SACKS A ;
SPIELMAN L ; EGAN M ; HIBBARD MR
A comparison of cognitive functioning in older adults with and without traumatic brain injury
J.HEAD TRAUMA REHABIL. , 2008, Vol. 23, n° 3, p. 139-148

N° doc. : 139417

YAP SGM ; CHUA KSG
Rehabilitation outcomes in elderly patients with traumatic brain injury in Singapore
J.HEAD TRAUMA REHABIL. , 2008, Vol. 23, n° 3, p. 158-163

N° doc. : 139418

SARMIENTO K ; LANGLOIS JA ; MITCHKO J
Help seniors live better, longer : prevent brain injury - An overview of CDC's education initiative to prevent fall-related TBI among older adults
J.HEAD TRAUMA REHABIL. , 2008, Vol. 23, n° 3, p. 164-167

N° doc. : 139484

MENANT JC ; PERRY SD ; STEELE J ; MENZ HB ;
Effects of shoe characteristics on dynamic stability when walking on even and uneven surfaces in young and older people
ARCH.PHYS.MED.REHABIL.,2008, Vol. 89, n° 10, p.1970-1976

N° doc. : 139485

BAUER C ; GROGER I ; RUPPRECHT R ; GASSMANN G
Intrasession reliability of force platform parameters in community-dwelling older adults
ARCH.PHYS.MED.REHABIL. , 2008, Vol. 89, n° 10, p.1977-1982

N° doc. : 139506

KENDALL C ; ROSENHECK R
Use of mental health services by veterans disabled by auditory disorders
J.REHABIL.RES.DEV. , 2008, Vol. 45, n° 9, p. 1349-1360

N° doc. : 139577

HIGHSMITH MJ ; KAHLE JT ; FOX JL ; SHAW KL
Decreased heart rate in a geriatric client after physical therapy intervention and accommodation with the C-leg
J.PROSTHET.ORTHOT. , 2009, Vol. 21, n° 1, p. 43-47

N° doc. : 139690

BAUTMANS I ; DEMARTEAU J ; CRUTS B ; LEMPER JC
Dysphagia in elderly nursing home residents with severe cognitive impairment can be attenuated by cervical spine mobilization
J.REHABIL.MED. , 2008, Vol. 40, n° 9, p. 755-760

N° doc. : 139712

REJESKI WJ ; IP EH ; MARSH AP ; ZHANG Q ; MILLER ME
Obesity influences transitional states of disability in older adults with knee pain
ARCH.PHYS.MED.REHABIL.,2008, Vol. 89, n° 11, p.2102-2107

N° doc. : 139717

BARKER A ; NITZ JC ; LOW CHOY N ; HAINES TP
Clinimetric evaluation of the physical mobility scale supports clinicians and researchers in residential aged care
ARCH.PHYS.MED.REHABIL., 2008, Vol. 89,n° 11, p.2140-2145

N° doc. : 139921

BELANGER HG ; UOMOTO JM ; VANDERPLOEG RD
The veterans health administration system of care for mild traumatic brain injury : costs, benefits and controversies
J.HEAD TRAUMA REHABIL. , 2009, Vol. 24, n° 1, p. 4-13

N° doc. : 139964

MAYSON DJ ; KIELY DK ; LAROSE S ; BEAN JF
Leg strength or velocity of movement : which is more influential on the balance of mobility limited elders ?
AM.J.PHYS.MED.REHABIL. , 2008, Vol. 87, n° 12, p. 969-976

N° doc. : 140140

YOU JH ; SHETTY A ; JONES T ; SHIELDS K ; BELAY Y
Effects of dual-task cognitive gait intervention on memory and gait dynamics in older adults with a history of falls
NEUROREHABILITATION , 2009, Vol. 24, n° 2, p. 193-198

N° doc. : 140313

MILLER E ; WIGHTMAN E ; RUMBOLT K ; MCCONNELL S
Management of fall-related injuries in the elderly : a retrospective chart review of patients presenting to emergency department of a community-based teaching hospital
PHYSIOTHER.CANADA , 2009, Vol. 61, n° 1, p. 26-37

N° doc. : 140321

DAROWSKI A
Falls
Oxford : Oxford University Press , 2008, 190 p

N° doc. : 140335

BENJAMIN K ; PRANSKY G ; SAVAGEAU JA
Factors associated with retirement-related job lock in older workers with recent occupational injury
DISABIL.REHABIL. , 2008, Vol. 30, n° 26, p. 1976-1983

N° doc. : 140337

ARNOLD CM ; BUSCH A ; SCHACHTER C ; HARRISON EL
A randomized clinical trial of aquatic versus land exercise to improve balance, function and quality of life in older women with osteoporosis
PHYSIOTHER.CANADA , 2008, Vol. 60, n° 4, p. 296-306

N° doc. : 140342

ARNOLD CM ; SRAN MM ; HARRISON EL
Exercise for fall risk reduction in community-dwelling older adults
PHYSIOTHER.CANADA , 2008, Vol. 60, n° 4, p. 358-372

N° doc. : 140359

LIU AMBROSE T ; ASHE MC ; GRAF P ; BEATTIE BL
Increased risk of falling in older community-dwelling women with mild cognitive impairment
PHYS.THER. , 2008, Vol. 88, n° 12, p. 1482-1491

N° doc. : 140467

DI MONACO M ; VALLERO F ; DI MONACO R ; TAPPERO R
Serum levels of insulin-like growth factor-I are positively associated with functional outcome after hip fracture in elderly women
AM.J.PHYS.MED.REHABIL. , 2009, Vol. 88, n° 2, p. 119-125

N° doc. : 140520

O'CONNOR K ; LOUGHLIN PJ ; REDFERN MS ; SPARTO PJ
Postural adaptations to repeated optic flow stimulation in older adults
GAIT POSTURE , 2008, Vol. 28, n° 3, p. 385-391

N° doc. : 140529

SMITH BA ; ULRICH BD
Early onset of stabilizing strategies for gait and obstacles : older adults with Down syndrome
GAIT POSTURE , 2008, Vol. 28, n° 3, p. 448-455

N° doc. : 140531

TROY KL ; DONOVAN SJ ; MARONE JR ; BAREITHER ML
Modifiable performance domain risk-factors associated with slip related falls
GAIT POSTURE , 2008, Vol. 28, n° 3, p. 461-465

N° doc. : 140532

SCHRAGER MA ; KELLY VE ; PRICE R ; FERRUCCI L
The effects of age on medio-lateral stability during normal and narrow base walking
GAIT POSTURE , 2008, Vol. 28, n° 3, p. 466-471

N° doc. : 140730

VOGT L ; WIELAND K ; BACH M ; HIMMELREICH H
Cognitive status and ambulatory rehabilitation outcome in geriatric patients
J.REHABIL.MED. , 2008, Vol. 40, n° 10, p. 876-878

N° doc. : 140737

SILSUPADOL P ; SHUMWAY COOK A ; LUGADE V ; VAN DONKELAAR P ; CHOU LS ; MAYR U ; WOOLACOTT MH
Effects of single-task versus dual task training on balance performance in older adults
ARCH.PHYS.MED.REHABIL. , 2009, Vol. 90, n° 3, p. 381-387

N° doc. : 140750

LARK SD ; PASUPULETI S
Validity of a functional dynamic walking test for the elderly
ARCH.PHYS.MED.REHABIL. , 2009, Vol. 90, n° 3, p. 470-474

N° doc. : 140783

ETIENNE V ; MARIN LAMELLET C ; LAURENT B
Evolution du contrôle exécutif au cours du vieillissement normal
REV.NEUROL. (Paris) , 2008, Vol. 164, n° 12, p. 1010-1017

N° doc. : 140784

CHEVIGNARD M ; TAILLEFER C ; PONCET F ; PICQ C
Effet de l'âge sur le fonctionnement exécutif après lésion cérébrale chez l'adulte
REV.NEUROL. (Paris) , 2008, Vol. 164, n° 12, p. 1018-1027

N° doc. : 140859

SPARROW WA ; BEGG RK ; PARKER S
Variability in the foot-ground clearance and step timing of young and older men during single-task and dual-task treadmill walking
GAIT POSTURE , 2008, Vol. 28, n° 4, p. 563-567

N° doc. : 140880

QUAGLIARELLA L ; SASANELLI N ; BELGIOVINE G
An interactive fall and loss of consciousness detector system
GAIT POSTURE , 2008, Vol. 28, n° 4, p. 699-702

N° doc. : 139500

RENTSCHLER AJ ; SIMPSON R ; COOPER RA
Clinical evaluation of Guido robotic walker
J.REHABIL.RES.DEV. , 2008, Vol. 45, n° 9, p. 1281-1294

HANDICAP MENTAL

N° doc. : 140289

L'accompagnement sanitaire et psychologique de la personne handicapée mentale
READAPTATION , 2009, n° 558, 41 p

DIVERS

N° doc. : 139603

SALADIN LK ; KRAUSE JS
Pressure ulcer prevalence and barriers to treatment after spinal cord injury : comparisons of four groups based on race-ethnicity
NEUROREHABILITATION , 2009, Vol. 24, n° 1, p. 57-66

N° doc. : 139295

HACHULLA E
Sclérodermie systémique
ENCYCL.MED.CHIR.AKOS , 2009, FASC. 5-0300, 6 p

N° doc. : 140244

DROUVOT V ; MAY MICHELANGELI L ; SALOMON V
Mission mains propres en faveur de l'hygiène des mains dans les établissements de santé : évaluation de l'action nationale française 2008
HYGIENES , 2009, Vol. 17, n° 4, p. 279-283

N° doc. : 140245

PITTET D ; ENGINEER C ; KILPATRICK C L
Mains propres : vies sauvées - le défi continue pour l'organisation mondiale de la santé
HYGIENES , 2009, Vol. 17, n° 4, p. 284-289

N° doc. : 139303

GASPARD P ; ESCHBACH E ; GUNTHER D ; ROTH C
Contamination des tenues professionnelles par Staphylococcus aureus résistant à la Méricilline dans des services de soins de longue durée
HYGIENES , 2009, Vol. 17, n° 1, p. 37-44

N° doc. : 139304

BOSI C ; LEONNET C ; SANTENS L ; MARRO A ; SALAUN Y
Hygiène et soins : quelle pratique quotidienne de l'éthique ?
HYGIENES , 2009, Vol. 17, n° 1, p. 61-69

N° doc. : 139401

BERNET C ; MINCHELLA A ; BERTHELOT P ; SOTTO A
Impact des infections nosocomiales sur la mortalité hospitalière
HYGIENES , 2008, Vol. 16, n° 5, p. 385-388

N° doc. : 139402

AYOUBI S ; SCHMITT A ; GLASSER N ; STEINBACH D
Etude de l'effet rémanent du Bacoban-R , détergent-désinfectant pour surfaces
HYGIENES , 2008, Vol. 16, n° 5, p. 389-393

N° doc. : 140117

Vers un nouveau dispositif de formation infirmière : comprendre la réforme de la formation infirmière
SOINS , 2009, n° 735, p. 27-56